Earth and Planetary Science Letters

First-principles investigation of equilibrium iron isotope fractionation in Fe_{1-x}S_x alloys at Earth's core formation conditions --Manuscript Draft--

Manuscript Number:	EPSL-D-21-00042R1
Article Type:	Letters
Keywords:	Isotope fractionation Core Sulfur Iron high pressure
Corresponding Author:	Carlos Pinilla Universidad del Norte COLOMBIA
First Author:	Carlos Pinilla
Order of Authors:	Carlos Pinilla Aldemar de Moya Segolene Rabin Guillaume Morard Mathieu Roskosz Marc Blanchard
Abstract:	<p>Iron is one of the most abundant non-volatile elements in the solar system. As a major component of planetary metallic alloys, its immiscibility with silicates plays a major role in planetary formation and differentiation. Information about these processes can be gained by studying the equilibrium Fe isotope fractionation between metal alloys and molten silicates at conditions of core formation. In particular, recent attention has been paid to ⁵⁶Fe/⁵⁴Fe equilibrium isotope fractionation at conditions relevant to Earth's core formation and the influence that light elements (O, H, C, Ni, Si and S) have had in this process. Most of these experimental studies relied on the measurement of Fe isotope fractionation from quenched phases of silicate melts and molten iron alloys. The experimental works are extremely challenging, and may suffer different drawbacks. To overcome this, we use ab-initio computational methods to perform a systematic study of the ⁵⁶Fe/⁵⁴Fe equilibrium isotope fractionation in molten and solid Fe_{1-x}S_x alloys at conditions of the core formation (60 GPa, 3000 K). We show for the first time, that equilibrium isotope fractionation factors from solid systems can be used as proxies for molten systems with differences between these two methods less than 0.01 ‰ at the relevant P-T conditions. Additionally, we discuss the effect of sulphur concentration on the equilibrium Fe isotope fractionation and show that although there are some structural changes due to atom substitutions, the wide range of studied concentrations produces β-factors that are constant within ~ 0.01‰. Finally, we discuss the implications of our results for the interpretation of recent experiments and the understanding of core crystallization processes.</p>

- Equilibrium isotope fraction factors from solid alloys can be used as proxies for molten systems
- The effect of sulphur on isotope fractionation factors are within a 0.02‰ for all the studied alloys
- Bond type and local environment are the controlling parameters of Fe isotope fractionation in $\text{Fe}_{1-x}\text{S}_x$ alloys
- No measurable Fe fractionation should be produced between liquid and solid $\text{Fe}_{1-x}\text{S}_x$ alloys at conditions of Earth's core formation.

First-principles investigation of equilibrium iron isotope fractionation in $\text{Fe}_{1-x}\text{S}_x$ alloys at Earth's core formation conditions

Carlos Pinilla^{1,5}, Aldemar de Moya¹, Segolene Rabin², Guillaume Morard^{3,4}, Mathieu Roskosz³ and Marc Blanchard²

¹ *Departamento de Física y Geociencias, Universidad del Norte, Km 5 Via Puerto Colombia, Barranquilla, Colombia*

² *Géosciences Environnement Toulouse, Université de Toulouse, CNRS, IRD, UPS, CNES, 14 avenue E. Belin, 31400 Toulouse, France*

³ *Institut de Minéralogie, de Physique des Matériaux, et de Cosmochimie (IMPMC), UMR CNRS 7590, Sorbonne Universités, Muséum National d'Histoire Naturelle, CP 52, 57 rue Cuvier, Paris F-75231, France.*

⁴ *Université Grenoble Alpes, CNRS, IRD, IFSTTAR, ISTERre, 38000 Grenoble, France*

⁵ *School of Chemistry, University of Bristol, Cantock's Close, BS8 1TS, Bristol, United Kingdom*

ABSTRACT

Iron is one of the most abundant non-volatile elements in the solar system. As a major component of planetary metallic alloys, its immiscibility with silicates plays a major role in planetary formation and differentiation. Information about these processes can be gained by studying the equilibrium Fe isotope fractionation between metal alloys and molten silicates at conditions of core formation. In particular, recent attention has been paid to $^{56}\text{Fe}/^{54}\text{Fe}$ equilibrium isotope fractionation at conditions relevant to Earth's core formation and the influence that light elements (O, H, C, Ni, Si and S) have had in this process. Most of these experimental studies relied on the measurement of Fe isotope fractionation from quenched phases of silicate melts and molten iron alloys. The experimental works are extremely challenging, and may suffer different drawbacks. To overcome this, we use *ab-initio* computational methods to perform a systematic study of the $^{56}\text{Fe}/^{54}\text{Fe}$ equilibrium isotope fractionation in molten and solid $\text{Fe}_{1-x}\text{S}_x$ alloys at conditions of the core formation (60 GPa, 3000 K). We show for the first time, that equilibrium isotope fractionation factors from solid systems can be used as proxies for molten systems with differences between these two methods less than 0.01 ‰ at the relevant P-T conditions. Additionally, we discuss the effect of sulphur concentration on the equilibrium Fe isotope fractionation and show that although there are some structural changes due to

atom substitutions, the wide range of studied concentrations produces β -factors that are constant within $\sim 0.02\%$. Finally, we discuss the implications of our results for the interpretation of recent experiments and the understanding of core crystallization processes.

ARTICLE INFO

INTRODUCTION

Iron is the major element of solar system planetary cores, in relation with the nucleosynthesis sequence. Iron plays a major role in every stage of planetary formation and differentiation. Geophysical approaches have confirmed the presence of iron for Earth's core but with almost 10% of light elements required to make up its mass (Hirose et al., 2013). Traditionally the effects due to the presence of light elements in the core are being inferred by geophysical studies where the density and sound velocity propagation are studied as function of light element concentration to match those values reported from geophysical models such as PREM. However, recently it has been suggested that the Fe isotopic composition in the mantle could be used to infer the composition of Earth's core (Bourdon et al., 2018; Craddock and Dauphas, 2010; Craddock et al., 2013; Leshner et al., 2020; Shahar et al., 2016; Sossi et al., 2016). This is based on the assumption that the presence of elements such as C, O, Si, S should affect the partitioning of iron isotopes between the mantle and the core. Originally, it has been suggested that core-mantle differentiation will leave imprints on the iron isotope signature of Earth's mantle because of the difference of Fe valence state and coordination in the mantle (Fe^{2+}) and in the core (Fe^0 metal) (Polyakov, 2009). That study suggested that the mantle should be enriched in heavy isotopes, product of equilibrium isotope fractionation during differentiation. However, subsequent explanations argue that the bulk silicate Earth is chondritic in its iron isotopic composition

63 and that any difference in isotope composition seen in basalts is due to fractionation during partial
64 melting of the rock from which they have been formed (Craddock et al., 2013). Indeed, isotope
65 compositions in natural rocks are scattered in values, with $\delta^{56}\text{Fe} \sim -0.01 \text{ ‰}$ for carbonaceous
66 chondrites, $\delta^{56}\text{Fe} \sim -0.1$ to $+0.1 \text{ ‰}$ for enstatite chondrites and $\delta^{56}\text{Fe} \sim +0.1 \text{ ‰}$ for basalts (Craddock
67 and Dauphas, 2011; Liu et al., 2017; Poitrasson et al., 2013). These scattered values are therefore
68 interpreted to suggest that the accessible mantle has a Fe isotope composition that is indistinguishable
69 from chondritic composition (i.e. $\delta^{56}\text{Fe} \sim 0 \text{ ‰}$). Apart from expected evidence of the presence of light
70 elements in the core due to difference in chemical bonds, one must also consider the effects of
71 pressure and temperature. It is well known that equilibrium fractionation effects should vanish at high
72 temperatures. However, in the case of lower mantle and core conditions where pressures are also
73 high, these fractionation effects might still be important. Recently, Shahar et al. (2016) have carried
74 out experiments and computational modelling on the effects of pressure and light elements (such as H,
75 C, O) on the equilibrium isotope fractionation of $^{57}\text{Fe}/^{54}\text{Fe}$ at the core-mantle boundary. Their work
76 has found a significant imprint on isotope fractionation due to light elements such as C and H
77 ($\delta^{56}\text{Fe} \sim 0.03\text{--}0.05 \text{ ‰}$) whilst elements such as O leave almost no imprint ($\delta^{56}\text{Fe} \sim 0.007\text{--}0.01 \text{ ‰}$). Their
78 results support the suggestions by Craddock et al. (2013) that in order to have a mantle with a $\delta^{56}\text{Fe}$
79 near 0 ‰ , light elements such as C and H that provide a large imprint in fractionation should not be
80 present in the core at a significant level. Additionally, it favours the presence of O as a light element in
81 the core. However, the effects of other light elements such as S on equilibrium Fe isotope fractionation
82 at core conditions are yet unclear as well as any pressure induced magnetic effects that can be of
83 relevance. There has been recent experimental work by (Ni et al., 2020); Shahar et al. (2015) on the
84 effects of S on Fe isotope fractionation between solid metal and liquid metal, or between metal and
85 silicate. In both cases, sulfur enters into the metallic phases and preferentially into the liquid metal
86 phase. Shahar et al. (2015) found that metal-silicate fractionation increases significantly with the
87 sulfur content in the metal, whereas Ni et al. (2020) observed that the solid-liquid fractionation in this
88 system does not depend on the sulfur content of the liquid metal. Obviously, much work needs to be

done to understand these effects at temperature and pressure conditions of the terrestrial core, far away from experimental studies performed below 2 GPa. In this context, the difficulty to carry out experiments at high pressure and high temperature leads to the use of crystalline phases such as *hcp* Iron or *14* Fe₃S as proxies of the molten systems leading to large extrapolations and possible errors in the interpretation of final results. This approach is used for instance in Liu et al. (2017) where high-pressure data (up to 206 GPa) suggest a minuscule Fe isotope fractionation between metal and silicate that is one order of magnitude lower than the one found by Shahar et al. (2015) at 1-2 GPa.

In recent years, computational techniques have become useful tools to estimate isotope fractionation factors in mineral systems. This is particularly true for methods based on quantum mechanics that allow to describe the vibrational properties of light and heavy isotopes at any pressure and temperature conditions (Blanchard et al., 2017). However, the weakness of these methods typically lies in the use of the quasi-harmonic approximation that falls when temperature increases or when the systems become fully molten. In addition, in dynamical systems such as liquids and melts, it has been shown that configurational disorder needs to be taken into account in order to obtain meaningful equilibrium fractionation factors (Blanchard et al., 2017; Pinilla et al., 2015).

In this work, we use *ab-initio* computational methods to perform a systematic study of the ⁵⁶Fe/⁵⁴Fe equilibrium isotope fractionation in molten and solid Fe_{1-x}S_x alloys at conditions of the core formation. By comparing the fractionation factors obtained from solid and molten systems, we estimate the validity of the experimental approximation consisting in using solid metals as a proxy for molten alloys. Additionally, we comment on the effects of S concentration on Fe isotope fractionation in liquid systems. We discuss our findings on view of latest results on equilibrium Fe isotope fractionation and their relevance for the formation of the Earth's core.

METHODS

2.1 Equilibrium isotope fractionation factor from harmonic vibrational modes

The equilibrium isotope fractionation factor of an element displaying two isotopic forms Y and Y^* between two phases a and b is related to the ratio of the isotope concentration ratios:

$$\alpha(a, b, Y) = \frac{\left(\frac{n_{Y^*}}{n_Y}\right)_a}{\left(\frac{n_{Y^*}}{n_Y}\right)_b},$$

where n_Y is the mole fraction of isotopes Y in phase a . The equilibrium fractionation factor between two phases can be related to the reduced partition function ratio $\beta(a, Y)$ of each phase by: $\ln(\alpha(a, b, Y)) = \ln(\beta(a, Y)) - \ln(\beta(b, Y))$. Isotopic reduced partition function ratios are usually presented as $10^3 \ln(\beta(a, Y))$ in permil. The reduced partition function ratio $\beta(a, Y)$ describes the isotopic fractionation properties of a given phase normalized to the properties of a classically behaving system. It can be shown that within the harmonic approximation and using the Teller-Redlich rule for frequencies (Wilson et al., 1955), the $\beta(a, Y)$ factor in a solid phase can be written as (Meheut et al., 2007):

$$\beta(a, Y) = \left[\prod_{i=1}^{3N_{at}} \prod_q \frac{v_{q,i}^*}{v_{q,i}} \frac{e^{-hv_{q,i}^*/(2k_B T)}}{1 - e^{-hv_{q,i}^*/(k_B T)}} \frac{1 - e^{-hv_{q,i}/(k_B T)}}{e^{-hv_{q,i}/(2k_B T)}} \right]^{1/NN_q} \quad (2)$$

where $v_{q,i}$ and $v_{q,i}^*$ are the phonon frequencies of the i -th branch with wave vector q for the two isotopologues. N_{at} is the number of atoms in the unit-cell and N is the number of sites occupied by the Y atom in the unit-cell. h and k_B are the Planck and Boltzmann constants respectively, and T the temperature. The second product in equation 2 is usually performed on a grid containing Nq q -vectors to ensure full convergence of the $\beta(a, Y)$ value.

2.2 Equilibrium isotope fractionation factor from the kinetic energy

To calculate the equilibrium fractionation factor directly from molecular dynamics simulations of liquid systems, we can use the equation relating the β -factor to the atomic kinetic energy (K) (Polyakov, 1998, 2009):

$$\ln\beta(a, Y) = \frac{\Delta m}{m^*} \left(\frac{K}{k_B T} - \frac{3}{2} \right), \quad (3)$$

where $\Delta m = m^* - m$ with m^* the mass of the heavier isotope. In this work we have used the definition of kinetic energy (K) as a function of the partial vibrational density of states (pDOS) that can be computed directly from computer simulations or experiments using nuclear resonant inelastic X-ray scattering spectroscopy (NRIXS) (Dauphas et al., 2018; Dauphas et al., 2012; Polyakov, 2009). In this way, the kinetic energy of an atomic specie in the phase of interest can be defined as a function of the vibrational density of states of this atomic specie, $g(\nu)$, as (Vos et al., 2015):

$$K = \frac{3}{2} \frac{\int_{\nu_i}^{\nu_f} g(\nu) \alpha(\nu, T) d\nu}{\int_{\nu_i}^{\nu_f} g(\nu) d\nu}, \quad (4)$$

with $\alpha(\nu, T)$ the kinetic energy of a quantum harmonic oscillator. This last term is defined as:

$$\alpha(\nu, T) = h\nu \left(\frac{1}{e^{h\nu/k_B T} - 1} + \frac{1}{2} \right). \quad (5)$$

The vibrational density of states of a system of atoms can be retrieved from the Fourier transform of the velocity auto-correlation function (VCF) thermodynamically averaged over all atoms of a given specie. The pDOS for a system of N atoms is given by

$$g(\nu) = \int_{-\infty}^{\infty} dt \frac{\langle \mathbf{v}(t) \cdot \mathbf{v}(0) \rangle}{\langle \mathbf{v}(0) \cdot \mathbf{v}(0) \rangle} e^{i2\pi\nu t} \quad (6)$$

The VCF has been calculated directly from *ab-initio* molecular dynamics simulations at the temperature and pressure of interest.

2.3 Computational details

The calculations in this work are based on density functional theory as implemented in the VASP code developed by Kresse and Hafner (1994) and updated by Kresse and Furthmüller (1996). The exchange

and correlation energy was represented by the generalized-gradient-approximation GGA approach in the version for solids, PBEsol, developed by Von Barth (2004). Electronic wave functions were expanded on a plane-wave basis with a maximum cutoff energy of 600 eV, which guarantees convergence of all calculated properties. Pseudopotentials of the projector augmented wave type (Blöchl, 1994; Kresse, 1999) were used for Fe and S, with an electronic configuration of valence states $3s^2 3p^6 3d^6 4s^2$ and $3s^2 3p^4$, respectively.

Ab-initio molecular dynamics (AIMD) calculations were performed using a Nosé-Poincaré thermostat (Bond et al., 1999) and a Parrinello-Raman barostat (Hernandez, 2001) to work at temperatures and pressures of interest. All systems were thermodynamically equilibrated at core formation conditions (60 GPa, 3000 K) by means of a NPT ensemble for a minimum time of 2 ps, which was found sufficient to guarantee fully thermodynamic equilibrium. Once the system was equilibrated to the desired pressure and temperature, calculations were subsequently performed in a NVT ensemble at the same temperature, using a Nosé-Hoover thermostat (Hoover, 1985; Nosé, 1984). All AIMD calculations were carried out with an integration time of 0.5 fs.

In order to understand the effect of S on the Fe isotope fractionation, we selected the following systems: a pure solid hcp iron structure (54 atoms) and its molten counterpart (0 at%S), a solid Fe_3S structure (64 atoms) and its molten counterpart (25 at%S) and two liquid alloys with intermediate compositions of 9.4 at%S and 17.2 at%S (64 atoms each). All calculations besides the one for pure liquid iron have been carried out at 60 GPa and 3000 K. In the case of pure liquid iron we have carried out calculations at a higher temperature of 6000 K due to the fact that at this pressure of 60 GPa and 3000 K, the most stable phase of iron is still the solid hcp structure and not a molten system, as shown by previous phase diagram calculations (Alfé et al., 2002). In order to understand the effect of temperature on force constants and isotope fractionation factors, we have run an extra AIMD calculation of solid hcp Fe at 300 K.

Additional to the AIMD calculations mentioned above, we have also carried out zero-temperature structural optimizations of the two crystalline systems, to estimate the $^{56/54}\text{Fe}$ equilibrium isotope fractionation factor from vibrational properties using the harmonic approximation through equation (2). We estimated vibrational frequencies by using first the perturbation theory method as implemented in VASP to obtain the dynamical matrix. Then, force constants and vibrational frequencies have been post-processed using the PHONOPY code (Togo and Tanaka, 2015). Phonon frequencies are given by the eigenvalues of the dynamical matrix. The k -point for total energy convergence as well as the q -mesh used to obtain convergence of vibrational properties used in this work can be found in Table 1. Using these parameters, frequencies and β -factors are converged to 0.001 cm^{-1} and 0.0001 ‰ respectively. Additionally, we have produced solid solutions at similar concentration as the two liquid alloys discussed above using the solid solution method reported by D'Arco et al. (2013); Mustapha et al. (2013). The structures of these solid solutions were found to be dynamically non-stable and therefore their isotope fractionation factors are not reported in this work. It should also be noted that we have found magnetic effects to be non-relevant at the studied pressure and temperature conditions and therefore have not been taken into account in this work (See Valencia et al. (2020)).

Keeping in mind these methodological part, we can now outline the four different methods used in this work to estimate β -factors and explain the limitations and advantages of each one of them. Firstly, the trajectories obtained from finite-temperature AIMD calculations have been used to obtain the velocity auto-correlation function (VCF) and subsequently, the partial density of states (pDOS) using equation (6). One limitation of the pDOS method lies on the length of the trajectory used to obtain meaningful results given that the noise in the velocity auto-correlation function increases with the length of the time interval and could lead to non-converged pDOS spectra. In this work, the reported pDOS are obtained as an average of several 6 ps trajectories (at least 5 trajectories) obtained over a longer MD trajectory. We have estimated the kinetic energy and subsequently the β -factor using equations 4 and

3 respectively. In this method, the interatomic force constant can also be retrieved from the pDOS, using the following equation (e.g. Dauphas et al. 2012):

$$\langle F \rangle = \frac{m}{\hbar^2} \int_0^{+\infty} g(v) v^2 dv \quad (7)$$

This method has the advantage to include anharmonic effects as well as configurational disorder, of relevance in the case of liquid systems. We will refer to this method as the “pDOS-melt” results. Furthermore, we have used the same pDOS methodology applied to Fe-hcp and Fe₃S-I4 crystalline systems with AIMD calculations performed at 300 K and 60 GPa. The β -factors obtained through this method will be presented as the “pDOS-solid” results.

Using the snapshots from the same AIMD trajectories of the molten systems, we have performed zero-temperature constant-pressure optimisations of the atomic positions in order to minimise the total energy. Following this, we have used the relaxed configurations to calculate vibrational properties and estimate the β -factor using equation 2. This method is similar to the one presented in previous works by Pinilla et al. (2015) and results obtained from this method will be referred as the “RELAX” results. In the “RELAX-melt” method the obtained snapshots can be seen as those resembling a glassy system obtained through rapid quenching and characterised by structural disorder but where bond distance distribution has been evened out due to optimization of atomic positions. Finally, in the case of crystalline Fe-hcp and Fe₃S-I4, we have calculated the vibrational properties within the harmonic approximation from the optimised structure at zero temperature and used equation 2 to obtain the β -factor. Results from these calculations will be known as “RELAX-solid” results. It should be noted that in the case of solid structures, the RELAX-melt method (i.e., AIMD at finite temperature followed by zero-temperature relaxations) converges to the same results as the RELAX-solid method (i.e., direct zero-temperature structural relaxation). A summary of the methods used in the present study can be found in Table 2.

3. RESULTS AND DISCUSSION

3.1 Iron and sulfur kinetic energies

To determine the kinetic energy for Fe and S atoms we calculated the velocity auto-correlation function (VCF) for all the studied systems as shown in Figure 1. In the case of liquid alloys, the typical behaviour for dense liquids was observed, with an intermediate negative region produced by atomic collision and a subsequent rise before oscillating around a zero correlation (Hansen and McDonald, 2005). The fact that the positive part of the VCF is larger than the negative one describes a system with net diffusion, opposite to what is seen in the case of solids. The corresponding pDOS are also displayed in Figure 1. It is interesting to note that in the case of solids the pDOS has a zero value at zero frequency. At low frequency (long times) the pDOS of solids should follow a quadratic trend just like the one described by the Debye model for the long wavelength limit (Hansen and McDonald, 2005) and corresponding to acoustic vibrational modes. This is different from what is seen in the case of liquids where diffusive effects lead to a net pDOS value at zero frequency. Additionally, in the case of solids we have also displayed pDOS from zero-temperature vibrational frequencies to show the effect of temperature producing a broader spectrum.

Using the pDOS we have determined the kinetic energy via equation 4. Figure 2 shows the iron kinetic energy as a function of temperature for some of the studied systems. We note the large error bars reported in these results, where kinetic energies for liquid and solid system are close. However, we observe in details, systematic trends. Fe atoms have a slightly smaller kinetic energy than S atoms with a $K_S - K_{Fe} = 0.8$ meV for solid Fe₃S at 300 K and 60 GPa. An Fe atom in pure solid Fe hcp lattice has an average kinetic energy $K_{Fe-solid} = 43.4$ meV at 300 K whereas a similar atom in a Fe₃S structure has a $K_{Fe3S-solid} = 44.2$ meV. This difference complies with the fact that the Fe-S bond has a more covalent nature thus producing a stronger bond than a pure metallic Fe-Fe bond. This conclusion could also be extended to liquids but with a smaller magnitude. Similar behaviour has been also reported by Morard

et al. (2008) in the case of Fe-S-Si liquid alloys. Overall, the Fe kinetic energy of $\text{Fe}_{1-x}\text{S}_x$ alloys tends to be slightly higher than those based on pure Fe. Furthermore, the kinetic energy of an Fe atom in a solid, liquid and gas phase of these alloys is different due to the bond nature, but the trends are not the same depending on the composition investigated. All systems possess a larger kinetic energy than that for a free Fe atom ($3k_B T/2$) = 38.7 meV/atom at 300 K, but in the case of pure Fe, the solid has a lower kinetic energy than that found for the liquid phase, whereas, this effect is reverted in the case of the Fe_3S system. Finally, we can observe that the kinetic energy difference decreases as temperature increases, leading to a constant value due to the increase of diffusive-like contributions.

3.2 Iron β -factors from solid and molten alloys

The $^{56}\text{Fe}/^{54}\text{Fe}$ reduced partition function ratios (β -factors) obtained from all methods described in Table 2 are shown in Figure 3. A further insight into our results can be obtained from the iron force constants displayed in Table 3. We need to differentiate the results estimated from calculations at zero temperature (RELAX-melt and RELAX-solid methods) from those at finite temperature (pDOS-melt and pDOS-solid methods). At 3000 K, β -factors from the later methods seem to be ≈ 0.02 ‰ lower than the β -factors from the former one (Fig. 3). Consistently, force constants from pDOS calculations (pDOS-melt and pDOS-solid) are ~ 100 N/m smaller than those from frequency methods (RELAX-melt and RELAX-solid) (Table 3). This difference is found to be related to shorter Fe-Fe and Fe-S bonds at zero temperature as well as to the truncation in the kinetic energy integral to a certain maximum cutoff value of 246 meV (See SI). This truncation procedure is much on the lines to what is done for NRIXS experiments (Dauphas et al., 2012).

If we now compare solid, glass and liquid results, we can make several observations. For both Fe and Fe_3S compositions, RELAX-melt and RELAX-solid methods present comparable results for the β -factors (Fig. 3) or the force constants (Table 3). The RELAX-melt method includes some configurational disorder like in a glass, even if the distribution of bond distances has been diminished by the

optimization of atomic positions. Therefore, these results suggest that the isotopic properties of a glass system, as that given by the RELAX-melt method, may be equivalent to that of a perfect solid structure. When dealing with liquid systems taking full account of thermal effects such as in the case of the pDOS calculations, we see that the β -factors extrapolated at conditions of core formation (3000 K, 60 GPa) from a liquid Fe simulation run at 6000 K and from a solid simulation run at 300 K are comparable with $\beta^{\text{Fe}}_{\text{solid}} - \beta^{\text{Fe}}_{\text{liquid}} \approx 0.02 \text{ ‰}$ at 3000 K. The same conclusion can be drawn for the Fe_3S composition. Overall, our results highlight that although configurational disorder is different in all systems, bond type and local environment are the controlling parameters of this modelling. This shows that β -factors obtained from solid systems may in principle be used in place of molten ones, with differences not larger than 0.02 ‰ at conditions of core formation. Hence, we can conclude that crystalline or glassy iron alloys are good proxies for molten systems for deep Earth studies as has already been done in several experimental works.

Finally, we can compare the values of iron force constants calculated for pure Fe-hcp and Fe_3S using the RELAX-melt or RELAX-solid methods to the equivalent NRIXS-derived room-temperature values reported in previous experimental works by Shahar et al. (2016) and Liu et al. (2017). Calculated and experimental values are all in good agreement with the largest difference between these values of about 10% for the pure Fe system (Table 3). It is noteworthy that there are no data for solid alloys at S concentrations of 5.6 and 10.6 wt% because these solid alloys were found to be dynamically unstable under the pressure used.

3.3. Thermal extrapolation of the β -factor

The temperature dependence of the β -factor for zero-temperature calculations (RELAX-solid and RELAX-melt methods) and finite temperature MD simulations (pDOS-solid and pDOS-melt methods) has been determined using equations 2 and 3 respectively. The procedure of using vibrational frequencies or the partial density of states obtained at a given temperature to extrapolate the

functional behaviour of β -factors to other temperatures is a widely used approach both in theory and experimental analysis, but can be prone to errors. Here we assess the validity of such procedure by comparing the β -factors obtained using the pDOS method from AIMD simulations performed at several temperatures (3000 K, 4000 K, 5000 K, 6000 K and 7000 K) with the values obtained using an extrapolation procedure (Fig. 4). Our results show that the data extrapolation from a simulation at 3000 K toward higher temperatures is perfectly valid. On the other hand, the data extrapolation towards 3000 K from simulations performed at higher temperature (4000-7000 K) lead to small uncertainties. Extrapolated values oscillate from one simulation temperature to the other but globally these oscillations do not exceed the error bar already calculated for the pDOS-melt method (about ± 0.01 % at 3000 K, Fig. 4). More critical is the linear extrapolation up to 3000 K of the pDOS-solid simulation run at 300 K. In order to assess the validity of this extrapolation, we ran an overheated Fe-hcp structure at 60 GPa and 3000 K. This simulation leads to a β -factor close to the melt one at the same conditions, suggesting that this extrapolation overestimates the force constant by about 30 N/m (Fig. 4b) and the β -factor by about 0.01 % (Fig. 4a). Data for pDOS-solid displayed in Figure 6 as well as Tables 3 and 4 have been corrected to account for this overestimation.

Overall, our results suggest that the force constant determined by spectroscopic analysis at room temperature will be overestimated by 30 N/m when discussing implications at conditions near the 3000 K. This overestimation is of the same order of magnitude as error bars reported in spectroscopic methods (Dauphas et al., 2012; Roskosz et al., 2015). Therefore, these results warn on the use of solids as proxies for high-temperature liquids and make this approximation acceptable for a range of temperatures between 1000-2000 K. It is important to say that the behaviour observed here for the force constant as a function of temperature is true at the high-pressure regime where this work has been carried out. However, we expect a more significant correction at low pressures where vibrational effects, thermal expansion and even magnetic effects might be more pronounced.

3.4. Correcting for fluidicity effects on estimated β -factors

The pDOS methodology described above has been widely used for the NRIXS-based and static computation study of isotope fractionation properties in crystalline systems where the harmonic approximation is most of the time a good assumption (Bourdon et al., 2018; Dauphas et al., 2018). However, a direct extension to liquids may not be appropriate since entropy and fluidicity effects are dominated by low-frequency modes. In particular, the pDOS of liquids has a non-zero value at zero frequency, which corresponds to the diffusion mode (Fig 1).

To assess the effect of fluidicity on the calculated β -factors we have used the two phase approach proposed by Lin et al. (2003) and Lin et al. (2010) in which the partial density of states ($g(\nu)$) of a system with $3N$ degrees of freedom can be partitioned into a gas- and a solid-like component:

$$g(\nu) = g^g(\nu) + g^s(\nu), \quad (8)$$

where the gas-like diffusive component $g^g(\nu)$ corresponds to $3N^g = 3fN$ degrees of freedom with f being the gas fraction. The remainder, $g^s(\nu)$, describes a non-diffuse system in which $g^s(0) = 0$ (i.e. no diffusion). Thus, the degrees of freedom from the system that behaves in a solid-like way are $3N^s = 3N(1-f)$.

In order to estimate the solid-like density of states, it is necessary to define the gas-like diffusive component $g^g(\nu)$ and the gas fraction f . In their original paper, Lin et al. (2003) approximate $g^g(\nu)$ to that of a hard sphere fluid defined as:

$$g^g(\nu) = \frac{s_0}{1 + \left[\frac{\pi s_0 \nu}{6fN} \right]^2}, \quad (9)$$

where s_0 is the original $g(\nu)$ zero-frequency value. Likewise, the gas fraction, f , can be written as

$$2\Delta^{-9/2}f^{15/2} - 6\Delta^{-3}f^5 - \Delta^{-3/2}f^{7/2} + 6\Delta^{-3/2}f^{5/2} + 2f - 2 = 0, \quad (10)$$

where

$$\Delta(T, \rho, m, s_0) = \frac{2s_0}{9N} \left(\frac{\pi k_B T}{m} \right)^{1/2} \rho^{1/3} \left(\frac{6}{\pi} \right)^{2/3} \quad (11)$$

with m the mass of the particles and $\rho = N/V$, the density. Δ is a function of the studied alloy. Note that through MD calculations, the obtained value s_0 determines Δ and subsequently $g^g(\nu)$ and the gas

fraction also called fluidicity factor f . In this way, any thermodynamic property can be estimated as a sum of gas and solid contributions.

The respective decompositions at conditions of the core formation can be seen in Figure 5. Results show that the pDOS for a gas decays rapidly and monotonically as frequency increases. This behaviour is expected since in gases usually the mean free path is larger than the particle diameter. In the case of a solid-like system, and as shown earlier, the velocity auto-correlation function oscillates around zero with amplitudes decreasing as time increases. In a single particle system oscillating under a harmonic potential, this oscillation can be fitted to a cosine function and the $g^S(\nu)$ resembles a Dirac delta. In the case of a solid the $g^S(\nu)$ has several peaks reflecting the ordered nature of crystal structures. Furthermore, the values of the fluidicity factor f increases as a function of temperature showing how the diffusive character of the alloy increases with temperature (Fig. 5c). We have used these results to estimate the β -factor corrected for fluidicity effects in the case of Fe and Fe₃S melts. Results are reported in figure 6. The results with or without fluidicity correction are similar with β -factors differing by less than 0.01 ‰ among them. Therefore, fluidicity effects present in the pDOS are not relevant when estimating the equilibrium fractionation factor of Fe in liquid Fe_{x-1}S_x alloys.

3.5. Effect of S concentration on Fe β -factor

In order to evaluate the effect of S on the iron β -factor we have performed calculations on four systems with S concentrations ranging from 0.0 to 25 at% (Fig. 6). As already mentioned in part 3.2, results from zero-temperature methods (RELAX-melt and RELAX-solid) must be discussed separately from pDOS-based methods. Overall, all methods show a small variation of β -factors (i.e. not larger than 0.02 ‰) over the whole S concentration range. However, calculations show subtle trends where the Fe β -factor changes continuously with S concentration (see green and black lines in Fig. 6). In addition, the change seems to be different for the case of crystalline and non-crystalline systems (Figs. 3 and 6). In

the case of crystalline systems (RELAX-solid and pDOS-solid results) we see the β -factor for pure Fe-hcp to be larger than those of Fe₃S-I4. The same trend is observed for the force constants (Table 3). Conversely, pDOS-melt and RELAX-melt results show the opposite behaviour where β -factors and force constants increase with S content. However, we note here that experimental uncertainties likely exceed these differences calculated here for P-T conditions relevant to the Earth's core formation.

The fact that β -factors and force constants depend on concentration in the case of Fe_{1-x}S_x alloys can be understood from the local structural and chemical environment described through the coordination number and bond lengths (Smith, 1956). Therefore, we have derived the partial radial distribution functions and coordination numbers as a function of S content for solid and liquid systems (Fig. 7). In the case of molten alloys, we see that sulphur shows some covalent bonding with iron in the first shell, creating shorter Fe-S bonds and increasing slightly the length of the remaining Fe-Fe bonds. Indeed, Figure 7c clearly shows that the Fe-Fe coordination number (CN^{Fe-Fe}) goes from 13.4 at 0 at%S to 9.8 at 25 at%S, showing a decrease in the number of Fe atoms surrounding another Fe atom. Likewise, the Fe-S coordination number increases from 0.0 in absence of sulphur to 3.1 at 25 at%S. By adding the Fe-Fe and Fe-S coordination numbers together, we see that the total number of atoms surrounding a Fe atom in molten systems is fairly constant through all the S concentration range, suggesting that S atoms substitute readily for Fe atoms within the melt. Therefore, the nearly constant total coordination number and the increase in the number of shorter Fe-S bonds with sulphur concentration lead to an increase of β -factors and force constants for all molten alloys. In contrast, in crystalline systems, atoms are more localized around their equilibrium position and as a result, bond length distributions tend to be narrower than in melts, as seen in figure 7. Additionally, Fe₃S-I4 displays an average Fe-Fe distance significantly larger (+6%) than in Fe-hcp (Fig. 7) while the total coordination number remains nearly the same. This observation explains why crystalline Fe₃S presents a smaller β -factor and force constant than Fe-hcp.

A closer look at Fe₃S-I4 shows that this structure has three distinct Fe crystallographic sites: FeI, FeII and FeIII whose β -factors are 0.094, 0.103, 0.117 %₀ at 60 GPa and 3000 K respectively. The first

coordination shell of the FeI site displays 12 Fe atoms (average distance $d_{\text{FeI-Fe}}=2.44 \text{ \AA}$) and 2 S atoms (average distance $d_{\text{FeI-S}}=2.08 \text{ \AA}$). FeII site is surrounded by 10 Fe atoms ($d_{\text{FeII-Fe}}=2.40 \text{ \AA}$) and 4 S atoms ($d_{\text{FeII-S}}=2.14 \text{ \AA}$) while FeIII site is surrounded by 10 Fe atoms ($d_{\text{FeIII-Fe}}=2.38 \text{ \AA}$) and 3 S atoms ($d_{\text{FeIII-S}}=2.13 \text{ \AA}$). Iron in site III has the highest β -factor because its total coordination number is the lowest (13) and is dominated by iron with the shortest Fe-Fe bonds. Between sites I and II, displaying the same total coordination number of 14, iron in site II has the highest β -factor in relation to a larger number of S neighbours and a shorter average bond length.

Results thus suggest that the small changes seen in the force constants and β -factors when S concentration increases in $\text{Fe}_{1-x}\text{S}_x$ alloys are mainly due to a combination of attenuated structural changes related to atomic coordination and bond stiffness. The geochemical implications and possible reappraisals of existing experimental data related to these small variations are discussed below.

3.6. Implications in the context of terrestrial core formation

Our theoretical calculations alleviate a number of controversies and speculations in the field of HP-HT behaviour of Fe isotopes in solid and liquid alloys. To a certain extent, these conclusions likely hold for other isotopic systems.

First of all, it is commonly proposed that solids and glasses could be considered as representative of molten counterparts as a first approximation (Liu et al., 2017; Shahar et al., 2016; Yang et al., 2019). This was obviously proposed for lack of better alternatives. For pure iron, the simple close-packed structure of liquids, the similarities between density and compressibility relative to its solid phase under core conditions made this assumption reasonable (Laio et al., 2000). Similar assumptions were also made for silicates for which structural data also indicates strong similarities between glasses and melts at the local scale (Dauphas et al., 2014; Mysen and Pascal, 2005; Sanloup et al., 2013). Our results demonstrate, in the case of pure iron and iron sulphides that this assumption holds at least in the high pressure and temperature conditions prevailing during the Earth's core formation.

Second, another common assumption made to extrapolate experimental spectroscopic results to planetary conditions (Liu et al., 2017; Shahar et al., 2016; Yang et al., 2019) or, conversely to try to explain flagrant inconsistencies between spectroscopic and experimental results (Shahar and Young, 2020) focusses on the validity of harmonic approximations. Anharmonicity must indeed be present at some level as it is the mechanism responsible for thermal expansion, which is present in geological materials. For example, the volume of forsterite expands by 8% when the temperature is increased from 300 to 2300 K (Bouhifd et al., 1996) and no expansion would be present if the bonds were perfectly harmonic. If the bonds were perfectly harmonic, then the force constant of those bonds should not vary with temperature. Conversely, anharmonicity in interatomic potentials would be manifested as an apparent variation of the force constant of the iron bonds as temperature changes. Our results show such a variation (Fig. 4b). The Fe force constant decreases from 288 N/m at 300 K to 262 N/m at 3000 K for solid iron, and the force constant for liquid iron decreases from about 255 N/m at 3000 K to 238 N/m at 7000 K. However, these variations are of the same order of magnitude as error bars reported in spectroscopic studies. Consistent results were recently produced in the case of silicate minerals and glasses (Roskosz et al., in prep.). This is an important result because it strengthens the use of spectroscopic approach to derive isotopic properties of geomaterials at extreme conditions. It also highlights one more time the unexplained inconsistency between fractionation factors derived from experimental petrological experiments (e.g. Shahar et al. (2015) and theoretical and spectroscopic determinations (Liu et al., 2017; Shahar et al., 2016; Yang et al., 2019). To date this discrepancy remains unexplained but is clearly beyond the effects related to the anharmonic nature of metallic materials.

Third, these data can be used to describe Fe isotopes distribution within core forming materials during its crystallization. At the studied conditions (60 GPa and 3000 K), our calculations suggest that no measurable fractionation should be produced between liquids and solids even if incongruent crystallisation of a Fe-S molten alloy is considered. The limited amount of light alloying element and Ni should not change this conclusion since NRIXS measurements performed on solid analogues

confirmed that reasonable amounts of these elements could not significantly modify the force constants of the alloy (Liu et al., 2017; Shahar et al., 2016). Moving to milder conditions, experiments were recently performed to mimic core formation in planetesimals where pressure and temperature do not exceed a few GPa and 1600 K. Clearly, extrapolations of our calculations to lower temperature and pressure is limited by phase transitions and no firm conclusion can be drawn in the context of planetesimal differentiation. Nonetheless, as a first attempt, we have compared our $\Delta^{56/54}_{solid-liquid} = 10^3(\ln\beta_{solid} - \ln\beta_{liquid})$ results with those recently reported by (Ni et al., 2020) concerning planetesimal core crystallization (Table 4). We find our results to be about five times smaller than their reported average value of $\Delta^{56/54}_{solid-liquid} = 0.09 \pm 0.04$ ‰ at 1573 K for a similar range of S concentration and much lower pressure. If our predicted very small fractionation is confirmed by future calculations performed at lower pressure and temperature, then the relatively heavy iron isotopic signature of iron meteorites could not be explained solely by core crystallization and may also derive from fractionation associated to processes involved during the exhumation of core materials.

4. CONCLUSIONS

In this work, we have used computational methods to understand the effect of S on Fe equilibrium isotope fractionation in $Fe_{1-x}S_x$ alloys as well as the consequences of using solid metal as proxies of molten alloys when performing experimental studies. We have shown that although configurational disorder could be different between these systems, bond type and local environment are the controlling parameters of Fe isotope fractionation and that β -factors obtained from solid systems may in principle be used in place of molten ones, with differences not larger than 0.01 ‰ at the high pressure and temperature conditions investigated here. In addition, while the Fe force constant is found to decrease with increasing temperature, this consequence of the anharmonicity of the interatomic bonds remains smaller than the typical error bars of spectroscopically-derived force

constants at high pressure. This result makes valid the extrapolation in temperature of such experimental force constants. Regarding the S concentration effect, we observe changes in Fe β -factor and force constant much smaller than the estimated error bars even if the subtle and continuous trends with S concentration can be rationalized by a combination of structural changes related to atomic coordination and bond stiffness. Our calculations have thus suggested that no measurable fractionation should be produced between liquid and solid even if incongruent crystallisation of a Fe-S molten alloy is considered at conditions of the Earth's core formation. However, it is important to note that the results outlined here for $\text{Fe}_{1-x}\text{S}_x$ alloys apply to high pressure and high temperature conditions and that the effect of anharmonicity, S concentration and possibly magnetization on Fe isotopes behaviour at milder conditions could be larger than what has been found in this work.

5. ACKNOWLEDGEMENTS

This work was performed using Granado-HPC from the Universidad del Norte, SCARF from the STFC of the UK, and the HPC resources from CALMIP (Grant 2020 – P1037). The authors acknowledge funding from COLCIENCIAS (No. 2015-710-51568; Contract No. 023-2016) and ECOSNORD (C17U01, No. FP44842-143-2017) through research grants.

REFERENCES

- Alfé, D., Gillan, M.J., Price, G.D., 2002. Composition and temperature of the Earth's core constrained by combining ab-initio calculations and seismic data. *Earth. Planet. Sci. Lett.* 195, 91-98.
- Blanchard, M., Balan, E., Schauble, E., 2017. Equilibrium fractionation of non-traditional isotopes: A molecular modelling perspective. *Reviews in Mineralogy and Geochemistry* 82, 27-63.
- Blöchl, F., 1994. Projector augmented-wave method. *Phys. Rev. B* 50, 17953-17979.
- Bond, S.D., Leimkuhler, B.J., Laird, B.B., 1999. The Nosé-Poincaré method for constant temperature molecular dynamics. *J. Comp. Phys.* 151, 114-134.
- Bouhifd, M.A., Andrault, D., Fiquet, G., Richet, P., 1996. Thermal expansion of forsterite up to the melting point. *Geophys. Research Lett.* 23, 1143-1146.
- Bourdon, B., Roskosz, M., Hin, R.C., 2018. Isotope tracers of core formation. *Earth-Science Reviews* 181, 61-81.

511 Craddock, P., Dauphas, N., 2010. Iron isotopic compositions of geological reference materials and
512 chondrites. *Geostand. Geoanal. Res.* 35, 101-123.

513 Craddock, P., Dauphas, N., 2011. Iron isotopic composition of geological reference materials and
514 chondrites. *Geostand. Geoanal. Res.* 35, 101-123.

515 Craddock, P., Warren, J., Dauphas, N., 2013. Abyssal peridotites reveal the near-chondritic Fe isotopic
516 composition of the Earth. *Earth Planet. Sci. Lett.* 365, 63-76.

517 D'Arco, P., Mustapha, S., Ferrabone, M., Noël, Y., De La Pierre, M., Dovesi, R., 2013. Symmetry and random
518 sampling of symmetry independent configurations for the simulation of disordered solids. *J. Phys.:*
519 *Condens. Matter* 25, 355401.

520 Dauphas, N., Hu, M.Y., Baker, E.M., Hu, J.Y., Tissot, F.L.H., Alp, E.E., Roskosz, M., Zhao, J., Bi, W., Lin, J.-F.,
521 Nie, N.X., Heard, A., 2018. Scipho: a data analysis software for nuclear resonant inelastic X-ray scattering
522 with applications to Fe, Kr, Sn, Eu and Dy. *J. Synchrotron Rad.* 25, 1-19.

523 Dauphas, N., Roskosz, M., Alp, E.E., Golden, D.C., Sio, C.K., Tissot, F.L.H., Hu, M.Y., Zhao, J., Gao, L., Morris,
524 R.V., 2012. A general moment NRIX approach to the determination of equilibrium Fe isotopic fractionation
525 factors: Application to goethite and jarosite. *Geochim. Cosmochim. Acta* 94, 254-275.

526 Dauphas, N., Roskosz, M., Alp, E.E., Neuville, D.R., Hu, M.Y., Sio, C.K., Tissot, F.L.H., Zhao, J., Tissandier, L.,
527 Medard, E., Cordier, C., 2014. Magma redox and structural controls on iron isotope variations in Earth's
528 mantle and crust. *Earth Planet. Sci. Lett.* 398, 127-140.

529 Hansen, J.-P., McDonald, I.R., 2005. *Theory of simple liquids*. Academic Press.

530 Hernandez, E., 2001. Metrc-tensor flexible-cell algorithm for isothermal-isobaric molecular dynamics
531 simulations. *J. Chem. Phys.* 115, 10282-10290.

532 Hirose, K., Labrosse, S., Hernlund, J., 2013. Composition and State of the Core. *Annual Review of Earth and*
533 *Planetary Sciences* 41, 657-691.

534 Hoover, W.G., 1985. Canonical dynamics: equilibrium phase-space methods. *Phys. Rev. A* 31, 1695-1697.

535 Kresse, G., 1999. From ultrasoft pseudopotentials to the projector augmented-wave method. *Phys. Rev. B*
536 59, 1758-1775.

537 Kresse, G., Furthmuller, J., 1996. Efficient iterative schemes for ab-initio total energy calculations using a
538 plane-wave basis set. *Phys. Rev. B* 54, 11169.

539 Kresse, G., Hafner, J., 1994. Ab initio molecular dynamics simulations of the liquid metal-amorphous
540 semiconductor transition in germanium. *Phys. Rev. B* 49, 14251-14269.

541 Laio, A., Bernard, G.L., Scandolo, S., Tosatti, E., 2000. Physics of Iron at Earth's Core Conditions. *Science* 11,
542 1027-1030.

543 Leshner, C.E., Dannberg, J., Barfod, G.H., Bennett, N.R., Glessner, J.J.G., Lacks, D.J., Brenan, J.M., 2020. Iron
544 isotope fractionation at the core-mantle boundary by thermodiffusion. *Nature Geoscience* 13, 382-386.

545 Lin, S.-T., Blanco, M., Goddard, W.A., 2003. The two-phase model for calculating thermodynamic properties
 546 of liquids from molecular dynamics: Validation for the phase diagram of Lennard-Jones fluids. *J. Chem.*
 547 *Phys.* 119, 11792.

548 Lin, S.-T., Maiti, P.K., Goddard, W.A., 2010. Two-phase thermodynamic model for efficient and accurate
 549 absolute entropy of water from molecular dynamics simulations. *J. Chem. Phys.* B 114, 8191.

550 Liu, J., Dauphas, N., Roskosz, M., Hu, M.Y., Yang, H., Bi, W., Zhao, J., Alp, E.E., Hu, J.Y., Lin, J.-f., 2017. Iron
 551 isotopic fractionation between silicate mantle and metallic core at high pressure. *Nature Publishing Group*
 552 8, 1-6.

553 Meheut, M., Lazzeri, M., Balan, E., Mauri, F., 2007. Equilibrium isotope fractionation in the kaolinite, quartz,
 554 water system: prediction from first-principles density functional theory. *Geochim. Cosmochim. Acta* 71,
 555 3170-3181.

556 Morard, G., Sanloup, C., Guillot, B., Fiquet, G., Mezouar, M., Perrillat, J.P., Garbarino, G., Mibe, K.,
 557 Komabayashi, T., Funakoshi, K., 2008. In situ structural investigation of Fe-S-Si immiscible liquid system and
 558 evolution of Fe-S bond properties with pressure. *J. Geophys. Res.* 113, B10205.

559 Mustapha, S., D'Arco, P., De La Pierre, M., Noël, Y., Ferrabone, M., Dovesi, R., 2013. On the use of symmetry
 560 in configurational analysis for the simulation of disordered solids. *J. Phys.: Condens. Matter* 25, 105401.

561 Mysen, B.O., Pascal, R., 2005. *Silicate Glasses and Melts*. Elsevier Science.

562 Ni, P., Chabot, N.L., Ryan, C.J., Shahar, A., 2020. Heavy iron isotope composition of iron meteorites
 563 explained by core crystallization. *Nature Geoscience* 13, 611-615.

564 Nosé, S., 1984. a unified formulation of the constant temperature molecular-dynamics methods. *J. Chem.*
 565 *Phys.* 81, 511-519.

566 Pinilla, C., Blanchard, M., Balan, E., Suresh, K., Vuilleumier, R., Mauri, F., 2015. Equilibrium magnesium
 567 isotope fractionation between aqueous Mg²⁺ and carbonate minerals: insights from path integral
 568 molecular dynamics. *Geochim. Cosmochim. Acta* 4, 163.

569 Poitrasson, F., Delpech, G., Gregoire, M., 2013. On the iron isotope heterogeneity of lithospheric mantle
 570 xenoliths: implications for mantle metasomatism, the origin of basalts and the iron isotope composition of
 571 the earth. *Contrib. Mineral. Petrol.* 165, 1243-1258.

572 Polyakov, V.B., 1998. On anharmonic and pressure corrections to the equilibrium isotopic constants for
 573 minerals. *Geochim. Cosmochim. Acta* 62, 3077-3085.

574 Polyakov, V.B., 2009. Equilibrium iron isotope fractionation at core-mantle boundary conditions. *Science*
 575 (New York, N.Y.) 323, 912-914.

576 Roskosz, M., C., S., Dauphas, N., Bi, W., Tissot, F.L.H., Hu, M.Y., Zhao, J., Alp, E.E., 2015. Spinel-olivine-
 577 pyroxene equilibrium iron isotopic fractionation and applications to natural peridotites. *Geochim.*
 578 *Cosmochim. Acta* 169, 184-199.

579 Sanloup, C., Drewitt, J.W.E., Konopkova, Z., Dalladay-Simpson, P., Morton, D.M., Rai, N., van Westrenen,
580 W., Morgenroth, W., 2013. Structural change in molten basalt at deep mantle conditions. *Nature* 503, 104-
581 107.

582 Shahar, A., Hillgren, V.J., Horan, M.F., Mesa-Garcia, J., Kaufman, L.A., Mock, T.D., 2015. Sulfur-controlled
583 iron isotope fractionation experiments of core formation in planetary bodies. *Geochim. Cosmochim. Acta*
584 150, 253-264.

585 Shahar, A., Shauble, E.A., Caracas, R., Gleason, A.E., Reagan, M.M., Xiao, Y., Shu, J., Mao, W., 2016.
586 Pressure-dependent isotopic composition of iron alloys. *Science* 352, 580.

587 Shahar, A., Young, E.D., 2020. An assessment of iron isotope fractionation during core formation. *Chemical*
588 *Geology* 554, 119800.

589 Smith, P.R., 1956. The relationship of force constant and bond length. *J. Phys. Chem.* 9, 1293-1296.

590 Sossi, P.A., Nebel, O., Foden, J., 2016. Iron isotope systematics in planetary reservoirs, *Earth and Planetary*
591 *Science Letters*. Elsevier B.V., pp. 295-308.

592 Togo, A., Tanaka, I., 2015. First principles phonon calculations in material sciences *Scr. Mater.* 108, 1-5.

593 Valencia, K., De Moya, A., Morard, G., Allan, N.L., Pinilla, C., 2020. Ab initio study of structural, elastic and
594 thermodynamic properties of Fe₃S at high pressure: implications for planetary cores. *American*
595 *Mineralogist* In press.

596 Von Barth, U., 2004. Basic Density Functional Theory: An overview. *Physica Scripta* T109, 9-39.

597 Vos, M., Marmitt, G.G., Finkelstein, Y., Moreh, R., 2015. Determining the band gap and mean kinetic energy
598 of atoms from reflection electron energy loss spectra. *J. Chem. Phys.* 143, 104203.

599 Wilson, E.B., Decius, J.C., Cross, P.C., 1955. *Molecular vibrations*. McGraw-Hill.

600 Yang, H., Lin, J.F., Hu, M.Y., Roskosz, M., Bi, W., Zhao, J., Alp, E.E., Liu, J., Liu, J., Wentzowitch, R.M., Okuchi,
601 T., Dauphas, N., 2019. Iron isotopic fractionation in mineral phases from Earth's lower mantle: Did
602 terrestrial magma ocean crystallization fractionate iron isotopes?, *Earth and Planetary Science Letters*.
603 Elsevier B.V., pp. 113-122.

Figure captions

Figure 1. Calculated velocity correlation function (right) and partial density of states (left) for different molten alloys (top) and solid crystalline systems (bottom). For solid systems, the pDOS were also calculated from zero-temperature vibrational frequencies (violet curves).

Figure 2. Iron kinetic energy difference as a function of temperature for the studied solid and liquid systems at 60 GPa. The difference has been taken with respect to the kinetic energy per atom of an ideal gas ($3k_B T/2$). The inset is a closeup of the kinetic energy for the region between 3000K and 6000K.

Figure 3. $^{56/54}\text{Fe}$ β -factor in pure Fe and Fe_3S liquid and solid systems estimated using the RELAX-solid (blue circles) and RELAX-melt (green diamonds) methods, and the integration of the pDOS for a liquid (black squares) and solid (red triangles) system. Dashed lines correspond to results from NRIXS experiments reported by Liu et al. (2017).

Figure 4. a) Temperature dependence of the Fe β -factor estimated using the pDOS-melt method. Colour-circles show values from independent AIMD simulations performed at 3000, 4000, 5000, 6000 and 7000 K. Solid lines correspond to temperature dependences estimated from a single simulation performed at the displayed temperatures, and then extrapolated to other temperatures. Violet dashed line corresponds to results from the pDOS-solid method for Fe-hcp run at 300 K and extrapolated at higher temperatures. b) Fe force constant as a function of temperature in liquid iron (pDOS-melt method). Violet-dotted line and blue-dashed line correspond to values obtained from pDOS-solid at 300 K and 3000 K respectively.

Figure 5. Partial density of states for a) pure iron at 6000 K and b) Fe_3S at 3000 K, both at 60 GPa. Black-solid line represents total pDOS, dashed and dash-dotted lines are the solid and gas contributions respectively. c) fluidicity factor f as a function of temperature for the pure iron system.

Figure 6. $^{56/54}\text{Fe}$ β -factor as a function of S concentration at 60 GPa and 3000 K using different calculation methods. In addition to the four standard methods summarized in Table 2, “pDOS decomp.” corresponds to the pDOS-melt result corrected for fluidicity effects (cf. section 3.5). Experimental results from Shahar et al. (2016) and Liu et al. (2017) are shown for comparison. The small panel on the right hand side corresponds to a zoom up of results obtained at 0 and 25 at% and is displayed to facilitate the reading of the reported values.

Figure 7. Structural properties for molten $\text{Fe}_{1-x}\text{S}_x$ alloys. a) and b) panels correspond to Fe-Fe and Fe-S radial distribution functions respectively for various S concentrations. Dotted and Dashed-dotted lines are values for crystalline Fe-hcp and Fe_3S -I4 at 300K. c) Fe-Fe (black dots)

and Fe-S (red squares) coordination numbers as a function of S concentration. Green line shows the total coordination number for any concentration. Blue values correspond to coordination numbers for Fe-hcp and Fe₃S-I4 crystalline structures.

Figure 1a

Figure 1b

Figure 2

Figure 3a

Figure 3b

Figure 4a

Figure 4b

Figure 5a

Figure 5b

Figure 5c

Figure 6

Figure 7b

Crystalline system	Supercell size	k-points mesh	q-points-mesh
Fe - hcp	4x4x4	3x3x3	4x4x4
Fe ₃ S – I4	2x1x2	1x2x1	6x6x6

Table 1. k and q meshes used for the zero-temperature calculation of electronic and vibrational properties of crystalline systems.

Method	Details	$10^3 \ln(\beta)$
pDOS-melt	Full AIMD trajectory at 60 GPa and finite temperature (3000 K for all alloys besides pure molten Fe computed at 6000 K). Anharmonic and configurational disorder effects included.	Calculated using the pDOS and kinetic energy (equations 3, 4 and 6)
pDOS-solid	Full AIMD trajectory at 60 GPa and 300 K. Anharmonic and configurational disorder effects included	Calculated using the pDOS and kinetic energy (equations 3, 4 and 6)
RELAX-melt	Snapshots taken from the liquid AIMD trajectory – structural relaxation at constant P and T = 0 K. Some configurational disorder effects taken into	Calculated using the vibrational frequencies (eq. 2)

	account. Frequencies estimated using the harmonic approximation	
RELAX-solid	Optimization of Fe-hcp and Fe ₃ S-I4 crystal structures at T = 0 K. Frequencies estimated using the harmonic approximation.	Calculated using the vibrational frequencies (eq. 2)

Table 2. Summary of the methods used here for determining the β -factors.

System	pDOS-melt	pDOS-solid	RELAX-melt	RELAX-solid	Other works
Fe	239±7	258±8	330±23	345±19	312 ¹ , 321 ²
Fe _{1-x} S _x with x=5.6 wt%	238±26	----	340±26	----	----
Fe _{1-x} S _x with x=10.6 wt%	232±14	----	344±7	----	----
Fe ₃ S	244±5	228±7	352±7	330±29	327 ¹

Table 3. Interatomic force constant of iron for Fe_{1-x}S_x alloys in solid, glass and liquid states. Values are given in N/m. NRIXS results from ¹ Liu et al. (2017) and ²Shahar et al. (2016) are shown for comparison. Typical error value for the displayed NRIXS data is of about 20 N/m.

	$\Delta^{56/54}_{\text{solid-liquid}} (\text{‰})$ 3000 K	$\Delta^{56/54}_{\text{solid-liquid}} (\text{‰})$ 1600 K
Fe	0.011±0.005 <i>0.006±0.003</i>	0.036±0.005 <i>0.021±0.006</i>
Fe ₃ S	-0.008±0.001 <i>-0.004±0.002</i>	-0.028±0.001 <i>-0.016±0.003</i>
Fe ^{solid} -Fe ₃ S ^{liquid}	0.005±0.002 <i>0.005±0.003</i>	0.015±0.002 <i>0.019±0.004</i>

Table 4. $\Delta^{56/54}_{\text{solid-liquid}}$ at 1600 and 3000 K calculated using either the RELAX-solid – RELAX-melt methods (first line) or the pDOS_{solid} – pDOS_{melt} methods (second line).