Restricted Conformation Dynamics of Single Functionalized Perylene Bisimide Molecules on SiO₂ Surfaces and in Thin Polymer Films

Danny Kowerko, Jörg Schuster, Christian von Borczyskowski

► To cite this version:

Danny Kowerko, Jörg Schuster, Christian von Borczyskowski. Restricted Conformation Dynamics of Single Functionalized Perylene Bisimide Molecules on SiO₂ Surfaces and in Thin Polymer Films. *Molecular Physics*, 2009, 107 (18), pp.1911-1921. 10.1080/00268970902758631 . hal-00514964

HAL Id: hal-00514964

<https://hal.science/hal-00514964>

Submitted on 4 Sep 2010

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Restricted Conformation Dynamics of Single Functionalized Perylene Bisimide Molecules on SiO₂ Surfaces and in Thin Polymer Films

Journal:	<i>Molecular Physics</i>
Manuscript ID:	TMPH-2008-0378.R1
Manuscript Type:	Special Issue Paper - Spectral Dynamics & Related Topics
Date Submitted by the Author:	13-Jan-2009
Complete List of Authors:	Kowerko, Danny; TU Chemnitz, institute of physics Schuster, Jörg; TU Chemnitz, institute of physics von Borczyskowski, Christian; TU Chemnitz, institute of physics
Keywords:	single molecule spectroscopy, conformation dynamics, perylene bisimides, polymer thin film, surface adsorption

08.01.2009

Deleted: 14

Deleted: 1

Deleted: 8

Restricted Conformation Dynamics of Single Functionalized Perylene Bisimide Molecules on SiO₂ Surfaces and in Thin Polymer Films

Danny Kowerko^{1*}, Jörg Schuster¹
and Christian von Borczyskowski¹

- ¹⁾ Institute of Physics and nanoMA (Center for nanostructured Materials and Analytics),
Chemnitz University of Technology, 09107 Chemnitz, Germany
- ^{*)} Corresponding author, Institute of Physics and nanoMA, Chemnitz University of
Technology, 09107 Chemnitz, Germany, danny.kowerko@physik.tu-chemnitz.de

Abstract

Intramolecular conformational dynamics caused by the bay groups of perylene bisimide (PBI) molecules have been investigated by single molecule spectroscopy in thin PMMA polymer films and on SiO₂ surfaces. All dynamic processes occur in a jump-like fashion on SiO₂ but in a likewise continuous way in PMMA. Surface attachment on SiO₂ is accomplished by pyridyl functionalisation of PBI demonstrating a nearly perpendicular orientation of the long axis of perylene as has been concluded from polarisation experiments. This orientation is subject to fluctuations of the molecular orientation and/or conformation, which are considerably reduced in PMMA. According to static and time dependent fluorescence spectra at least 2 different conformations have been identified.

1. Introduction

Single molecule detection has been extensively used to investigate both intramolecular interactions such as interconversion between different conformations [1,2,3] or subtle intermolecular interactions thus probing static and dynamic matrix properties e. g. of glasses [4,5] liquid layers [6,7] and films [8]. Perylene bisimide (PBI) type molecules are one of those dye molecules which show on one hand a sufficiently high photostability. On the other hand they are due to various (bay) groups subject to intramolecular dynamics [9,10]. In a recent publication [11] a comparison of time resolved fluorescence and molecular dynamics calculations has demonstrated, that these bay groups control the formation and interconversion of two limiting classes of conformations. Additionally, different conformations might give rise to twisting of the perylene core itself [12,13]. It is evident, that the realisation of conformations and the related dynamics will be controlled by external restrictions such as embedding into various polymers [14,15]. This way PBI might also be used as a type of microscopic probe for matrix properties and dynamics as has been already demonstrated successfully [16,17].

PBI type molecules can be functionalised e. g. via substituted pyridyl rings [18]. Making use of different types of (multi-)pyridyl substituted PBI a whole class of supramolecular architectures has been realized via coordination chemistry and characterized also on a single molecule level [19]. The ability to form complexes via the pyridyl groups of differently pyridyl-substituted PBI molecules has been recently extended to the formation of complexes between PBI dyes and colloidal CdSe/ZnS semiconductor quantum dots (QDs) via self-assembly [20]. In that paper we successfully demonstrate, how, with respect to the QD surface, relative orientations of complexed pyridyl- or terpyridyl-functionalized PBI molecules can be derived from Förster resonance energy transfer (FRET) processes. Besides FRET we also discussed [in that paper](#) the role of PBI induced CdSe/ZnS luminescence quenching caused by NON-FRET transfer processes.

In the present paper we like to extend the concept of controlled attachment of single PBI dyes to surfaces such as SiO₂. Besides the characterisation of the surface attachment we will investigate the remaining mobility of PBI and the influence of the attachment on the (intramolecular) conformation dynamics. We will compare the results for “quasi” free molecules on SiO₂ with those in a strictly hindering PMMA polymer thin film. Results on a single molecule level will be obtained by simultaneous detection of time dependent fluorescence (spectral diffusion), polarisation (rotational motion) and fluorescence intensity fluctuations.

Deleted:

Deleted: the

Deleted: dye

2. Experimental

The synthesis of pyridyl-substituted perylene bisimide (PP) and dialkyl-substituted perylene bisimide (DAP) investigated in the present experiments is described elsewhere [18,19]. PP and DAP molecules are shown in Figure 1. DAP serves merely as a reference system to provide in comparison with PP information on the degree of pyridyl mediated surface attachment of PP. Substituting four phenoxy groups at the carbocyclic scaffold further on called "bay groups" [18,19] (one of these four groups is marked in Figure 1, left) enhances solvation in toluene (Merck, spectroscopic grade). For ensemble experiments 10^{-7} M stock solutions of PBI dye molecules were prepared in toluene. Hellma QS suprasil quartz cuvettes and caps were cleaned thoroughly with the special HF containing detergent "Hellmanex II" and Piranha solution (1:1 $\text{H}_2\text{SO}_4\text{:H}_2\text{O}_2$) in a supersonic bath at 70°C for several minutes and 2 h for the caps, respectively. Exact concentrations were determined with a Varian "Cary Scan 100" UV/Vis spectrometer, while luminescence spectroscopy was performed with a Varian "Cary Eclipse" fluorescence spectrometer.

Deleted: Both perylene bisimide (PBI) molecules have been dissolved in toluene (Merck, spectroscopic grade).

Deleted: p

Deleted: Incorporation of

Deleted: solubilising

Deleted: substituents

Deleted:

Deleted: in the so-called bay area

Deleted: exemplarily

Deleted: a

Deleted: allows perylene bisimide (PBI) molecules to be dissolved

Deleted: the

Deleted: a

Figure 1 Molecular structures of pyridyl- and alkyl-functionalized PBI derivatives PP (left) and DAP (right). One of the four phenoxy groups in the PBI's so-called bay area is exemplarily marked at the PP molecule.

For single molecule experiments samples, pipettes and vials were thoroughly cleaned by supersonic treatment in piranha solution (1:1 $\text{H}_2\text{O}_2\text{-H}_2\text{SO}_4$ solution) followed by careful rinsing with Millipore DI water. The purity of the solvent and pipettes has been assured via spincoating toluene and subsequent imaging of the sample with a homebuilt fluorescence wide field microscope. Accordingly single particle sample preparation has been achieved by spin coating a $5 \cdot 10^{-11}$ M or even lower concentrated solution of dye molecules onto a Si/SiO₂ substrate (100 nm SiO₂ thickness).

Deleted: By means of

Deleted: the pure

Deleted: solvent

Deleted: the purity of the solvent and pipettes has been assured

Principally the same procedure was used for sample preparation of PP embedded in polymethylmethacrylat (PMMA, Aldrich). An amount of 20 mg PMMA was diluted in 3 ml of toluene and spincoated onto the Si/SiO₂ substrate without dye molecules to control the purity of PMMA. In the next step some microliters of a PP stock solution ($\sim 2 \cdot 10^{-7}$ M, dissolved in toluene) were added to the toluene/PMMA solution to obtain a 10^{-10} M concentration of PP. The latter is spincoated to the substrate in the same way as for single molecule samples on Si/SiO₂ without PMMA.

Deleted: about

Deleted: ver

Deleted: verify the cleanness

Deleted: poured

Deleted: vial

Deleted: gain

Single molecule experiments have been performed in a home built laser scanning confocal microscope at room temperature. The sample was excited by a cw-NdYAG laser (Spectra Physics) using an excitation wavelength of 532 nm. The laser beam was focused by a 100x objective lens (Zeiss "EC Epiplan Neofluar") with a numerical aperture of NA = 0.9. Assuming a diffraction limited focal spot, the excitation power density was adjusted to 0.6 kW/cm². An avalanche photo diode (Perkin Elmer, "SPCM-AQR-16") with a very low dark count rate served as photo detector. Laser excitation light was blocked by an Omega optical long pass filter "542 ALP" in the detection path. In front of the detector a 3:1 beamsplitter couples part of the light into a spectrometer (Acton Research Corp, "Acton SpectraPro-275") equipped with a liquid nitrogen cooled CCD camera (Princeton Instruments).

For polarisation resolved experiments a homebuilt wide field microscope with a Wollaston prism inserted into the fluorescence detection path in front of the CCD. Excitation light supplied by the 515 nm laser line of an argon ion laser (Spectra Physics) was stabilized by an electro-optical modulator (Conoptics). Circular polarized light was achieved by inserting a $\lambda/4$ plate (Thorlabs, "AQWP05M-630") into the excitation beam followed by a laser line filter at 515 nm (Omega). Laser light was directed to an objective lens (the same as in the confocal microscope) via a dichroic mirror (Omega "525 DRLP"). Fluorescence was focused onto an intensified frame transfer camera (Pentamax Roper Scientific), whereas excitation laser light was suppressed by a long pass filter (Omega "3RD530LP").

- Deleted: ¶
- Deleted: he illumination of t
- Deleted: carried
- Deleted: out
- Deleted: cw-
- Deleted: luminescence
- Deleted: ,
- Deleted:
- Deleted: as detector
- Deleted: in
- Deleted:
- Deleted: a
- Deleted: camera was used
- Deleted: ,
- Deleted: ,
- Deleted: Formation of c
- Deleted: path
- Deleted: is
- Deleted: ,
- Deleted: t light
- Deleted: DAP serves as reference system since the surface orientation of this type of molecules is expected to be rather arbitrary due to its lack of the functional pyridyl group. For discussion of conformational dynamics, most experimental results presented here have been performed on PP molecules, whereat pyridyl specific surface adsorption reduces the occurrence of molecular rotation.¶

3. Results

Ensemble fluorescence spectra of PP are shown in Figure 2 in toluene together with the sum-spectra of all single PP molecule spectra in PMMA and on SiO₂, respectively. The fluorescence maxima are at 605 nm (toluene) and 594 nm (PMMA). The sum-spectrum for PP on SiO₂ shows a strong maximum at 605 nm (with a weak shoulder at ≈ 595 nm) and is shifted with respect to PMMA by 11 nm to the red. The range of fluorescence maxima is comparable to results observed for very similar PBI molecules in chloroform (608 nm) [16], in a 60 : 40 mixture of CHCl₃ – CH₃OH (620 nm) [21], in CH₂Cl₂ (618 nm) [22], and toluene (606 nm) [9]. The spectrum in toluene shows a pronounced vibronic side band (as has been observed in all other solution spectra), which is less pronounced for PP in PMMA and on SiO₂.

Figure 2 Fluorescence spectra of PP in different environments. Black (PMMA) and red (SiO₂) spectra result from summing up the respective single molecule spectra recorded during a 1 min measurement period. Excitation wavelength was 532 nm.

Deleted: averaging of

Deleted:

Single molecule experiments reveal that upon spincoating a toluene or toluene/PMMA solution with the same initial concentration of PP, the final concentration of emitting single molecules is by about a factor of 2.5 larger in case of SiO₂ as compared to PMMA. This ratio may be even larger, since the average fluorescence intensity of single PP on SiO₂ is under the same experimental conditions by a factor of two smaller than that of PP in PMMA.

Inspecting the spectra of single PP molecules with bin times of 1s reveals that spectral positions, spectral shapes and fluorescence intensities are time-dependent. This is shown in Figure 3 for two representative examples in case of PP on SiO₂ and in PMMA, respectively.

Deleted: time

Deleted: typical

Figure 3 Temporal evolution of PP fluorescence on SiO₂ (left) and in PMMA (right). The integrated fluorescence intensity (determined by a fit to two Gaussian lines at the fluorescence origin and the vibronic side band, respectively) are shown as traces on the right of each spectral scan. The centres of the two fitted spectral positions (traces on the left) of the respective spectra are also indicated. After about 55 s (left) and 65 s (right) PP molecules are photobleached permanently.

Deleted: .

The spectral distribution of the fluorescence maxima λ_1 (of all molecules) is shown in Figure 4. The related non-Gaussian distribution is broader than 25 nm (PMMA) and 30 nm (SiO₂) showing at least 2 distinct maxima at about 585 and 600 nm (PMMA) and 592 and 605 nm (SiO₂), respectively. These values are - as expected - in agreement with the maxima obtained

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

from the sum-spectra (see Figure 2). At the high energy side probably two additional maxima can be identified which are close to 570 (PMMA) and 580 (SiO₂) nm.

Figure 4 Distribution of fluorescence maxima λ_1 position for single PP molecules on SiO₂ and in thin PMMA films. The insets show the spectral position of λ_2 vibrational bands relative to λ_1 . Broken lines indicate possible PP conformations below and above 592 nm, which corresponds to the wavelength with the highest fluorescence intensity (see Figure 7).

Deleted: i

Though a precise determination of the energetic position of the vibrational band is due to the limited signal to noise ratio difficult, we qualitatively observe that $\Delta\lambda=\lambda_2-\lambda_1$ as defined by the wavelength difference between the main and side band (fit to two Gaussian bands) is close to 40 nm (SiO₂) and 35 nm (PMMA), respectively.

As is clearly demonstrated in Figure 3, spectral positions and fluorescence intensities fluctuate on time scales of seconds. The distribution of spectral jump widths is shown in Figure 5. For both matrices the width of the distribution is close to 5 nm (at half height), but is slightly asymmetric with an extension of large jumps towards long wavelengths (PMMA) and short wavelengths (SiO₂). This is in qualitative agreement (see Figure 4) with an increased probability to find PP molecules at long wavelengths for SiO₂ as compared to PMMA. A larger spectral diffusion range covered during the observation time (see insets in Figure 5) is found for SiO₂ as compared to PMMA. From the representative molecules (see Figure 3) it is additionally evident that spectral shifts or fluorescence intensities of PP in PMMA develop more gradually, while they occur more sudden in case of SiO₂.

Deleted: of

Figure 5 Distribution (on two probability scales) of spectral jumps occurring between two subsequently recorded spectra (1s binning time for each spectrum). The insets show the largest spectral range $\Delta\lambda_{\max}$ covered by one individual molecule during the total observation time.

- Deleted:
- Deleted: (on two probability scales)
- Deleted: observed
- Deleted: for
- Deleted:
- Deleted: forms
- Deleted: solid glass
- Deleted: for
- Deleted: on a 100 s time scale

One of the principle differences between SiO₂ and PMMA is, that PMMA is a polymer at room temperature, which will hinder translational or rotational motion of the embedded molecules. This condition will be relaxed in case of SiO₂. For both environments we did on a 100 s time scale not detect any translational motion larger than 20 nm, which is the accuracy to determine lateral positions via confocal techniques [23]. Since PP has a strong optical transition dipole moment parallel to the long molecular axis [24], time dependent polarisation measurements provide information about rotational motion. The respective fluorescence intensities in the two orthogonal in-plane polarisation channels 1 and 2 are shown in Figure 6 for several single molecules. The related angle ϕ of the in-plane orientation of the projected transition dipole orientation (see scheme at Figure 8) is also shown. A direct comparison

between results for PMMA and SiO₂ reveals, that we can only in case of SiO₂ observe - if at all - sudden jumps in polarisation whereas we observe for PMMA only gradual changes in polarisation.

Deleted: for PMMA

Deleted: .

Figure 6 Representative time resolved polarisation intensities for 3 single molecules of PP on SiO₂ surfaces ((a) – (c)) and in a PMMA thin film ((d) – (f)), respectively. Channel 1 and 2 correspond to fluorescence intensities of the two perpendicular in-plane polarisation directions (top trace). ϕ (middle trace) corresponds to the time dependence of the projection angle ϕ (see Figure 8). The lowest trace shows the probability distribution of the related ϕ -time trace above.

Deleted: Typical

Deleted:

Deleted: resolved in time

Deleted: s

Deleted: graph

Deleted: (middle trace)

4. Discussion

Recent publications related to PBI type molecules have concentrated on conformational dynamics in solution via ensemble [10,11,25,26], single molecule experiments in polymers [9,27] and in Shpol'skii matrices [19]. One of the related questions is the distortion from planarity of the perylene chromophoric unit and the influence of the bay groups on the formation of different conformations. Due to steric hindrance bay groups will control the degree of distortion of these molecules [9,26]. In recent studies [10,11] the influence of the phenoxy bay groups on the formation of PBI conformations has been investigated extensively. It has been observed that the orientation of the bay groups with respect to the perylene bisimide unit determines the type of conformation. In this study Fron and coworkers [10,11]

elucidated the photophysical properties of these perylene bisimides in great detail by single photon timing and femtosecond transient absorption experiments in close comparison with molecular dynamics (MD) calculations. To some extent we will relate our results to their findings by comparing them on a single molecule level with our results in two different matrices.

Deleted: se reported

As has been shown extensively, the different conformations of PP will influence electronic energies, fluorescence quantum yields and spectral properties such as the vibronic structure. While ensemble experiments always give the superposition of all the realised conformations, single molecule experiments are well suited to identify individual conformations and, even more important, allow to investigate directly possible transitions among such conformations [9]. Additionally, it has been extensively shown in recent and present experiments that spectral positions, optical polarisations and fluorescence decay times fluctuate on time scales of ms and longer. Observed fluctuations might be – besides conformational changes – also the result of spatially inhomogeneous and time dependent dye-polymer interactions [5]. Such properties have been exploited to investigate intensively dynamics in glasses [4,15]. With respect to PBI type dyes it has e. g. been found that the spatial inhomogeneity is larger for Zeonex than for PMMA matrices [16].

Deleted: It became evident, that

Deleted:

Deleted: determine

As already mentioned in the introduction another feature of PBI type dyes is of interest, namely to form supramolecular assemblies and polymers via pyridyl functionalisation [28]. PP is one of the simplest forms of such a functionalized PBI. Discussing the present results for single PP molecules we like to concentrate on the aspects, how the pyridyl functionalisation influences as a function of the environment the types of molecular conformations and the related interconversion dynamics. We have chosen PMMA thin films and a planar SiO₂ surface, which are different in that aspect that SiO₂ should allow for a more free evolution of the molecular conformations and orientations (gas phase type environment), while PMMA (as a prototype of an amorphous solid) is expected to hinder strongly molecular dynamics in general.

From the comparison of the fluorescence intensity distribution of PP molecules on SiO₂ and in PMMA two observations immediately emerge, namely (i) when starting with the same concentration before spincoating the final number of PP molecules on SiO₂ is by a factor of 2.5 larger than in PMMA but (ii) the average PL intensity of PP on SiO₂ is by a factor 2

smaller than in the case of PMMA. Observation (i) can be explained by the fact that the pyridyl group enables coordination to the SiO_2 surface via the pyridyl lone pair orbital. This is supported by the observation that when using PBI without a functional pyridyl substituent (DAP), we observe a comparable number of PBI molecules per area as compared to PP in PMMA. In case that coordination to the SiO_2 surface occurs via the pyridyl substituent, PP should with respect to the long molecular axis be orientated, almost perpendicular to the surface. Since the long molecular axis coincides with the orientation of the optical S_0 - S_1 transition dipole moment, the transition probability both in absorption and emission should be weak. This will result - in comparison with PMMA (assuming a random orientation of PP) - in less intense single PP emitters. This is in fact observed experimentally and explains observation (ii).

Deleted: in an

Deleted: direction

As a next step we will discuss PP fluorescence energies in various environments. In PMMA we observe for the quasi-ensemble spectrum an apparent blue shift of the fluorescence as compared to the spectra for PP in toluene and on SiO_2 . Since PMMA and toluene are similar to each other with respect to polarity and dielectric properties, solvatochromic shifts can be safely excluded. This implies that the observed differences are related to differences in the distribution of the conformations of PP. Both, in toluene and on SiO_2 the motion of PP molecules will be less restricted and an energetically broader range of conformations will be realized. However, the quasi-ensemble spectrum for PP on SiO_2 clearly shows a similar range of conformations as compared to PMMA.

Deleted: at

This qualitative finding is confirmed quantitatively upon inspection of Figure 4 which clearly demonstrates several distinct maxima in the fluorescence energy distribution, which we assign to different conformations. The distribution is broader and more red-shifted in case of SiO_2 as compared to PMMA. In the following, the aforementioned findings of the recent publication by Fron et al. [10, 11] will be discussed in some detail to aim at a deeper understanding of our experimental results.

Hofkens et al. have previously assigned at least two distinctly different limiting cases of bay group controlled PBI conformations [2,9]. In a subsequent study Fron et al. [11] extended the model of bay group controlled conformations via supporting theoretical calculations considering precisely the tilt of each individual phenoxy (bay) group. MD simulations of PBI molecules taking the solvent toluene into account have shown, that two limiting

Deleted: distinct

Deleted: Molecular dynamics (

Deleted:)

Deleted: type

conformations exist, namely a with respect to the bay group orientation fully folded and extended form. They could show, that the extended form is the most stable (ground state) conformation in toluene, while interconversion between folded and extended forms takes place, in close agreement with optical time resolved experiments, on (calculated time) scales of about 500 ps. However, the semiempirical Hartree-Fock calculations of the ground states of PBI type molecules in vacuum showed, that the folded conformation becomes stabilized. Excited state properties have been calculated without taking the solvent into account. Doing so, transition energies and radiative lifetimes have been obtained for each conformation [11]. Hence the most folded conformation should be lowest in fluorescence energy, while the less folded one is at the higher energy. Additionally, the more folded conformations have been associated with increasing radiative lifetimes.

Deleted: in toluene

Deleted: b

Deleted: on opposite

Single photon timing and transient absorption experiments revealed a spectral shift from <590nm to more red emitting conformations within a time range of 500 ps. Since MD simulations show more frequent transitions from folded to extended conformations and single photon time experiments indicate conversion from short to long wavelengths the extended conformation in the excited state was expected to be lowest in energy. However, calculated excited state energies showed the opposite behaviour. This contradiction has been removed by taking solvent shifts into account thus lowering the extended PBI conformation energetically below the folded one.

Deleted: a

Deleted: r

Next we compare our present experiments in relation to those recent findings. With respect to our results we identify the multimodal distribution of spectral positions of PP with discrete conformations controlled by the bay groups as suggested. Under these assumptions inspection of Figure 4 clearly shows, that on SiO₂ more folded conformations are realized as compared to PP in PMMA. Since PP will be less hindered on SiO₂ with respect to interconversion dynamics the situation resembles more closely the “vacuum-type” situation described by Fron et al. We therefore assume that the calculated fluorescence red shift holds for a folded conformation.

Deleted: as suggested

The situation might become different for PP in PMMA since Fron et al. predict, that upon solvent-solute interaction the extended form should be shifted energetically below the folded one. Thus they obtain both in ground and excited state a stabilisation of the bay groups in agreement with an extended conformation. However, we feel that this assumption might be abandoned while allowing for a different stabilisation energy for the bay groups in the ground and excited state. Why this suggestion holds, will be discussed later on in relation with our

findings for the wavelength dependent fluorescence intensities observed for single PP molecules.

The question immediately arises whether an interconversion between different conformations can be observed experimentally both on SiO₂ and in PMMA. We will discuss this issue in relation to results presented in Figure 5. From comparison it is evident, that most of the spectral jumps occur both for SiO₂ and PMMA in steps less than ± 5 nm which is certainly smaller than the wavelength difference between different conformations which are in the range of 10 to 15 nm. However, in both cases we find spectral jumps larger than 10 nm. Such large jumps occur about two times more often for SiO₂ as compared to PMMA (see insets in Figure 5). This implies that interconversion between different conformations is possible in both environments though less frequent in PMMA. Spectral shifts related to a conformational change (>10 nm) on SiO₂ occur more often in form of blue-shifts. Obviously the direction of interconversion occurs in both directions.

Deleted: there is

Deleted: such

Deleted: point

Deleted: detected

Deleted: ranges

Deleted: ranges

Deleted:

Deleted: ranges with λ_{max}

Deleted:

Deleted: works

In Figure 3 we have shown that besides the well known fluorescence intensity (on-off) blinking, variations in fluorescence intensity can be observed. We now like to discuss, what the possible origins of such variations are and whether intensity fluctuations are correlated to spectral jumps or spectral diffusion. The correlation between single molecule intensity and wavelength are shown in Figure 7. As can be seen, there is in fact a correlation in case of PMMA and SiO₂. Both, for PMMA and SiO₂ the intensity decreases below about 590 nm with decreasing wavelength while it also decreases above 594 nm resulting in a pronounced maximum at about 590 – 595 nm.

Deleted: are

Figure 7 Correlation of fluorescence intensities and fluorescence peak wavelengths of all PP spectra observed on SiO₂ and in PMMA, respectively.

How can such a variation of fluorescence intensities be explained? According to calculations of Fron et al. the radiative lifetime of PBI depends critically on the type of conformation. The general observation is that the folded conformation is related to a longer radiative lifetime, while shorter lifetimes correspond to the more extended ones. When neglecting non-radiative decay processes for a moment short radiative lifetimes correspond to high fluorescence intensities. This assumption will explain our finding that above 590 nm the PP fluorescence intensities are decreasing with wavelength, since we approach the most folded conformation at the lowest fluorescence energy. Unfortunately, similar arguments cannot explain the

Deleted: s

Deleted: type molecules

Deleted: the

decrease of fluorescence intensities below 590 nm. According to Fron et al. [10,11] the extended conformation (at high energies according to calculations in vacuum) should be related to the short radiative lifetime and thus to the highest fluorescence intensity. However, keeping in mind that interconversion takes place from extended conformations (at high energies) to folded ones (at lower energies), this introduces a non-radiative decay channel as has been experimentally observed by Fron et al. Therefore we suggest, that the fluorescence intensity decrease below 590 nm is related to such a non-radiative interconversion channel. As compared to experiments in solution the time scale will be certainly slowed down in PMMA and might to some extent also be hindered on SiO₂ due to surface attachment. This way radiative decay will compete with the interconversion rate. Contrary to arguments posed by Fron et al. recently, we state - following our interpretation - of fluorescence intensities that the extended form is as calculated by INDO methods energetically higher than the folded one. Those calculations have shown [11], that in vacuum the folded conformation becomes stabilized. These results would be clearly supported by our results for PP on SiO₂, for which solvent solute interactions will be less important. To explain our findings in PMMA only needs the assumption that stabilisation energies in ground and excited state conformations become different, stabilizing an extended form in the ground state, while in the excited state the folded one is lower in energy in accordance with vacuum calculations. Such changes might be driven by changing the overall "planarity" of the PBI chromophore upon optical excitation.

Deleted: glassy

Deleted: still

Deleted: in

Deleted: stabilisation energies

Summarizing this part related to the wavelength - intensity correlation shown in Figure 7, molecules emitting at wavelengths longer than 592 nm are supposed to be in a more folded conformation resulting in decreased intensities due to the increase of the radiative lifetime as expected from INDO calculations. Molecules emitting at wavelengths shorter than 592 nm exhibit a non-radiative decay, most likely being due to interconversion dynamics.

Deleted: with respect to

In conclusion, PBI molecules show strong variations in fluorescence intensities which might be assigned to both conformation changes (accompanied by spectral jumps larger than 10 nm) and/or fluctuations of the environment which result in jumps more closely to 5 nm. Since we observe conformational changes also for "free" PP on SiO₂, such transitions are obviously not only driven by fluctuations of the dye-solvent interaction, but might be basically due to "intra molecular" conformational transitions. In such a situation the intensity-to-wavelength

Deleted: in width

relationship will become complex, since different conformations have different quantum yields.

Intensity fluctuations may also be caused by variations in the absorption cross section (change of the spectral position of the absorption band, orientation of the transition dipole of the absorption band or change of the absorption band-width). The latter can be ruled out since band-widths of all recorded spectra show no significant change, whereas absorption band shifts (of about 10nm) may influence intensity at most by a factor 2 at a constant excitation wavelength of 465nm. The role of molecular dipole orientation has already been discussed earlier in this paper. Hence changes in the molecular orientation are expected to be distributed rather arbitrary. In summary, variations in the absorption cross section are not the major contributions to the overall changes mentioned in the discussion related to the results presented in Figure 7.

Deleted: of

While PP conformation changes will be strongly hindered in PMMA they are expected to be less hindered for PP on SiO₂. Therefore we will now discuss possible motional schemes as identified in combination with polarisation experiments with special regard to the role of the functional pyridyl group. From polarisation dependent fluorescence detection (see Figure 6), we obtain in case of single PP emitters additional information upon the orientation. It is immediate obvious, that PP molecules show in PMMA on time scales of seconds only small changes in polarisation and thus orientation.

The situation is completely different for PP on SiO₂. Besides the preferential orientation of PP on SiO₂ large jumps in polarisation are observed for SiO₂, whereas variations in PMMA occur very smoothly. However, especially on SiO₂ the jumps between the two polarisation channels are not in all cases anti-correlated, as has in contrary been reported for several cases of rotational motion of single molecules [5,15]. This supports the model that we have a kind of restricted motion caused by the coordination of PP via the pyridyl functional group to the SiO₂ surface.

As already mentioned, experiments on single PP molecules on SiO₂ indicate that pyridyl substitution enhances surface attachment which has to be characterized by a nearly perpendicular orientation of the long molecular axis to the SiO₂ surface. Since the long z-axis carries the main optical dipole transition moment, excitation and emission will be reduced considerably in accordance with experimental observations. Figure 8 shows under the assumption of a nearly perpendicular orientation and neglecting any x- or y-polarisation the

1
2 allowed schemes of motion with respect to polarisation. Only two motions will be of
3 importance. (i) Tilting from a nearly perpendicular orientation (of the z-axis) into the SiO₂
4 plane will result in a synchronous increase of both s- and p-polarisation. The relative s- and p-
5 intensities will depend on the respective projections of the in-plane z-component onto these
6 axes, which are characterized by ϕ . (ii) Rotation of the effective in-plane component around
7 the normal to the SiO₂ plane will result in an alternating s- and p-polarisation. Combinations
8 of type (i) and (ii) motions will result in a more complex time dependent fluorescence
9 polarisation.
10
11
12
13
14
15
16

Deleted: of motions

17 **Figure 8 Scheme for the orientation and related motional schemes of PP on the SiO₂ surface (left).
18 Polarisation intensities of molecule (b) (see Figure 6) in the time range between 60 and 80 s (right).**

19
20 Figure 6 shows various examples of time evolution scenarios of the polarisation and confirms
21 our model of a nearly perpendicular orientation of PP on SiO₂. The typical behaviour of PP on
22 SiO₂ and in PMMA films is described by the six time traces ((a)-(c) and (d)-(f), respectively).
23 A major fraction of single PP molecules exhibits almost no fluctuation in polarisation both on
24 SiO₂ (a) and in PMMA films (d). A second smaller fraction of molecules suddenly jumps in
25 polarisation in case of SiO₂ ((b), (c)), whereas in PMMA changes in polarisation are much
26 lower in magnitude and gradual in time ((e),(f)).
27
28
29
30
31

32 In case of SiO₂, PP molecules (b) and (c) in Figure 6 show a tilt (synchronous increase of p-
33 and s-polarisation). Molecule (b) shows additionally strong fluctuations of the polarisation
34 (alternating p- and s-polarisation) in the time range between 60 and 80 s. This alternating
35 polarisation is shown on an enlarged scale in Figure 8, which clearly proofs an in-plane
36 rotation accompanied by a tilt of the polarisation axis. All examples we investigated with
37 respect to polarisation changes show similar dynamics which can be explained in terms of
38 both tilt and in plane-rotation of the long molecular axis. For PP on SiO₂ jumps in polarisation
39 take place instantaneously on the experimental time scale of 100 ms. Distributions for ϕ
40 shown for molecules (a) and (d) are related to statistically fluctuating polarisation intensities.
41 Only PP on SiO₂ (molecules (b) and (c)) show a considerably larger ϕ distribution.
42
43
44
45
46
47

48 The polarisation behaviour is completely different for PP in PMMA, where changes in
49 polarisation are hardly to observe (see Figure 6) and occur only gradually with time. This
50 proves that rotational dynamics of PP are nearly frozen in PMMA, but nevertheless PP might
51
52
53
54
55
56
57
58
59
60

undergo conformational dynamics (identified by spectral jumps) within the polymer cage. It should be mentioned, that changes in polarisation might be also caused by interconversion between conformations in case, that they are accompanied by bending of the effective PP chromophoric unit. This has been demonstrated by calculations of Fron et al. in case of the folded conformation. Further experiments are needed on a single molecule level in order to discriminate between these two processes.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

5. Conclusions

Ensemble and single molecule experiments have been performed with pyridyl-functionalized PBI molecules (of type PP) in a thin PMMA polymer film and on a SiO₂ substrate. We observe enhanced adsorption onto the SiO₂ surface which results at the same time in a nearly perpendicular orientation of PP. From a comparison of PP in both environments it is evident that PMMA freezes molecular rotation and hinders conformational changes. Rotation could be followed by changes in fluorescence polarisation, while changes of conformations result in large spectral jumps. Fluorescence of PP on SiO₂ is influenced both by tilting and/or rotation of the long molecular axis as can be detected in addition to fluctuations between different conformations.

Deleted: in

Different molecular conformations related to the bay group orientation have been reported previously for various PBI-type molecules [9-11,26]. Also in the present experiments we were able to detect various conformations and related interconversions which are accompanied by changes in the fluorescence quantum yield. In PMMA the distribution of conformations is shifted towards the more extended forms in the short wavelength region. Our findings can with some modifications be interpreted in terms of recently published experiments and MD simulations [11]. Additionally, our single molecule detection scheme allows for a mechanistic interpretation of such complex dynamics.

Deleted:]

Deleted: have

Deleted: en

We could identify two ranges of spectral shifts, namely large ones which are probably related to interconversion between different conformations and small wavelength jumps. This indicates, that small spectral jumps are not in all cases controlled only by the dynamics of the environment, since SiO₂ surfaces and PMMA polymers are subject to completely different dynamics of the environment. An open question still is, whether conformation changes are systematically related to rotational motions. We have not yet been able to correlate e. g. intensity fluctuations with changes in orientation. This is a crucial information since intensity fluctuations might be caused by changes in conformation or/and orientation and additional (e. g. photochemical) blinking processes.

Deleted: e-orientational

Further experiments are planned to correlate systematically fluorescence lifetimes, orientation (polarisation) and spectral shifts to provide a strictly mechanistic model of molecular motion

on various surfaces and in matrices. Such information can be obtained uniquely with a single molecule level detection scheme.

Deleted: on

For Peer Review Only

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Acknowledgments

We like to thank Frank Würthner and Rainer Dobrawa (University of Würzburg) for a kind donation of compounds PP and DAP and acknowledge financial support by the Volkswagen Foundation within the program “Single Molecules in Physics, Chemistry and Biology” (Contract No. I/79435).

For Peer Review Only

Table of figures

Figure 1 Molecular structures of pyridyl- and alkyl-functionalized PBI derivatives PP (left) and DAP (right). One of the four phenoxy groups in the PBI's so-called bay area is exemplarily marked at the PP molecule.	4
Figure 2 Fluorescence spectra of PP in different environments. Black (PMMA) and red (SiO ₂) spectra result from summing up the respective single molecule spectra recorded during a 1 min measurement period. Excitation wavelength was 532 nm.	6
Figure 3 Temporal evolution of PP fluorescence on SiO ₂ (left) and in PMMA (right). The integrated fluorescence intensity (determined by a fit to two Gaussian lines at the fluorescence origin and the vibronic side band, respectively) are shown as traces on the right of each spectral scan. The centres of the two fitted spectral positions (traces on the left) of the respective spectra are also indicated. After about 55 s (left) and 65 s (right) PP molecules are photobleached permanently.	6
Figure 4 Distribution of fluorescence maxima λ_1 position for single PP molecules on SiO ₂ and in thin PMMA films. The insets show the spectral position of λ_2 vibrational bands relative to λ_1 . Broken lines indicate possible PP conformations below and above 592 nm, which corresponds to the wavelength with the highest fluorescence intensity (see Figure 7).	7
Figure 5 Distribution (on two probability scales) of spectral jumps occurring between two subsequently recorded spectra (1s binning time for each spectrum). The insets show the largest spectral range $\Delta\lambda_{\max}$ covered by one individual molecule during the total observation time.	7
Figure 6 Representative time resolved polarisation intensities for 3 single molecules of PP on SiO ₂ surfaces ((a) – (c)) and in a PMMA thin film ((d) – (f)), respectively. Channel 1 and 2 correspond to fluorescence intensities of the two perpendicular in-plane polarisation directions (top trace). ϕ (middle trace) corresponds to the time dependence of the projection angle ϕ (see Figure 8). The lowest trace shows the probability distribution of the related ϕ -time trace above).	8
Figure 7 Correlation of fluorescence intensities and fluorescence peak wavelengths of all PP spectra observed on SiO ₂ and in PMMA, respectively.	12
Figure 8 Scheme for the orientation and related motional schemes of PP on the SiO ₂ surface (left). Polarisation intensities of molecule (b) (see Figure 6) in the time range between 60 and 80 s (right).	15

Deleted: 7

Deleted: 8

Deleted: 9

Deleted: 10

Deleted: 15

Deleted: 18

Literature

- ¹ H. Yang, G. Luo, P. Karnchanaphanurach, T.-M. Louie, I. Rech, S. Cova, L. Xun, X. Sunney Xie, *Science* **302**, 262 (2003).
- ² Renaud A. L. Vallée, Mircea Cotlet, Mark Van Der Auweraer, Johan Hofkens, K. Müllen, Frans C. De Schryver, *JACS* **126**, 2296 (2004).
- ³ Michael W. Holman, Ping Yan, Koon-Cheung Ching, Ruchuan Liu, Fady I. Ishak and David M. Adams, *Chem. Phys. Lett.* **413**, 501 (2005).
- ⁴ L.A. Deschenes, D.A. Vanden Bout, *Science* **292**, 255 (2001).
- ⁵ A. Schob, F. Cichos, J. Schuster, C. von Borczyskowski, *Eur. Polymer J.* **40**, 1019 (2004).
- ⁶ Eigen, M., and Rigler, R. *PNAS USA* **91**, 5740 (1994).
- ⁷ J. Schuster, F. Cichos, C. von Borczyskowski, *Eur. Polymer J.* **40**, 993 (2004).
- ⁸ J. Schuster, F. Cichos, C. von Borczyskowski, *EPJ E - Soft Matter* **12**, 75 (2003).
- ⁹ J. Hofkens, T. Vosch, M. Maus, F. Köhn, M. Cotlet, T. Weil, A. Herrmann, K. Müllen, F.C. De Schryver, *Chem. Phys. Lett.* **333**, 255 (2001).
- ¹⁰ E. Fron, R. Pilot, G. Schweitzer, J. Qu, A. Herrmann, K. Müllen, J. Hofkens, M. Van der Auweraer and F. C. De Schryver, *Photochem. Photobiol. Sci.* **7**, 597 (2008).
- ¹¹ E. Fron, G. Schweitzer, P. Osswald, F. Würthner, P. Marsal, D. Beljonne, K. Müllen, F. C. De Schryver, M. Van der Auweraer, *Photochem. Photobiol. Sci.* **7**, 1509 (2008).
- ¹² H. Langhals, *Heterocycles* **40**, 477 (1995).
- ¹³ P. Osswald, D. Leusser, D. Stalke, F. Würthner, *Angew. Chem. Int. Ed.* **44**, 250 (2005).
- ¹⁴ M. Cotlet, S. Masuo, G. Luo, J. Hofkens, M. Van der Auweraer, J. Verhoeven, K. Müllen, X. Sunney Xie, F. De Schryver, *PNAS* **101**, 14343 (2004).
- ¹⁵ N. Tomczak, R. A. L. Vallée, E. M. H. P. van Dijk, M. García-Parajó, L. Kuipers, N. F. van Hulst, G. Julius Vancso, *Eur. Polymer J.* **40**, 1001 (2004).
- ¹⁶ R.A.L. Vallée, M. Cotlet, J. Hofkens, and F. C. De Schryver, *Macromolecules* **36**, 7752 (2003).
- ¹⁷ R.A.L. Vallée, W Paul, K Binder, *J. Chem. Phys.* **127**, 154903 (2007).
- ¹⁸ F. Würthner, A. Sautter, D. Schmid, P. J.A. Weber, *Chem. Eur. J.* **7**, 894 (2001).
- ¹⁹ E. Lang, F. Würthner, J. Köhler, *ChemPhysChem* **6**, 935 (2005).
- ²⁰ D. Kowerko, J. Schuster, N. Amecke, M. Abdel-Motaleb, R. Dobrawa, F. Würthner, C. von Borczyskowski, *ChemPhysChem*, subm.
- ²¹ R. Dobrawa, F. Würthner, *Chem. Comm.* 2002, (1878).
- ²² E. Lang, R. Hildner, H. Engelke, P. Osswald, F. Würthner, J. Köhler, *ChemPhysChem* **8**, 1487 (2007).
- ²³ X. Michalet, S. Weiss, *C. R. Physique* **3**, 619 (2002).
- ²⁴ F. Würthner, C. Thalacker, S. Diele, C. Tschierske *Chem. Eur. J.* **7**, 2245 (2001).
- ²⁵ F. Würthner, *Pure Appl. Chem.* **78**, 2341 (2006).
- ²⁶ P. Osswald and F. Würthner, *Chem. Eur. J.* **13**, 7395 (2007).
- ²⁷ M. Lippitz, C.G. Huebner, T. Christ, H. Eichner, P. Bordat, A. Herrmann, K. Müllen, T. Basche, *Phys. Rev. Lett.* **92**, 103001 (2004).
- ²⁸ R. Dobrawa, M. Lysetska, P. Ballester, M. Grüne, F. Würthner, *Macromolecules* **38**, 1315 (2005).

Formatted: Font: Not Italic

Formatted: Font: Bold, Not Italic

Deleted: i., 2008

Formatted: Font: Not Italic

Deleted: (DOI: 10.1039/b813737d), in press.

Molecular structures of pyridyl- and alkyl-functionalized PBI derivatives PP (left) and DAP (right). One of the four phenoxy groups in the PBI's so-called bay area is exemplarily marked at the PP molecule.

254x117mm (307 x 307 DPI)

figure 2 Fluorescence spectra of PP in different environments. Black (PMMA) and red (SiO₂) spectra result from averaging of the respective single molecule spectra recorded during a 1 min measurement period. Excitation wavelength was 532 nm.
289x203mm (300 x 300 DPI)

figure 3 Temporal evolution of PP fluorescence on SiO_2 (left) and in PMMA (right). The integrated fluorescence intensity (determined by a fit to two Gaussian lines at the fluorescence origin and the vibronic side band, respectively) are shown as traces on the right of each spectral scan. The centres of the two fitted spectral positions (traces on the left) of the respective spectra are also indicated.

After about 55 s (left) and 65 s (right) PP molecules are photobleached.

289x203mm (300 x 300 DPI)

figure 4 Distribution of λ_1 position for single PP molecules on SiO_2 and in thin PMMA films. The insets show the spectral position of λ_2 relative to λ_1 . Broken lines indicate possible PP conformations below and above 592 nm, which corresponds to the wavelength with the highest fluorescence intensity (see Figure 7).

289x202mm (300 x 300 DPI)

figure 5 Distribution of spectral jumps (on two probability scales) occurring between two subsequently recorded spectra (1s binning time for each spectrum). The insets show the largest spectral range $\Delta\lambda_{\text{max}}$ observed for one individual molecule during the total observation time 289x202mm (300 x 300 DPI)

figure 6 Typical polarisation intensities resolved in time for 3 single molecules of PP on SiO₂ surfaces ((a) - (c)) and in a PMMA thin film ((d) - (f)), respectively. Channel 1 and 2 corresponds to fluorescence intensities of the two perpendicular in-plane polarisation directions (top trace). ϕ (middle trace) corresponds to the time dependence of the projection angle ϕ (see Figure 8). The lowest graph shows the probability distribution of the related ϕ -time trace (middle trace) 289x203mm (300 x 300 DPI)

figure 7 Correlation of fluorescence intensities and fluorescence peak wavelengths of all PP spectra observed on SiO_2 and in PMMA, respectively
289x202mm (300 x 300 DPI)

figure 8 Scheme for the orientation and related motional schemes of PP on the SiO₂ surface (left). Polarisation intensities of molecule (b) (see Figure 6) in the time range between 60 and 80 s (right)