



# Goal-oriented strategy for the updating of mechanical models

Ludovic Chamoin, Pierre Ladevèze, Julien Waeytens

## ► To cite this version:

Ludovic Chamoin, Pierre Ladevèze, Julien Waeytens. Goal-oriented strategy for the updating of mechanical models. WCCM XI - 11th World Congress on Computational Mechanics, Jul 2014, BARCELONE, Spain. WCCM XI - 11th World Congress on Computational Mechanics, 2 p., 2014. <hal-01213489>

**HAL Id: hal-01213489**

**<https://hal.archives-ouvertes.fr/hal-01213489>**

Submitted on 12 Oct 2015

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

## GOAL-ORIENTED STRATEGY FOR THE UPDATING OF MECHANICAL MODELS

Ludovic Chamoin<sup>\*1</sup>, Pierre Ladevèze<sup>1</sup> and Julien Waeytens<sup>2</sup>

<sup>1</sup> LMT-Cachan, 61 Avenue du Président Wilson 94235 Cachan, France  
{chamoin,ladeveze}@lmt.ens-cachan.fr, www.lmt.ens-cachan.fr

<sup>2</sup> Ifsttar, 14-20 Boulevard Newton, 77447 Marne-la-Vallée, France  
julien.waeytens@ifsttar.fr, www.ifsttar.fr

**Key words:** *Model Updating, Quantity of Interest, Constitutive Relation Error, Sensitivity Analysis.*

A major concern with mathematical models is their capability of these models to represent a faithful abstraction of the real world. To address this issue and control the error between physical and mathematical models, model validation methods have been used for a long time. In such methods, model parameters are identified or updated in order to minimize the discrepancy between numerical predictions and experimental measurements. The process leads to inverse problems [1] which are usually ill-posed and require special care and specific techniques, such as regularization techniques, in order to ensure solvability.

We focus on Computational Mechanics models, in which a major component is the constitutive equation that describes the local behavior of the material. It is characterized by a set of material parameters whose values may highly influence results given by numerical simulations, and thus need to be calibrated using experimental data [2]. The model calibration method we consider uses the concept of Constitutive Relation Error (CRE), introduced in [3] for dynamics models and latter successfully used in many calibration applications [4, 5, 6]. The use of the CRE presents interesting advantages; it has excellent capacities to localize structural defects spatially, it is very robust with respect to noisy measurements, and it has good convexity properties. Furthermore, the hierarchic updating in the CRE method (only most erroneous zones are corrected) is a strategy that directly leads to a regularization process.

Here, we consider that the prediction target is only the value of a given output of the model, denoted quantity of interest, that implicitly depends on model parameters. Therefore, if the quantity of interest is not very sensitive with respect to some parameters, there is probably no need to estimate these parameters with high accuracy. The objective is thus to define a goal-oriented version of updating methods performed using the CRE

[7]. On the one hand, we define new dedicated cost functions that lead to a convenient goal-oriented updating process, selecting automatically the relevant model parameters that need to be updated for the prediction of the quantity of interest. This leads to a partial model calibration that enables to obtain an approximate value of the quantity of interest with sufficient accuracy and minimal model identification effort. The updating method uses the constitutive relation error framework as well as duality and adjoint techniques. On the other hand, we define quantitative sensitivity tools that enable to set up optimal experiments and measurements (sensor location, type of measure) with respect to the output of interest to predict. We present the new method and associated tools and performances in the framework of linear elasticity as well as time-dependent models (an example is given in Fig. 1).




Figure 1: Unsteady thermal problem with two zones separated with a wall (left), and updated parameter values with the goal-oriented calibration technique (right)

## REFERENCES

- [1] Bonnet M, Constantinescu A. Inverse problems in elasticity. *Inverse Problems* 2005; **21**:R1–R50.
- [2] Cailletaud G, Pilvin P. Identification and inverse problems related to material behaviour. In *H.D. Bui, M. Tanaka, and al., editors, Inverse Problems in Engineering Mechanics* 1994; 79–86.
- [3] Chouaki A, Ladevèze P, Proslier L. An updating of structural dynamic model with damping. *Inverse Problems in Engineering : Theory and Practice* 1996:335–342.
- [4] Bui H.D, Constantinescu A. Spatial localization of the error of constitutive law for the identification of defects in elastic bodies. *Arch. Mech.* 2000; **52**:511–522.
- [5] Allix O, Feissel P, Nguyen H.M. Identification strategy in the presence of corrupted measurements. *Engineering Computations* 2005; **22**(5-6):487–504.
- [6] Bouclier R, Louf F, Chamoin L. Real-time validation of mechanical models coupling PGD and constitutive relation error. *Computational Mechanics* 2013; **52**(4):861–883.
- [7] Chamoin L, Ladevèze P, Waeytens J. Goal-oriented updating of mechanical models using the adjoint framework. *submitted*.