

# Multisensory and sensorimotor interactions in speech perception

Kaisa Tiippana, Riikka Möttönen, Jean-Luc Schwartz

► **To cite this version:**

Kaisa Tiippana, Riikka Möttönen, Jean-Luc Schwartz. Multisensory and sensorimotor interactions in speech perception. *Frontiers in Psychology*, Frontiers, 2015, <10.3389/fpsyg.2015.00458>. <hal-01214067>

**HAL Id: hal-01214067**

**<https://hal.archives-ouvertes.fr/hal-01214067>**

Submitted on 9 Oct 2015

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

# Multisensory and sensorimotor interactions in speech perception

Kaisa Tiippana<sup>1\*</sup>, Riikka Möttönen<sup>2</sup> and Jean-Luc Schwartz<sup>3</sup>

<sup>1</sup> Institute of Behavioural Sciences, University of Helsinki, Helsinki, Finland, <sup>2</sup> Department of Experimental Psychology, University of Oxford, Oxford, UK, <sup>3</sup> Grenoble Images Parole Signal Automatique-Lab, Speech and Cognition Department, Centre National de la Recherche Scientifique, Grenoble University, Grenoble, France

**Keywords:** audiovisual, cognitive disorders, learning, McGurk effect, multisensory, sensorimotor, somatosensory, speech perception

This research topic presents speech as a natural, well-learned, multisensory communication signal, processed by multiple mechanisms. Reflecting the general status of the field, most articles focus on audiovisual speech perception and many utilize the McGurk effect, which arises when discrepant visual and auditory speech stimuli are presented (McGurk and MacDonald, 1976). Tiippana (2014) argues that the McGurk effect can be used as a proxy for multisensory integration provided it is not interpreted too narrowly.

Several articles shed new light on audiovisual speech perception in special populations. It is known that individuals with autism spectrum disorder (ASD, e.g., Saalasti et al., 2012) or language impairment (e.g., Meronen et al., 2013) are generally less influenced by the talking face than peers with typical development. Here Stevenson et al. (2014) propose that a deficit in multisensory integration could be a marker of ASD, and a component of the associated deficit in communication. However, three studies suggest that integration is not deficient in some communication disorders. Irwin and Brancazio (2014) show that children with ASD looked less at the mouth region, resulting in poorer visual speech perception and consequently weaker visual influence. Leybaert et al. (2014) report that children with specific language impairment recognized visual and auditory speech less accurately than their controls, affecting audiovisual speech perception, while audiovisual integration *per se* seemed unimpaired. In a similar vein, adult patients with aphasia showed unisensory deficits but still integrated audiovisual speech information (Andersen and Starrfelt, 2015).

Multisensory information can influence response accuracy and processing speed (e.g., Molholm et al., 2002; Klucharev et al., 2003). Scarbel et al. (2014) show that oral responses to speech in noise were faster but less accurate than manual responses, suggesting that oral responses are planned at an earlier stage than manual responses. Sekiyama et al. (2014) show that older adults were more influenced by visual speech than younger adults and correlated this fact to their slower reaction times to auditory stimuli. Altieri and Hudock (2014) report variation in reaction time and accuracy benefits for audiovisual speech in hearing-impaired observers, emphasizing the importance of individual differences in integration. Finally, Heald and Nusbaum (2014) show that when there were two possible talkers instead of just one, audiovisual information appeared to distract the observer from the task of word recognition and slowed down their performance. This finding demonstrates that multisensory stimulation does not always facilitate performance.

While multisensory stimulation is thought to be beneficial for learning (Shams and Seitz, 2008), evidence for this is still scarce. In the current research topic, the overall utility of multisensory learning is brought under question. In a paradigm training to associate novel words and pictures, Bernstein et al. (2014) show no benefit of audiovisual presentation compared with auditory presentation for normal hearing individuals, and even a degradation for adults with hearing impairment. In a study of cued speech, i.e., specific hand-signs for different speech sounds, Bayard et al. (2014) demonstrate that individuals with hearing impairment used the visual cues differently from their controls, even though both groups were experts in cued speech. Kelly et al. (2014)

## OPEN ACCESS

### Edited and reviewed by:

Manuel Carreiras,  
 Basque Center on Cognition, Brain  
 and Language, Spain

### \*Correspondence:

Kaisa Tiippana,  
 kaisa.tiippana@helsinki.fi

### Specialty section:

This article was submitted to  
 Language Sciences,  
 a section of the journal  
 Frontiers in Psychology

**Received:** 27 March 2015

**Accepted:** 30 March 2015

**Published:** 20 April 2015

### Citation:

Tiippana K, Möttönen R and Schwartz  
 J-L (2015) Multisensory and  
 sensorimotor interactions in speech  
 perception. *Front. Psychol.* 6:458.  
 doi: 10.3389/fpsyg.2015.00458

show that when normal hearing adults learned words in a foreign language, viewing or producing hand gestures accompanying audiovisual speech did not affect the outcome. Lee and Noppeney (2014) show that musicians had a narrower audiovisual temporal integration window for music, and to a smaller extent also for speech, implying that the effect transfers from the practiced music stimuli also to other stimulus types. Together, these findings suggest that long-term training and active use may be requisites for multisensory information to be useful in learning speech.

Neurophysiological correlates of audiovisual speech perception were addressed in the research topic. By using electroencephalography (EEG) it was shown that attention (Alsius et al., 2014) and stimulus context (Ganesh et al., 2014) affected early event-related potentials (ERPs) to audiovisual speech. This provides further evidence that audiovisual interactions are not completely automatic. By using functional magnetic resonance imaging, Erickson et al. (2014) demonstrate a subdivision of posterior superior temporal areas for integrating congruent vs. incongruent audiovisual speech, and Callan et al. (2014) show that different regions in the premotor cortex were involved in unisensory-to-articulatory mapping and audiovisual integration.

Interactions between auditory and motor brain areas during auditory speech perception were also investigated. By using magnetoencephalography, Alho et al. (2014) demonstrate that connectivity between auditory and motor areas increased from passive listening to clear speech to listening to speech in noise, and that the strength of this connectivity was positively correlated with the accuracy of syllable identification. Moreover, analyses of EEG oscillations revealed that alpha and beta rhythms generated in the sensorimotor and auditory areas were modulated during syllable discrimination tasks (Bowers et al., 2014; Jenson et al., 2014). By using theta-burst transcranial magnetic stimulation, Rogers et al. (2014) show that disrupting the lip area of the motor

cortex impaired discrimination of lip-articulated speech sounds from sounds not articulated on the lips. The involvement of the motor processes is often considered to make speech perception “special,” i.e., essentially different from perception of non-speech stimuli. However, this remains a highly controversial view. Carbonell and Lotto (2014) claim that speech should not be considered special amongst other stimuli with regards to multisensory integration.

Somatosensory information can also influence speech perception. Ito et al. (2014) used EEG to study how stretching the skin on both sides of the mouth influences processing of speech sounds, and displayed auditory-somatosensory interaction that was sensitive to intersensory timing. In another EEG study, Treille et al. (2014) report that haptic exploration of the talker's face during speech perception modulated ERPs. These findings confirm that auditory-somatosensory interactions contribute to speech processing.

The current research topic shows that speech can be perceived via multiple senses and that speech perception relies on sophisticated unisensory, multisensory and sensorimotor mechanisms. Multisensory information can facilitate perception and learning of speech. Still, there is great variation in multisensory perception and integration in both typical and special populations at different ages, which should be studied further in the future.

## Acknowledgments

The research leading to these results has received funding from the European Research Council under the European Community's Seventh Framework Programme (FP7/2007-2013) (Grant Agreement no. 339152, Speech Unit(e)s. Principal Investigator JS) Medical Research Council U.K. (Career Development Fellowship to RM) and the University of Helsinki (research grant to KT).

## References

- Alho, J., Lin, F. H., Sato, M., Tiitinen, H., Sams, M., and Jääskeläinen, I. P. (2014). Enhanced neural synchrony between left auditory and premotor cortex is associated with successful phonetic categorization. *Front. Psychol.* 5:394. doi: 10.3389/fpsyg.2014.00394
- Alsius, A., Möttönen, R., Sams, M. E., Soto-Faraco, S., and Tiippana, K. (2014). Effect of attentional load on audiovisual speech perception: evidence from ERPs. *Front. Psychol.* 5:727. doi: 10.3389/fpsyg.2014.00727
- Altieri, N., and Hudock, D. (2014). Hearing impairment and audiovisual speech integration ability: a case study report. *Front. Psychol.* 5:678. doi: 10.3389/fpsyg.2014.00678
- Andersen, T. S., and Starrfelt, R. (2015). Audiovisual integration of speech in a patient with Broca's Aphasia. *Front. Psychol.* 6:435. doi: 10.3389/fpsyg.2015.00435
- Bayard, C., Colin, C., and Leybaert, J. (2014). How is the McGurk effect modulated by Cued Speech in deaf and hearing adults? *Front. Psychol.* 5:416. doi: 10.3389/fpsyg.2014.00416
- Bernstein, L. E., Eberhardt, S. P., and Auer, E. T. (2014). Audiovisual spoken word training can promote or impede auditory-only perceptual learning: results from prelingually deafened adults with late-acquired cochlear implants and normal-hearing adults. *Front. Psychol.* 5:934. doi: 10.3389/fpsyg.2014.00934
- Bowers, A. L., Saltuklaroglu, T., Harkrider, A., Wilson, M., and Toner, M. A. (2014). Dynamic modulation of shared sensory and motor cortical rhythms mediates speech and non-speech discrimination performance. *Front. Psychol.* 5:366. doi: 10.3389/fpsyg.2014.00366
- Callan, D. E., Jones, J. A., and Callan, A. (2014). Multisensory and modality specific processing of visual speech in different regions of the premotor cortex. *Front. Psychol.* 5:389. doi: 10.3389/fpsyg.2014.00389
- Carbonell, K. M., and Lotto, A. J. (2014). Speech is not special... again. *Front. Psychol.* 5:427. doi: 10.3389/fpsyg.2014.00427
- Erickson, L. C., Zielinski, B. A., Zielinski, J. E., Liu, G., Turkeltaub, P. E., Leaver, A. M., et al. (2014). Distinct cortical locations for integration of audiovisual speech and the McGurk effect. *Front. Psychol.* 5:534. doi: 10.3389/fpsyg.2014.00534
- Ganesh, A. C., Berthommier, F., Vilain, C., Sato, M., and Schwartz, J.-L. (2014). A possible neurophysiological correlate of audiovisual binding and unbinding in speech perception. *Front. Psychol.* 5:1340. doi: 10.3389/fpsyg.2014.01340
- Heald, S., and Nusbaum, H. C. (2014). Talker variability in audiovisual speech perception. *Front. Psychol.* 5:698. doi: 10.3389/fpsyg.2014.00698
- Irwin, J., and Brancazio, L. (2014). Seeing to hear? Patterns of gaze to speaking faces in children with autism spectrum disorders. *Front. Psychol.* 5:397. doi: 10.3389/fpsyg.2014.00397
- Ito, T., Gracco, V. L., and Ostry, D. J. (2014). Temporal factors affecting somatosensory-auditory interactions in speech processing. *Front. Psychol.* 5:1198. doi: 10.3389/fpsyg.2014.01198

- Jenson, D., Bowers, A. L., Harkrider, A., Thornton, D., Cuellar, M., and Saltuklaroglu, T. (2014). Temporal dynamics of sensorimotor integration in speech perception and production: independent component analysis of EEG data. *Front. Psychol.* 5:656. doi: 10.3389/fpsyg.2014.00656
- Kelly, S., Hirata, Y., Manansala, M., and Huang, J. (2014). Exploring the role of hand gestures in learning novel phoneme contrasts and vocabulary in a second language. *Front. Psychol.* 5:673. doi: 10.3389/fpsyg.2014.00673
- Klucharev, V., Möttönen, R., and Sams, M. (2003). Electrophysiological indicators of phonetic and non-phonetic multisensory interactions during audiovisual speech perception. *Brain Res. Cogn. Brain Res.* 18, 65–75. doi: 10.1016/j.cogbrainres.2003.09.004
- Lee, H. L., and Noppeney, U. (2014). Music expertise shapes audiovisual temporal integration windows for speech, sine wave speech and music. *Front. Psychol.* 5:868. doi: 10.3389/fpsyg.2014.00868
- Leybaert, J., Macchi, L., Huysse, A., Champoux, F., Bayard, C., Colin, C., et al. (2014). Atypical audio-visual speech perception and McGurk effects in children with specific language impairment. *Front. Psychol.* 5:422. doi: 10.3389/fpsyg.2014.00422
- McGurk, H., and MacDonald, J. (1976). Hearing lips and seeing voices. *Nature*, 264, 746–748. doi: 10.1038/264746a0
- Meronen, A., Tiippana, K., Westerholm, J., and Ahonen, T. (2013). Audiovisual speech perception in children with developmental language disorder in degraded listening conditions. *J. Speech Lang. Hear. Res.* 56, 211–221. doi: 10.1044/1092-4388(2012/11-0270)
- Molholm, S., Ritter, W., Murray, M. M., Javitt, D. C., Schroeder, C. E., and Foxe, J. J. (2002). Multisensory auditory-visual interactions during early sensory processing in humans: a high-density electrical mapping study. *Cognitive Brain Research*, 14, 115–128. doi: 10.1016/S0926-6410(02)00066-6
- Rogers, J. C., Möttönen, R., Boyles, R., and Watkins, K. E. (2014). Discrimination of speech and non-speech sounds following theta-burst stimulation of the motor cortex. *Front. Psychol.* 5:754. doi: 10.3389/fpsyg.2014.00754
- Saastala, S., Kätsyri, J., Tiippana, K., Laine-Hernandez, M., von Wendt, L., and Sams, M. (2012). Audiovisual speech perception and eye gaze behavior of adults with Asperger Syndrome. *J. Autism Dev. Disord.* 42, 1606–1615. doi: 10.1007/s10803-011-1400-0
- Scarbel, L., Beautemps, D., Schwartz, J.-L., and Sato, M. (2014). The shadow of a doubt? Evidence for perceptuo-motor linkage during auditory and audiovisual close shadowing. *Front. Psychol.* 5:568. doi: 10.3389/fpsyg.2014.00568
- Sekiyama, K., Soshi, T., and Sakamoto, S. (2014). Enhanced audiovisual integration with aging in speech perception: a heightened McGurk effect in older adults. *Front. Psychol.* 5:323. doi: 10.3389/fpsyg.2014.00323
- Shams, L., and Seitz, A. R. (2008). Benefits of multisensory learning. *Trends Cogn. Sci.* 12, 411–417. doi: 10.1016/j.tics.2008.07.006
- Stevenson, R. A., Segers, M., Ferber, S., Barense, M. D., and Wallace, M. T. (2014). The impact of multisensory integration deficits on speech perception in children with autism spectrum disorders. *Front. Psychol.* 5:379. doi: 10.3389/fpsyg.2014.00379
- Tiippana, K. (2014). What is the McGurk effect? *Front. Psychol.* 5:725. doi: 10.3389/fpsyg.2014.00725
- Treille, A., Vilain, C., and Sato, M. (2014). The sound of your lips: electrophysiological cross-modal interactions during hand-to-face and face-to-face speech perception. *Front. Psychol.* 5:420. doi: 10.3389/fpsyg.2014.00420

**Conflict of Interest Statement:** The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Copyright © 2015 Tiippana, Möttönen and Schwartz. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) or licensor are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.