On the performances of Dynamic Conditional Correlation models in the Sovereign CDS market and the corresponding bond market

Saker Sabkha, Christian de Peretti

► To cite this version:

Saker Sabkha, Christian de Peretti. On the performances of Dynamic Conditional Correlation models in the Sovereign CDS market and the corresponding bond market. Financial and Economic Systems, WORLD SCIENTIFIC (EUROPE), pp.187-212, 2022, 10.1142/9781786349507_0008 . hal-01710398

HAL Id: hal-01710398

<https://hal.science/hal-01710398>

Submitted on 15 Feb 2018

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

On the performances of Dynamic Conditional Correlation models in the Sovereign CDS market and the corresponding bond market

Saker Sabkha^{1,2} and Christian de Peretti¹

¹ Univ Lyon, University Claude Bernard Lyon 1,
Institute of Financial and Insurance Sciences,
LSAF-EA2429, F-69007, Lyon, France

² Univ of Carthage, Institute of High Commercial Studies,
LEFA, Tunis, Tunisia

Abstract

The study of an efficient financial assets' modeling method is still an open hot issue especially during recent crises. Using credit risk data from 33 worldwide countries, this paper investigates the performance of 9 Dynamic Conditional Correlation models taking into account different properties of financial markets (long memory behavior, asymmetry and/or leverage effects...). This comparative study is based on the results of several multivariate diagnostic tests. Findings show that no model outperforms the others in all situations, though, the straightforward DCC-GARCH model seems to provide the most relevant estimator parameters. Yet, the innovations distributions assumption significantly impacts the statistical fit of the model. Our work is useful for financial markets' participants so as to making decision in terms of arbitrage, hedging or speculation.

JEL Classification

G11, G12, F02, C58

Keywords

DCC-class models, Time-varying correlation, Multivariate diagnostic tests, Sovereign credit market.

1 Introduction

The Mathematical formalization of stock market fluctuations has been developed for the first time by Bachelier (1900) who mathematized the speculative values' evolution as a Brownian-motion (Walter, 2013). The probabilistic analysis of the variation of assets' prices proposed by Bachelier (1900) seems not to be valid in the long-run and discords with the efficient-market assumptions. In fact, The random walk equation that Bachelier (1900) obtained from this model is based on the hypothesis that the instantaneous and nonconstant volatility is independent, linear and follow a Gaussian marginal distribution¹. De facto, this model presents some shortcomings: Empirical studies easily show that financial times series exhibit kurtosis coefficient in excess rejecting the distribution under normality. Yet, assets' prices in levels are obviously non-stationary and an over-time non-linear dependence is clearly observed between financial returns.

In order to consider for the non-linearity, the non-stationarity and the extreme fluctuations of stock prices, a new class of financial models is proposed by Engle (1982) called Autoregressive Conditional Heteroscedasticity (ARCH). A generalization of this ARCH model (GARCH) is suggested by Bollerslev (1986) enabling for more flexibility and simplicity in the lag structure and the estimation process². Several extensions and restrictive versions of GARCH type have followed allowing to take into account further financial markets' properties and specifications (Engle and Bollerslev, 1986; Engle et al., 1987; Nelson, 1991; Higgins and Bera, 1992; Glosten et al., 1993; Ding et al., 1993; Zakoian, 1994; Sentana, 1995; Hentschel, 1995; Baillie et al., 1996; Bollerslev and Mikkelsen, 1996; Tse, 1998; Klüppelberg et al., 2004; Davidson, 2004).

Numerous applications of the univariate GARCH models to financial data have been done by researchers as well as by finance practitioners. Even though they have been a good toll for financial managers in risk assessment, these volatilities models are inadequate when it comes to estimate a portfolio risk with several and different underlying assets. Because of the interdependence between stock market variables, the estimation of correlations and covariance matrix turns out to be a requisite to financial markets' investors, so they can pursue optimal risk allocation and hedging policies. Thus, portfolio optimization motivates the work of Bollerslev et al. (1988) who propose the first multivariate framework for Generalized Autoregressive Conditional Heteroscedastic models (MV-GARCH). Although it is considered as a considerable theoretical contribution, empirical application of this MV-GARCH - as it is initially proposed - is problematic due to the high-dimension of the parameters and the number of necessary restrictions.

In order to circumvent this estimation complexity, Engle (2002) introduce a new class of multivariate models called Dynamic Conditional Correlation (DCC, hereafter) allowing for correlations to vary over time. This model keeps up with the flexibility of the univariate GARCH models and yet simplifies the parametrization and the empirical estimation. Another DCC-GARCH model is suggested by Tse and Tsui (2002) whereby the correlation computing is also done in two steps: a first step for estimating the univariate GARCH model for each time series and a second step for conditional covariance (see Engle and Sheppard (2001) for further details about technical difference between the two previous models). Engle and Kelly (2012) also propose a time-varying correlation model considering more financial data specifications known as a dynamic equicorrelation model (DECO). In fact, the DCC-DECO model assumes that whenever the time is, correlations' pairwise across markets are equals basing on an arbitrary estimation of the covariance matrix (Engle and Kelly, 2012; Cai et al., 2016)³.

¹These are the fractal properties of the random walk and Brownian-motion paths. For more details, see Walter (2013);

²A simple GARCH(1,1) could be an alternative for a long lag length of an ARCH model.

³Cai et al. (2016) empirically compare the reliability of dynamic conditional correlation models using both

Based on the aforementioned considerations, DCC models constitute a reliable tool for estimating interconnections between several assets, markets and/or countries. It is obvious thus, that this class of model is used in previous research to investigate financial phenomena: contagion, risk spillover (Lee, 2006; Cai et al., 2016) or co-movement (Coudert and Gex, 2010), given the considerable number of reasons why correlation is an important variable in financial and economic studies.

This paper aims to extend previous works - comparing the performance of GARCH models - to the multivariate dimension⁴. An extensive set of linear and non-linear DCC-GARCH models are estimated: 9 volatility model specifications are represented considering the clustering volatility, the volatility persistence, the dependence between the mean and the conditional variance, the asymmetry of the error distribution, the leverage effect, the long memory property, the slow hyperbolic rate of decay of the volatility persistence, the long-run mean reverting property and the fractionally integrated specifications. These models (GARCH-DCC, IGARCH-DCC, EGARCH-DCC, APARCH-DCC, GJR-GARCH-DCC, FIGARCH-DCC, FIEGARCH-DCC, FIAPARCH-DCC, HYGARCH-DCC) are estimated using both Engle (2002) and Tse and Tsui (2002) propositions. Yet, results of the models are presented for both Gaussian and Student marginal distribution.

Owing to the noteworthy part played by the credit market during the recent two financial crises, the interest of the scientific community to bonds and to credit derivatives (CDS, CDO, ABX...) is ever-increasing. Modeling multivariate volatilities of credit assets is a high-priority concern among policy makers, portfolio managers and hedge funds. That's why, our studied models are applied to credit risk data (sovereign CDS spreads and the underlying bond spreads) over a relatively long period covering the last two financial crises spanning from January 2006 until April 2014.

Our paper contributes to the extant literature in several ways. First, while there exists a considerable number of studies using the DCC model to estimate multivariate volatilities, the literature comparing the empirical performance of different Dynamic Conditional Correlation models is still not developed, especially when it comes to use the credit assets as an application reference. As far as we are concerned, there is no study comparing 9 dynamic conditional correlation GARCH models for the credit market. Second, the assessment of the interconnectedness between credit markets in an international context puts in forward the fact that countries from different regions present different features. This suggests to improve the standard method abundantly applied to comovement studies by using rather flexible approaches with an individual readjustment for each country and each set of data. Third, studying the multivariate modeling framework in the credit markets presents accurate results since it improves the predictive ability of financial tools in terms of future evolutions in sovereign borrowing conditions.

The rest of the paper is organized as follows: Sections 2 and 3 give some background informations about literature on the comparison of GARCH performances and discuss the methodology approach used in this paper. Section 4 is dedicated to sample description and the descriptive statistics. Empirical results and discussion are covered in section 5. Section 6 concludes the paper and outlines possible directions for future work.

conventional DCC and DECO estimates.

⁴We extend the work of Fantazzini (2011) on the univariate GARCH models and we transmit the same idea to the multivariate volatility models

2 Literature review

Unlike volatility models⁵, not much studies has been conducted to assess the performance of the multivariate GARCH-type models. The few works dealing with the time-varying correlation are only interested in straighten out the model's shortcomings by developing some extensive forms taking into account more financial data features.

Evaluating the conditional covariance of 100 companies' assets from the S&P 500 and the Dow Jones American indices, Engle and Sheppard (2001) develop a framework where the time-varying correlation converges easily and presents strong estimation. Authors propose a simplified method in which correlation coefficients are estimated through two steps⁶ and give some theoretical and empirical evidences of the estimator consistency. In a more theoretical framework, Degiannakis and Xekalaki (2004) summarize the existing literature on ARCH processes and present the most useful multivariate Autoregressive Conditional Heteroscedasticity models, their respective properties and the different estimating techniques.

Using daily 45 stock returns from the DAX and the FTSE, Hafner and Franses (2003) propose a generalized form of the DCC model that controls for heterogeneity. Results show that the GDCC has a superior performance and better fits financial data. One of the DCC issues discussed by Billio et al. (2006), is the restrictive hypothesis of mutual dynamics between different class of assets. Authors propose a flexible Dynamic Conditional Correlation model (fDCC) where each group of assets is allowed to have a different dynamics. By applying the fDCC to three sectors from the Italian stock market, they show that this model provides a better portfolio allocation with a lesser risk and a greater yield. Furthermore, Billio and Caporin (2009) generalize the DCC and the fDCC model and propose a Quadratic Flexible DCC model allowing for interaction between assets' correlations.

Based on a monte carlo simulation, Hafner and Reznikova (2012) study the performance of the estimators of the DCC and the consistent DCC models. Authors find some estimation bias in large sample size and show that the shrinkage technique, as an alternative to the maximum likelihood, can be a solution. Through a theoretical study, Caporin and McAleer (2013) studies the estimating and forecasting limits of the time-varying covariance and correlation models. Among the ten discussed shortcomings, the authors argue that the variance misspecification - due to some financial markets properties (leverage and asymmetry effects) - leads to biased correlation estimator parameters. This research line is followed by Boudt et al. (2013) who propose an extensive form of the DCC model (BIP-cDCC) to overcome the forecasting issue. Application of this new class of models to the exchange rate returns of the euro and the yen against the dollar show that the BIP-cDCC outperforms the standard DCC in terms of forecasting.

In the same context, Aielli (2013) discusses a particular limit of the DCC model and argue that the second stage estimator is biased leading to inappropriate conclusions. Application to simulated and real data show that the alternative model (cDCC) is more consistent with slightly better forecasting performances.

More recently, García de la Fuente et al. (2014) propose an extension of the DCC model that takes into account the non-normality features of financial time series while modeling DCC models. A Bayesian DCC with multivariate skew-slash distribution is applied to simulated data and real data sets from three worldwide stock market indices (CAC40, DAX, Nikkei). Authors show that even though this new class of model allows a better capture of the slight skewness and the high kurtosis characterizing stock returns, it doesn't outperform the standard normal-distributed DCC model. Moreover, Cai et al. (2016) compare the estimators' accuracy

⁵See Bollerslev et al. (1992) for a complete theoretical and empirical survey on the use of univariate ARCH processes in financial studies.

⁶More details about the two stages estimation method are given in the next section.

of the dynamic conditional correlation and the dynamic equicorrelation (DECO)⁷ MGARCH on 9 stock markets from East Asia and the USA during the Global financial crisis. Results of the DECO model are consistent and confirms those of the standard DCC.

3 Methodology

Even though they have been abundantly developed and examined in the theoretical and empirical literature, several correlation models are so sophisticated and over-parameterized with a complicated optimization making them very few used by practitioners. Unlike these models, the DCC nonlinear model proposed by Engle (2002) and Tse and Tsui (2002) is a more reliable estimator of correlation with a limited number of parameters to estimate and an easiest estimation method. The flexibility of this new class of model lies on the fact that the estimation needs to go through two-steps process: the conditional volatility of each time series is estimated from a traditional univariate GARCH model in the first step, then in the second step, the multivariate conditional volatility is estimated using the Quasi-Maximum Likelihood function.

3.1 Marginal volatility processes: univariate ARCH-type models

As an extension of the ARCH model proposed by Engle (1982), Bollerslev (1986) propose a generalized ARCH model given by:

$$x_{i,t} = \mu_{i,t} + a_{i,t} \quad / \quad a_{i,t} = \sigma_{i,t} \varepsilon_{i,t}, \quad \varepsilon_{i,t} / \mathcal{F}_{t-1} \rightsquigarrow \mathcal{N}(0, 1);$$

$$\sigma_{i,t}^2 = E(x_{i,t} / \mathcal{F}_{t-1}) = \alpha_{i,0} + \sum_{k=1}^q \alpha_{i,k} a_{i,t-k}^2 + \sum_{h=1}^p \beta_{i,h} \sigma_{i,t-h}^2. \quad (1)$$

with x_t is a time series, i is a given country from the sample and μ_t and σ_t are respectively conditional mean and conditional volatility. To satisfy the positive-definite condition, some restrictions are imposed: $p \geq 0$, $q > 0$, $\alpha_k \geq 0$ for $k = 1 \dots q$, $\beta_h \geq 0$ and $\alpha_0 \geq 0$ for $h = 1 \dots p$.

For sake of simplicity and suitability, only models with process orders (p and q) equal to 1 are estimated. In fact, the simplest GARCH (1,1) specification is the most useful and fitted for financial time series (Bollerslev, 1986; Wei et al., 2010).

The GARCH(1,1) process, as proposed by Bollerslev (1986) is given by the following formula:

$$\sigma_{i,t}^2 = \alpha_{i,0} + \alpha_{i,1} + \alpha_{i,1} a_{i,t-1}^2 + \beta_{i,1} \sigma_{i,t-1}^2. \quad (2)$$

Furthermore to the previous model restrictions, α_1 and β_1 parameters must satisfy the condition of $\alpha_1 + \beta_1 < 1$ to comply with the stationarity in the broad sense.

A more restrictive version of the GARCH (1,1) is proposed by Engle and Bollerslev (1986) where the equivalent of the unit root in the mean is included in the variance so we can handle for the stationarity of the variance. The Integrated GARCH (1,1) takes into account the persistence of conditional volatilities⁸. The main difference with the GARCH(1,1) is that the IGARCH require the parameters α_1 and β_1 to respect the equality of $\alpha_1 + \beta_1 = 1$. Thus, the IGARCH (1,1)⁹ can be written as follows:

$$\sigma_{i,t}^2 = \alpha_{i,0} + \alpha_{i,1} a_{i,t-1}^2 + (1 - \alpha_{i,1}) \sigma_{i,t-1}^2. \quad (3)$$

⁷The DECO-MGARCH model, as proposed by Engle and Kelly (2012), supposes that the time-varying conditional correlation is equal between markets (or assets) whatever the time is.

⁸Today's shocks on a financial asset (future contracts for example) have a significant impact on the conditional volatility several periods in the future.

⁹The IGARCH(1,1) is equivalent to the Exponentially Weighted Moving Average (EWMA) model developed by Morgan (1996).

Besides the aforementioned linear models, there exist some nonlinear GARCH-class of models taking into account the other financial markets properties. The Exponential GARCH, as proposed by Nelson (1991), is one of these models that accounts for the leverage effect and the asymmetry of the error distribution. While the nonnegativity of linear GARCH model is ensured by several parameters restrictions, the EGARCH model proposes another formulation allowing for a positive volatility without any restrictive constraints. The EGARCH (1,1) is expressed as follows:

$$\ln(\sigma_{i,t}^2) = \alpha_{i,0} + \alpha_{i,1-1}\ln(\sigma_{i,t}^2) + \beta_{i,1}g(\varepsilon_{i,t-1}) \quad (4)$$

, where $g(\varepsilon_t) = \theta\varepsilon_t + \gamma[|\varepsilon_t| - E(|\varepsilon_t|)]$.

The asymmetric relation between assets' fluctuation and volatility changes is depicted by the θ and γ representing respectively the sign and the magnitude of ε_t .

Glosten et al. (1993) propose a model that allows the sign and the amplitude of the innovations (ε_t) to affect separately the conditional volatility. The asymmetric leverage effect¹⁰ is represented in the following formulation of the GJR-GARCH(1,1)¹¹ model:

$$\sigma_{i,t}^2 = \alpha_{i,0} + \alpha_{i,1}a_{i,t-1}^2 + \gamma_i I_{i,t-1}a_{i,t-1}^2 + \beta_{i,1}\sigma_{i,t-1}^2. \quad (5)$$

with I_t is a dummy variable equals to 0 when a_t is positive and 1 otherwise.

The first model accounting for the long-range persistence of financial assets variance is developed by Ding et al. (1993). This asymmetric power ARCH model allows the volatility to be long-memory¹². The APARCH (1,1) model is:

$$\sigma_{i,t}^2 = \alpha_{i,0} + \alpha_{i,1}(|a_{i,t-1}| - \gamma_i a_{i,t-1})^\delta + \beta_{i,1}\sigma_{i,t-1}^\delta. \quad (6)$$

where δ depicts the Box-Cox power transformation of the conditional volatility (σ_t) and satisfies the condition of $\delta \geq 0$.

A more flexible class of GARCH models is proposed by Baillie et al. (1996) who introduce a new feature of the unit root for the variance. In fact, the fractionally integrated GARCH model (FIGARCH) highlights the fact that - unlike stationary processes where the persistence of volatility shocks is finite - in unit root processes, the impact of lagged errors occurs at a slow hyperbolic rate of decay. The FIGARCH model allows, thus, to capture the long memory in financial volatility with a complete flexibility regarding the persistence degree. In fact, the FIGARCH (1,d,1) formulation depends on fractional integration parameter (d) as follows:

$$\sigma_{i,t}^2 = \alpha_{i,0} + [1 - (1 - \beta_i(L))^{-1}(1 - \phi(L))(1 - L)^d]a_{i,t}^2 + \beta\sigma_{i,t-1}^2. \quad (7)$$

with $0 < d < 1$. When $d=1$, the FIGARCH (1,d,1) is equivalent to an IGARCH (1,1) where the persistence of conditional variance is supposed to be complete, while when $d=0$, it is rather equivalent to a GARCH (1,1) and no volatility persistence is taken into consideration. L is the lag operator and $(1 - L)^d$ is the financial fractional differencing operator.

Other ARCH formulations are extended to the fractionally integrated GARCH, including asymmetric leverage effect presented in the EGARCH model. Bollerslev and Mikkelsen (1996) propose a new class of model combining characteristics of the FIGARCH and the EGARCH models so-called FIEGARCH (p,d,q). Financial assets' volatilities are, thus, better explained

¹⁰Positive and negative financial shocks revamp asymmetrically the variance. Furthermore, bad news (shocks) generate greater volatility than good news.

¹¹The volatility's different reactions to signs and sizes of past innovations are also suggested in the Threshold Heteroskedastic model (TGARCH) of Zakoian (1994). The major difference is that in the TGARCH model the conditional standard deviation (σ_t) is considered rather than the conditional variance (σ_t^2).

¹²The autocorrelation function of time series returns decreases gradually.

and depicted by a mean-reverting fractionally integrated process. The FIEGARCH(1,d,1) model is written as follows:

$$\ln(\sigma_{i,t}^2) = \alpha_{i,0} + \phi(L)^{-1}(1-L)^{-d}[1 + \psi(L)]g(\varepsilon_{i,t-1}). \quad (8)$$

where $\phi(L)$ and $\psi(L)$ are lag polynomials, and - as in the EGARCH(1,1)¹³ - $g(\varepsilon_t)$ is a quantization function of information flows such as:

$$g(\varepsilon_t) = \theta\varepsilon_t + \gamma[|\varepsilon_t| - E(|\varepsilon_t|)].$$

An extension of the conventional fractionally integrated GARCH model is proposed by Tse (1998) so-called FIAPARCH (1,d,1). The new approach combines the long-range dependencies feature and the asymmetric impact of lagged positive and negative shocks on future volatilities in one fractionally integrated model. The FIAPARCH (1,d,1) is written as follows:

$$\sigma_{i,t}^\delta = \alpha_{i,0}(1-\beta)^{-1} + [1 - (1-\beta(L))^{-1}\phi(L)(1-L)^d](|a_{i,t}| - \gamma a_{i,t})^\delta. \quad (9)$$

More recently, another linear GARCH model, called hyperbolic GARCH (HYGARCH) is proposed by Davidson (2004) who argues that the impact of lagged errors on the conditional variance discloses near-epoch dependence feature. The main contribution of this model is that the fractional integration parameter is negative (-d) instead of positive and that d increases rather when it approaches zero¹⁴. The statistical properties included in the HYGARCH make it the most successful and used approach by financial practitioners in modeling time series volatilities. The HYGARCH (1,d,1) is defined under the following formulation:

$$\sigma_{i,t}^2 = \alpha_{i,0} + [1 - (1-\beta(L))^{-1}(1-\phi(L))[1 + \alpha((1-L)^d - 1)]]a_{i,t}^2. \quad (10)$$

As mentioned before, The 9 GARCH-class models, above cited, are estimated in the first step through a univariate process to capture the apparent conditional univariate standard deviations. Then, a multivariate process is estimated in the second step so we can have the conditional bivariate volatilities (conditional correlations).

3.2 Joint volatility processes: multivariate ARCH-type models

In the second step, the multivariate specification is introduced to each one of the GARCH-class models in order to estimate the bivariate dynamic conditional correlations. Following the propositions of Engle (2002) and Tse and Tsui (2002), the DCC model is defined as a time varying structure:

$$Var(x_t/\mathcal{F}_{t-1}) = \sigma_t^2 = \Omega_t = D_t H_t D_t. \quad (11)$$

where $\mathcal{F}_{t-1}$ is the information set available at the time (t-1). D_t is a diagonal matrix $N \times N$ such as $D_t = diag\{\sigma_{ii,t}\} = diag(\sigma_{11,t} \dots \sigma_{NN,t})$, $\sigma_{NN,t}$ is the conditional standard deviation obtained from the univariate models. H_t is the time-varying correlation matrix of the standardized residuals ε_t (of x_t).

Engle (2002) and Tse and Tsui (2002) propose two DCC models presenting some similarities and divergences. For Engle (2002),

$$H_t = diag(q_{11,t}^{-1/2} \dots q_{NN,t}^{-1/2}) Q_t diag(q_{11,t}^{-1/2} \dots q_{NN,t}^{-1/2}). \quad (12)$$

¹³When the memory parameter, d=0, the FIEGARCH formulation is equivalent to the conventional EGARCH (1,1) (FIEGARCH (1,0,1) $\simeq$ EGARCH (1,1)).

¹⁴When d of the HYGARCH is positive, it is considered as a unit root process.

where $\overline{q_{ij}} = \overline{\rho_{ij}}$ ($\overline{\rho_{ij}}$ is the unconditional correlation between $\varepsilon_{i,t}$ et $\varepsilon_{j,t}$). Q_t is symmetric covariance $N \times N$ matrix that can be written as follows:

$$Q_t = \overline{Q_{ij}}(1 - \alpha - \beta) + \alpha(\varepsilon_{t-1}\varepsilon'_{t-1}) + \beta Q_{ij,t-1}. \quad (13)$$

with $\overline{Q}$ is a symmetric time invariant unconditional correlation matrix. α et β parameters are postive and respect the constraint of $\alpha + \beta < 1$. The bivariate dynamic conditional correlation coefficient of Engle (2002) is, thus, defined as:

$$\rho_{12,t} = \frac{\overline{q_{12}}(1 - \alpha - \beta) + \alpha(\varepsilon_{1,t-1}\varepsilon_{2,t-1}) + \beta q_{12,t-1}}{\sqrt{(\overline{q_{11}}(1 - \alpha - \beta) + \alpha\varepsilon_{11,t-1}^2 + \beta q_{11,t-1})(\overline{q_{22}}(1 - \alpha - \beta) + \alpha\varepsilon_{22,t-1}^2 + \beta q_{22,t-1})}}. \quad (14)$$

For Tse and Tsui (2002), $H_t = \{\rho_{ij}, t\}$ is assumed to follow a univariate GARCH process and is obtained from the recursion of:

$$H_t = (1 - \theta_1 - \theta_2)H + \theta_1 H_{t-1} + \theta_2 \Xi_{t-1}. \quad (15)$$

where the parameters θ_1 and θ_2 are supposed to satisfy the non-negativity constraint and the inequality $\theta_1 + \theta_2 \leq 1$. H is a symmetric time invariant $N \times N$ with $\rho_{ii} = 1$ (a unit diagonal element). Ξ_{t-1} is the correlation matrix of the lagged standardized residuals ε_t such as $\varepsilon_{i,t} = \frac{a_t}{\sigma_{i,t}}$. Since Ξ_{t-1} depends on the lagged residuals, and analogously to the x_{t-1}^2 in the GARCH (1,1) representation, Ξ_{t-1} can be specified by the following formula:

$$\Xi_{ij,t-1} = \frac{\sum_{m=1}^M \varepsilon_{i,t-m} \varepsilon_{j,t-m}}{\sqrt{(\sum_{m=1}^M \varepsilon_{i,t-m}^2)(\sum_{m=1}^M \varepsilon_{j,t-m}^2)}}, 1 \leq i < j \leq N \leq M. \quad (16)$$

$N \leq M$ is a necessary condition for ψ_{t-1} and H_t to be nonnegative definite. Thus, in the bivariate case, the conditional correlation coefficient of Tse and Tsui (2002) is defined as:

$$\rho_{12,t} = (1 - \theta_1 - \theta_2)\rho_{12} + \theta_1 \rho_{12,t-1} + \theta_2 \frac{\sum_{s=1}^S \varepsilon_{1,t-s} \varepsilon_{2,t-s}}{\sqrt{(\sum_{s=1}^S \varepsilon_{1,t-s}^2)(\sum_{s=1}^S \varepsilon_{2,t-s}^2)}}. \quad (17)$$

In this paper, dynamic conditional correlation coefficients are estimated using both models proposed by Engle (2002) and Tse and Tsui (2002): For each of the estimated model, time series are assumed to follow an AR(1) process with a normal and t-student marginal distributions. Models' performances comparison is made upon the value of the Akaike information criterion (AIC) and some multivariate diagnostic tests: Vector normality test and Hosking's Multivariate Portmanteau Statistics on standardized residuals (and on squared standardized residuals) are used to investigate the reliability of the multivariate GARCH specifications.

4 Data

The models detailed above are estimated using daily price changes data from the credit market of 33 countries worldwide belonging to four different economic status (low economic growth, developed countries, newly industrialized countries and emerging countries). DCC models are estimated on both credit spreads of sovereign CDS market and the corresponding government bond market, on a period spanning from January, 2nd 2006 until April, 3th 2014. CDS spreads and bond yields are extracted from Bloomberg® and Thomson Reuters®.

During the studied period (2006-2014), the world economy has been affected by two major crises - namely the Global Financial Crisis and the European Debt Crisis - and the state borrowing costs greatly fluctuated whatever the country's economic level is or its geographical

position. Thus, evaluating and comparing the performances of multivariate volatility models is particularly relevant during this period.

For sake of homogeneity, bond yields are transformed into spreads regarding the risk-free interest rate. Several studies interest in the issue of the appropriate choice of this riskless rate. A first strand of the literature suggests the use of the US treasury yield (Longstaff et al., 2005) or the swap rate of the same maturity (Blanco et al., 2005). Another strand promotes the use of the bond rate issued by the country considered to be the least risky of the zone (government bond yield curves of Deutsch Bundesbank, the Federal Reserve Board and the bank of England) (Norden and Weber, 2009; Gilchrist and Mojon, 2016). In this paper, the 5 year German federal government bond is chosen as a reference rate for European countries, and the United States sovereign bonds for American and Asian countries. In order to not reduce our sample, for Germany, euro-area generic bond is used as a benchmark yield, and the US Treasury Zero-Coupon Yield Curve for the United States.

Descriptive statistics are provided in Table 1. CDS and Bond spreads exhibit similar statistical properties. The average daily spreads are almost always positive (except for Germany, USA and Japan where the Bond spreads' mean is negative). Negative credit spreads can be explained by the fact that during recessions markets participants are willing to pay government for riskless investments, making bonds of some countries (Germany among others) issued with negative yields (Dolvin, 2012). This phenomenon can be caused, likewise, by a temporary liquidity factors (Beber et al., 2009; Bhanot and Guo, 2011). Another explanation is that these negative spreads are due to a mis-choice of the risk-free rate. The high levels of standard deviations show that our data is widely spread and not centered around the mean.

The Jarque-Bera test confirms the non-normality of the data distribution at the 1% significance level. These findings are reaffirmed by the significant excess kurtosis and the positive skewness coefficients. As expected, the Augmented Dickey-Fuller test confirms the null hypothesis of the unit-root presence. Both CDS spreads and bond spreads are non-stationary. The ARCH-LM test and the Q statistics of Ljung-Box both confirm the presence of ARCH effect and reject the null hypothesis of no serial correlation in the CDS and Bond spreads.

Table 1: Descriptive statistics and ARCH effect tests for CDS and Bond spreads statistics for bond and CDS spreads.pdf

Panel A: PILOS										Row series										Squared raw series		
		Obs.	Min.	Mean	Max.	Std. Dev.	Skewness	Excess kurtosis	Jarque-Bera	ADF statistics	ARCH-LM (2)	ARCH-LM (5)	ARCH-LM (10)	Q-statistics (5)	Q-statistics (20)	Q-statistics (5)	Q-statistics (20)	Q-statistics (5)	Q-statistics (20)			
Portugal	CDS	2154	4.02	311.23	1527.00	356.15	1.21	...	0.45	...	197150	...	40312	...	10691.9	...	41936.2	...	10542.3	...	40031.9	...
	Bond	2154	-11.40	368.93	2264.00	462.05	1.45	...	1.15	...	138300	...	24981	...	10679.7	...	41849.6	...	10461.5	...	39556.9	...
	CDS	2154	1.75	232.90	1191.50	249.26	1.08	...	0.00	...	164970	...	35684	...	10679.5	...	41759	...	10446.6	...	39226.3	...
	Bond	2154	-26.50	228.07	1578.00	278.79	1.51	...	2.10	...	95360	...	20883	...	10647.3	...	40973.3	...	10305.8	...	35880.1	...
	CDS	2154	5.58	161.93	591.54	148.52	0.95	...	0.13	...	135440	...	55362	...	10641.8	...	41502.4	...	10465.1	...	39732.2	...
	Bond	2154	-4.10	148.90	676.50	146.96	1.14	...	0.52	...	79001	...	32495	...	10610.4	...	41261	...	10337.2	...	38619.6	...
	CDS	2009	5.20	8068.60	37081	14532	1.45	...	-0.18	...	303500	...	60523	...	10671.7	...	41323.9	...	10655.7	...	40992.9	...
	Bond	2154	-121.60	9994.00	37688	14984	0.98	...	-0.95	...	1414500	...	612380	...	10738.8	...	42525.1	...	10730	...	42389.6	...
	CDS	2154	2.55	165.66	641.98	133.97	0.79	...	-0.21	...	123830	...	50663	...	10738.8	...	42525.1	...	10473.7	...	40104.8	...
	Bond	2154	-13.90	133.58	740.80	157.06	0.89	...	-0.04	...	96264	...	20293	...	10629.60	...	41275.50	...	10365.30	...	38972	...
Developed countries	CDS	2154	1.75	61.13	268.98	58.57	1.03	...	0.42	...	633720	...	13100	...	10551.9	...	39816.9	...	10212.7	...	34791.2	...
	Bond	2154	-16.00	36.04	213	33.51	1.44	...	2.88	...	31953	...	6574.1	...	10171.1	...	35685.5	...	9508.58	...	28618.2	...
	CDS	2154	2.05	83.61	406.12	85.62	1.20	...	0.63	...	116730	...	2444	...	10639.5	...	4147.3	...	10407.7	...	39349.7	...
	Bond	2154	-6.00	62.18	438.90	66.30	1.74	...	3.60	...	36445	...	7568.8	...	10351.6	...	39400.3	...	9762.82	...	33916.3	...
	CDS	2154	9.00	42.71	158.23	37.26	1.39	...	0.66	...	134130	...	53787	...	10637.2	...	40636.5	...	10459.8	...	38357	...
	Bond	2154	-32.40	23.62	121.30	28.43	0.68	...	0.18	...	41640	...	8397.8	...	10307.6	...	38488.1	...	10098.6	...	35308.9	...
	CDS	2154	2.69	28.12	90.84	22.55	0.92	...	0.14	...	132310	...	53233	...	10624.2	...	40534.1	...	10459.5	...	37874.7	...
	Bond	2154	-14.00	18.67	93.90	18.68	1.11	...	0.96	...	15425	...	6276.4	...	9667.52	...	34438.2	...	9362.92	...	31687.1	...
	CDS	2154	1.50	60.58	249.63	59.07	1.14	...	0.64	...	131370	...	53714	...	10656.5	...	41628.1	...	10479.6	...	40047.8	...
	Bond	2154	-5.90	30.32	184.80	29.55	1.72	...	3.43	...	3159	...	12645	...	10271.9	...	38067.7	...	9707.15	...	32335.5	...
	CDS	2154	1.40	32.95	119.17	28.02	0.93	...	0.20	...	124730	...	50591	...	10610	...	4058	...	1044.2	...	38561.7	...
	Bond	2154	-407.70	-45.61	3.90	20.79	-0.60	...	-0.23	...	21354	...	8739	...	9971.89	...	36794.7	...	9850.72	...	35600	...
	CDS	2154	2.13	52.63	157.21	38.33	0.18	...	-0.88	...	104870	...	42470	...	10624.8	...	40958.8	...	10421.1	...	38677.5	...
	Bond	2154	-191.85	-86.22	-18.05	51.87	-0.60	...	-0.91	...	119660	...	119660	...	10646.2	...	41502.2	...	10655.9	...	41651.8	...
	CDS	2154	5.50	258.32	1163.00	236.02	1.13	...	1.35	...	47033	...	23870	...	10634	...	40976.5	...	10422.5	...	38140.2	...
Newly Industrialized Countries	CDS	2154	112.20	343.09	1418.30	269.86	2.25	...	4.20	...	70129	...	30099	...	10585.7	...	40920.9	...	10457.5	...	40085.4	...
	Bond	2154	6.00	203.03	847.50	171.73	1.09	...	1.42	...	128390	...	52451	...	10632.9	...	40909.9	...	10514.1	...	38928.9	...
	CDS	2154	-8.30	288.82	145.10	273.38	1.46	...	1.72	...	15902	...	3522.8	...	10116.8	...	37475.7	...	9680.77	...	34482.2	...
	Bond	2154	7.67	42.61	139.84	33.41	0.92	...	0.07	...	123280	...	49388	...	10628.3	...	40954.1	...	10456.9	...	39200.2	...
	CDS	2154	-15.50	20.02	89.40	19.92	0.84	...	0.21	...	26177	...	10516	...	9849.16	...	33377.1	...	9681.14	...	32285.7	...
	Bond	2154	11.94	37.11	62.16	18.12	0.11	...	-1.77	...	701820	...	280380	...	10685.1	...	41788	...	10705.8	...	41997.7	...
	CDS	2154	8.10	79.45	168.70	33.13	0.31	...	-0.26	...	43012	...	17148	...	9914.4	...	34092	...	9978.5	...	34285.6	...
	Bond	2154	5.33	87.73	328.25	74.34	1.16	...	0.83	...	170750	...	69187	...	10634	...	40862	...	10531.2	...	39206.8	...
	CDS	2154	-14.80	116.46	389.40	69.66	1.23	...	2.20	...	29076	...	14593	...	10475.4	...	40077.5	...	10465.5	...	39217.3	...
	Bond	2154	4.25	138.52	511.07	136.61	0.86	...	-0.65	...	204020	...	84553	...	10695.5	...	41743.7	...	10597.3	...	40087.4	...
	CDS	2154	17.30	210.14	635.00	155.37	0.70	...	-0.67	...	49570	...	19934	...	10494	...	39911.5	...	10301.4	...	37833.5	...
	Bond	2154	1.63	29.15	156.36	26.48	1.26	...	2.33	...	40611	...	16384	...	10539.3	...	39491.7	...	10071.5	...	32688.2	...
	CDS	2154	-32.80	34.76	120.10	36.06	0.32	...	-0.99	...	29877	...	14909	...	10397.82	...	39383.3	...	10367.9	...	38578.1	...
	Bond	2154	16.50	49.04	164.79	30.52	0.76	...	0.20	...	110610	...	44779	...	10591.7	...	40358.6	...	10409	...	37687.5	...
	CDS	2154	-64.40	53.99	143.10	41.52	-0.13	...	-0.57	...	80701	...	33255	...	10384.6	...	38414.3	...	10322.7	...	38087.8	...
	Bond	2154	16.67	31.62	1289.20	39.24	24.81	...	694	...	26169	...	10443	...	51983	...	235.36	...	394.706	...	50.0193	...
Newly Industrialized Countries	CDS	2154	-165.24	-32.61	112.70	32.71	0.13	...	4.29	...	21509	...	8632.8	...	10048.40	...	35619.40	...	9552.76	...	33624	...
	Bond	2154	61.50	145.15	586.86	65.13	2.58	...	8.06	...	28255	...	11724	...	10032.9	...	36083.2	...	9078.53	...	30346.5	...
	CDS	2154	24.30	855.47	1529.20	328.58	-1.48	...	1.26	...	43202	...	17871	...	10036.2	...	40162.3	...	10176.6	...	38584.8	...
	Bond	2154	24.88	247.41	636.36	153.87	0.19	...	-0.87	...	122260	...	49713	...	10614.4	...	40631.2	...	10478.2	...	38719.4	...
	CDS	2154	10.00	75.87	276.30	48.68	1.02	...	1.57	...	57326	...	25308	...	10408.1	...	38767.6	...	9889.47	...	34136.4	...
	Bond	2154	-146.30	95.06	394.70	149.29	0.18	...	-1.22	...	203090	...	83346	...	10665.9	...	41727.9	...	10582.8	...	40603.1	...
	CDS	2154	110.95	214.85	831.31	82.51	2.25	...	7.82	...	38248	...	15398	...	10059.3	...	34935.4	...	9214.78	...	27882.1	...
	Bond	2154	525.10	1024.50	2345.20	349.16	0.80	...	0.01	...	135620	...	56323	...	10649.30	...	40991.40	...	10562.50	...	39565	...
Emerging countries	CDS	2154	13.22	198.11	699.39	140.48	0.76	...	0.40	...	106540	...	42973	...	10582.1	...	40067.5	...	10350	...	38660.7	...
	Bond	2154	3.10	212.27	535.60	139.19	0.43	...	-0.86	...	33367	...	13991	...	10382.8	...	40162.3	...	10176.6	...	38584.8	...
	CDS	2154	24.88	247.41	636.36	153.87	0.19	...	-0.87	...	122260	...	49713	...	10614.4	...	40631.2	...	10478.2	...	38719.4	...
	Bond	2154	91.70	351.33	641.50	114.64	0.31	...	-0.42	...	109730	...	44551	...	10614.5	...	41205.6	...	10581.1	...	40830.8	...
	CDS	2154	3.41	73.94	350	55.81	1.25	...	2.79	...	84739	...	34115	...	10518.3	...	39092.2	...	10256.7	...	34170.8	...
	Bond	2154	-78.50	66.61	257.90	70.15	0.06	...	-0.50	...	35599	...	14402	...	10471.3	...	39117.3	...	10085.1	...	38405.1	...
	CDS	2154	17.34	255.41	738.60	171.24	0.24	...	-0.77	...	132930	...	53690	...	10597	...	40337	...	10422.5	...	38425.1	...
	Bond	2154	25.30	531.43	1167	172.90	0.79	...	0.37	...	98266	...	38145	...	10494.3	...	39063.5	...	10364.9	...	37510.7	...
	CDS	2154	7.67	119.28	415	84.84	0.63	...	0.20	...	98266	...	39449	...	10573.4	...	40294.4	...	10351.3	...	36947.8	...
	Bond	2154	66.90	282.47	468.20	99.71	-0.42	...	-0.85	...	119210	...	47659	...	10580.6	...	40761.1	...	1			

5 Empirical results

For each of the 33 countries composing our sample, 9 DCC models are estimated following Engle (2002) and Tse and Tsui (2002). Results of the conditional multivariate volatility models are not reported here due to space limits but are available upon request. Table 2 reports diagnostic checking tests for different models of some chosen countries.

Table 2: Dynamic Conditional Correlation models: Some multivariate diagnostic tests

Countries			Austria				Spain				Brazil				Russia			
Dynamic correlation models (DCC-GARCH (1,1))			DCC (Engle)		DCC (Tse and Tsui)		DCC (Engle)		DCC (Tse and Tsui)		DCC (Engle)		DCC (Tse and Tsui)		DCC (Engle)		DCC (Tse and Tsui)	
Distribution			Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student
Numerical convergence			Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Information Criterion			AIK	9.287	8.691	9.286	8.691	12.504	11.619	12.515	11.619	13.747	12.400	13.746	12.400	13.024	12.245	13.015
Vector normality test			Chi ² (4)	2140.6 ***	2161.1 ***	2139.6 ***	2144.4 ***	5753.6 ***	8313.3 ***	7212.2 ***	9465.4 ***	2.1 ***	21419.0 ***	21323.0 ***	21419.0 ***	4535.7 ***	4581.7 ***	4530.4 ***
Hosking's Multivariate			5	61.845 ***	59.946 ***	63.639 ***	62.915 ***	68.982 ***	70.408 ***	72.748 ***	69.354 ***	45.116 ***	44.475 ***	44.273 ***	44.475 ***	78.465 ***	74.480 ***	80.472 ***
Portmanteau Statistics on			10	86.663 ***	85.059 ***	87.524 ***	87.110 ***	82.492 ***	83.633 ***	86.052 ***	82.740 ***	64.472 ***	65.230 ***	65.548 ***	65.230 ***	98.707 ***	95.172 ***	100.348 ***
standardized residuals			20	124.682 ***	123.461 ***	125.525 ***	125.545 ***	127.578 ***	130.453 ***	130.133 ***	127.668 ***	94.396 ***	95.395 ***	94.824 ***	95.395 ***	140.639 ***	135.520 ***	143.794 ***
Multivariate diagnostic tests			50	238.177 **	235.964 **	237.767 **	237.607 **	242.304 **	248.300 **	246.113 **	244.775 **	241.293 **	248.345 **	246.638 **	248.345 **	256.031 **	250.422 **	257.080 **
Hosking's Multivariate			5	8.369	7.766	7.797	7.753	3.727	3.259	3.413	3.320	2.993	3.279	2.932	3.279	16.136	16.159	16.202
Portmanteau Statistics on			10	17.068	16.507	16.645	16.547	7.079	6.298	5.958	6.211	8.461	8.651	8.278	8.651	20.862	20.570	20.876
squared standardized residuals			20	36.90	36.38	36.36	36.20	59.705	66.107	55.626	63.492	13.875	14.310	13.675	14.310	51.302	48.761	51.590
residuals			50	126.34	123.56	123.34	122.81	96.601	103.240	91.824	100.938	136.426	140.120	131.720	140.120	85.666	81.152	86.598
The Hosking's Portmanteau test is the multivariate version of the Box-Pierce Q statistic under the null hypothesis of no serial correlation. *, ** and *** denotes the rejection of the null hypothesis at the 1%, 5% and 10% level of significance.																		
Countries			Belgium				Italy				Turkey				Hungary			
Dynamic correlation models (DCC-IGARCH (1,1))			DCC (Engle)		DCC (Tse and Tsui)		DCC (Engle)		DCC (Tse and Tsui)		DCC (Engle)		DCC (Tse and Tsui)		DCC (Engle)		DCC (Tse and Tsui)	
Distribution			Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student
Numerical convergence			Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Information Criterion			AIK	10.583	9.784	10.584	9.785	11.246	10.929	11.267	10.938	15.182	14.983	15.182	14.982	14.062	13.623	14.061
Vector normality test			Chi ² (4)	1135.0 ***	1136.0 ***	1133.0 ***	1132.0 ***	1197.7 ***	1233.0 ***	1212.0 ***	1233.6 ***	932.1 ***	946.9 ***	954.6 ***	958.7 ***	2896.3 ***	3035.3 ***	2801.6 ***
Hosking's Multivariate			5	98.674 ***	98.440 ***	99.201 ***	99.748 ***	94.736 ***	99.781 ***	104.750 ***	105.510 ***	126.473 ***	126.153 ***	128.036 ***	127.658 ***	113.192 ***	116.127 ***	117.225 ***
Portmanteau Statistics on			10	116.302 ***	116.103 ***	116.392 ***	117.075 ***	110.940 ***	116.331 ***	121.276 ***	122.166 ***	143.777 ***	143.222 ***	144.961 ***	144.575 ***	132.288 ***	134.514 ***	136.604 ***
standardized residuals			20	155.775 ***	155.309 ***	156.018 ***	156.766 ***	181.443 ***	186.748 ***	189.093 ***	190.494 ***	188.842 ***	187.851 ***	188.940 ***	177.086 ***	178.060 ***	178.060 ***	181.455 ***
Multivariate diagnostic tests			50	291.862 ***	290.224 ***	292.699 ***	293.245 ***	356.740 ***	362.413 ***	365.798 ***	367.116 ***	296.192 ***	295.874 ***	297.636 ***	297.450 ***	276.710 ***	283.619 ***	281.020 ***
Hosking's Multivariate			5	16.140	16.245	15.955	16.078	25.044	25.071	24.480	24.573	28.142 *	27.884 *	27.096 *	27.172 *	33.234 **	35.206 **	37.697 **
Portmanteau Statistics on			10	27.907	27.846	27.768	27.804	48.637	49.465	48.904	49.286	42.102	41.900	40.992	41.116	52.620 *	54.559 *	58.334 *
squared standardized residuals			20	88.67	87.89	88.99	89.12	97.378 *	99.019 *	97.311 *	98.042 *	87.236	86.173	85.678	84.763	73.289	74.412	79.721
residuals			50	238.40 **	235.51 **	238.64 **	238.27 **	240.069 **	243.570 **	238.583 **	239.994 **	165.690	164.886	163.999	163.452	133.906	133.078	141.468
The Hosking's Portmanteau test is the multivariate version of the Box-Pierce Q statistic under the null hypothesis of no serial correlation. *, ** and *** denotes the rejection of the null hypothesis at the 1%, 5% and 10% level of significance.																		
Countries			Finland				Portugal				Latvia				Romania			
Dynamic correlation models (DCC-EGARCH (1,1))			DCC (Engle)		DCC (Tse and Tsui)		DCC (Engle)		DCC (Tse and Tsui)		DCC (Engle)		DCC (Tse and Tsui)		DCC (Engle)		DCC (Tse and Tsui)	
Distribution			Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student
Numerical convergence			Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Information Criterion			AIK	7.616	6.571	7.616	6.572	13.240	12.837	13.270	12.848	13.220	10.878	13.215	10.855	13.126	12.310	13.124
Vector normality test			Chi ² (4)	5279.9 ***	5265.7 ***	5275.2 ***	5268.7 ***	222.7 ***	2294.2 ***	2337.0 ***	2336.2 ***	50128.0 ***	39111.0 ***	49566.0 ***	17828.0 ***	5289.4 ***	5527.2 ***	5284.6 ***
Hosking's Multivariate			5	37.736 ***	37.098 ***	37.887 ***	37.800 ***	109.444 ***	112.479 ***	127.546 ***	116.353 ***	56.330 ***	42.397 ***	53.599 ***	50.762 ***	63.228 ***	62.052 ***	62.877 ***
Portmanteau Statistics on			10	51.113 *	50.277 *	51.145 *	51.032 *	137.712 ***	140.620 ***	154.723 ***	143.215 ***	111.421 ***	72.175 ***	105.111 ***	91.847 ***	165.047 ***	162.170 ***	163.004 ***
standardized residuals			20	109.511 **	108.398 **	109.439 **	109.610 **	178.501 ***	181.290 ***	193.954 ***	183.167 ***	339.245 ***	364.768 ***	329.854 ***	441.145 ***	245.127 ***	240.489 ***	243.095 ***
Multivariate diagnostic tests			50	228.053 *	227.045 *	228.321 *	228.242 *	301.254 ***	304.544 ***	319.241 ***	306.360 ***	475.888 ***	436.216 ***	455.480 ***	513.120 ***	483.721 ***	474.735 ***	480.532 ***
Hosking's Multivariate			5	1.442	1.442	1.444	1.449	8.083	7.947	8.958	8.080	2.784 ***	0.294 ***	2.722	1.668	13.692	13.696	13.772
Portmanteau Statistics on			10	3.113	3.104	3.112	3.105	17.593	17.593	18.907	17.646	3.532	0.478	3.434	2.535	69.457 ***	72.134 ***	66.303 ***
squared standardized residuals			20	7.601	75.791	75.365	75.041	118.285 ***	120.495 ***	124.375 ***	121.804 ***	1143.380	1430.520	1152.630 ***	1621.130 ***	108.545 **	111.592 **	105.417 **
residuals			50	162.616	161.413	161.360	160.936	212.402	212.600	212.535	211.250	1146.400 ***	***	1155.620 ***	1622.060 ***	169.150	171.709	166.092
The Hosking's Portmanteau test is the multivariate version of the Box-Pierce Q statistic under the null hypothesis of no serial correlation. *, ** and *** denotes the rejection of the null hypothesis at the 1%, 5% and 10% level of significance.																		

Countries			Denmark				Ireland				Turkey				Croatia				
Dynamic correlation models (DCC-CJR(L,I))			DCC (Engle)		DCC (Tse and Tsui)		DCC (Engle)		DCC (Tse and Tsui)		DCC (Engle)		DCC (Tse and Tsui)		DCC (Engle)		DCC (Tse and Tsui)		
Distribution			Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	
Numerical convergence			Yes	Yes	Yes	No	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Information Criterion			Yes	Yes	Yes	No	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Multivariate diagnostic tests	Vector normality test		AIK	8.135	7.026	8.135	-	12.784	11.683	-	11.662	15.143	14.974	15.141	14.973	11.812	10.690	11.819	10.693
	Chi²(24)		134540.0 ***	134380.0 ***	134500.0 ***	-	-	155330.0 ***	208460.0 ***	-	160540.0 ***	753.3 ***	763.4 ***	757.7 ***	763.5 ***	146720.0 ***	143490.0 ***	146810.0 ***	147260.0 ***
	Hosking's Multivariate		5	25.641	25.703	25.641	-	114.831 ***	88.525 ***	-	102.185 ***	123.968 ***	123.918 ***	126.657 ***	126.171 ***	52.276 ***	52.144 ***	51.902 ***	51.320 ***
	Portmanteau Statistics on		10	3.794	35.855	35.794	-	142.999 ***	108.844 ***	-	128.761 ***	143.495 ***	143.279 ***	145.848 ***	145.352 ***	67.483 ***	67.058 ***	66.947 ***	65.972 ***
	standardized residuals		20	74.185	74.153	74.185	-	171.544 ***	132.305 ***	-	155.772 ***	190.138 ***	189.811 ***	191.219 ***	190.880 ***	113.752 ***	113.536 ***	114.435 ***	112.570 ***
Multivariate diagnostic tests	Hosking's Multivariate		50	249.156 ***	249.397 ***	249.156 ***	-	287.530 ***	237.662 ***	-	276.710 ***	299.412 ***	299.739 ***	302.245 ***	302.171 ***	207.720	208.437	208.111	206.004
	Portmanteau Statistics on		5	0.295	0.295	0.295	-	1.382	0.693	-	1.204	26.298 *	26.254 *	26.623 *	26.377 *	4.991	4.781	4.684	4.681
	squared standardized		10	0.716	0.714	0.716	-	2.776	1.495	-	2.695	42.967	42.769	42.834	42.519	5.868	5.697	5.586	5.613
	residuals		20	1.343	1.341	1.343	-	7.631	3.723	-	7.352	88.262	87.891	88.935	88.190	11.046	10.788	10.883	10.873
			50	36.188	36.083	36.188	-	19.991	14.756	-	31.482	169.364	169.313	170.099	169.461	23.518	23.034	23.229	23.309
The Hosking's Portmanteau test is the multivariate version of the Box-Pierce Q statistic under the null hypothesis of no serial correlation. *, ** and *** denotes the rejection of the null hypothesis at the 1%, 5% and 10% level of significance.																			
Countries			Netherlands				Italy				China				Latvia				
Dynamic correlation models (DCC-APARCH (L,I))			DCC (Engle)		DCC (Tse and Tsui)		DCC (Engle)		DCC (Tse and Tsui)		DCC (Engle)		DCC (Tse and Tsui)		DCC (Engle)		DCC (Tse and Tsui)		
Distribution			Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	
Numerical convergence			Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
Information Criterion			Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
Multivariate diagnostic tests	Vector normality test		AIK	8.012	7.113	8.013	7.114	11.179	10.887	11.210	10.897	11.580	11.175	11.580	11.175	13.221	-	13.222	9.182
	Chi²(24)		4354.7 ***	4322.6 ***	4333.8 ***	4317.0 ***	1141.7 ***	1202.7 ***	1212.3 ***	1235.3 ***	4805.7 ***	4807.2 ***	4781.6 ***	4807.2 ***	45335.0 ***	-	45335.0 ***	22289.0 ***	
	Hosking's Multivariate		5	40.982 ***	42.966 ***	44.766 ***	44.129 ***	90.634 ***	97.912 ***	101.122 ***	101.896 ***	80.935 ***	80.920 ***	81.130 ***	36.511 ***	-	36.631 ***	23.147 ***	
	Portmanteau Statistics on		10	56.147 ***	57.923 ***	59.358 ***	59.358 ***	106.885 ***	114.677 ***	118.711 ***	119.357 ***	97.976 ***	97.962 ***	98.190 ***	76.027 ***	-	76.330 ***	30.217 ***	
	standardized residuals		20	101.669 ***	103.311 ***	105.809 ***	105.103 ***	173.437 ***	181.126 ***	184.057 ***	184.948 ***	146.242 ***	146.223 ***	146.400 ***	247.921 ***	-	248.380 ***	537.273 ***	
Multivariate diagnostic tests	Hosking's Multivariate		50	236.249 ***	238.154 ***	239.801 ***	240.149 ***	342.986 ***	351.243 ***	354.714 ***	355.381 ***	259.661 ***	259.628 ***	259.665 ***	368.742 ***	-	369.120 ***	561.496 ***	
	Portmanteau Statistics on		5	9.836	9.828	9.876	9.779	37.925 ***	38.503 ***	38.790 ***	38.698 ***	15.132	15.124	15.173	8.864	-	8.840	0.269	
	squared standardized		10	13.329	13.279	13.375	13.249	60.599 ***	62.305 ***	62.375 ***	62.665 ***	19.740	19.725	19.840	19.725	13.490	-	13.472	0.503
	residuals		20	26.266	26.254	26.515	26.279	100.213 ***	102.322 ***	101.702 ***	102.055 ***	54.857	54.833	54.951	54.833	978.449	-	977.667	1733.110
			50	90.096	89.942	90.505	89.943	222.544	225.654	224.032	224.598	127.619	127.561	128.159	127.561	986.215	-	985.441	1734.090
The Hosking's Portmanteau test is the multivariate version of the Box-Pierce Q statistic under the null hypothesis of no serial correlation. *, ** and *** denotes the rejection of the null hypothesis at the 1%, 5% and 10% level of significance.																			
Countries			Japan				Portugal				Brazil				Czech				
Dynamic correlation models (DCC-FIGARCH (L,I))			DCC (Engle)		DCC (Tse and Tsui)		DCC (Engle)		DCC (Tse and Tsui)		DCC (Engle)		DCC (Tse and Tsui)		DCC (Engle)		DCC (Tse and Tsui)		
Distribution			Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	
Numerical convergence			Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Information Criterion			Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Multivariate diagnostic tests	Vector normality test		AIK	23.208	22.428	23.207	22.428	13.358	12.935	13.352	12.930	14.814	13.624	14.814	11.475	11.023	11.476	11.026	
	Chi²(24)		7082 ***	7088 ***	7088 ***	7088 ***	1628.4 ***	1572.6 ***	1603.0 ***	1603.0 ***	1603.7 ***	59755.0 ***	56828.0 ***	60191.0 ***	2610.5 ***	2630.0 ***	2610.6 ***	2641.2 ***	
	Hosking's Multivariate		5	195.419 ***	193.301 ***	189.269 ***	193.292 ***	137.815 ***	126.498 ***	142.484 ***	139.866 ***	25.772	24.880	27.185	26.522	36.204 ***	36.678 ***	36.409 ***	
	Portmanteau Statistics on		10	231.197 ***	229.332 ***	223.627 ***	229.324 ***	160.892 ***	149.616 ***	164.504 ***	161.699 ***	42.957	40.767	44.395	43.985	52.257 *	52.804 *	52.491 *	
	standardized residuals		20	291.837 ***	289.809 ***	285.916 ***	289.801 ***	191.467 ***	179.757 ***	193.807 ***	191.021 ***	101.029 ***	98.520 ***	102.077 ***	103.737 **	87.308	87.593	87.123	
Multivariate diagnostic tests	Hosking's Multivariate		50	416.201 ***	413.917 ***	410.050 ***	413.909 ***	305.794 ***	295.635 ***	306.386 ***	303.939 ***	280.811 ***	275.699 ***	280.553 ***	224.118	224.458	224.665	224.626	
	Portmanteau Statistics on		5	93.443 ***	99.667 ***	98.377 ***	99.696 ***	10.281	10.344	10.449	10.635	5.286	2.539	5.118	4.919	21.193	21.284	21.258	
	squared standardized		10	108.210 ***	114.823 ***	113.056 ***	114.855 ***	20.934	21.087	21.635	12.526	7.523	12.071	12.064	32.032	32.149	32.079	32.381	
	residuals		20	177.133 ***	184.612 ***	183.667 ***	184.651 ***	102.146 ***	102.289 ***	103.635 ***	104.681 ***	24.064	16.261	23.948	23.686	73.456	73.196	73.712	
			50	308.321 ***	315.740 ***	314.098 ***	315.783 ***	217.324	217.543	218.916	219.345	223.059	148.552	208.718	212.225	169.490	169.883	169.305	170.089
The Hosking's Portmanteau test is the multivariate version of the Box-Pierce Q statistic under the null hypothesis of no serial correlation. *, ** and *** denotes the rejection of the null hypothesis at the 1%, 5% and 10% level of significance.																			

Countries			Slovenia				Ireland				China				Ukraine			
Dynamic correlation models (DCC-FIEGARCH (1,1))			DCC (Engle)		DCC (Tse and Tsui)		DCC (Engle)		DCC (Tse and Tsui)		DCC (Engle)		DCC (Tse and Tsui)		DCC (Engle)		DCC (Tse and Tsui)	
Distribution			Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student
Numerical convergence			Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Information Criterion			Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Vector normality test			AIK	13.374	11.656	13.400	11.634	12.156	11.249	12.196	11.556	11.167	11.556	11.167	13.735	11.770	13.735	11.770
Hosking's Multivariate			Chi ² (4)	9783.5	16826.0	9781.2	13371.0	15618.0	15724.0	16006.0	6685.6	6686.5	6685.6	6686.5	21194.0	21236.0	21194.0	21236.0
Portmanteau Statistics on			5	70.015	66.408	71.311	65.536	112.332	111.050	109.099	105.710	81.808	105.710	81.808	172.521	173.449	172.521	173.449
standardized residuals			10	105.848	100.770	105.643	98.580	154.133	152.679	149.444	146.488	107.736	146.488	107.736	277.286	278.032	277.286	278.032
Multivariate diagnostic checking			20	199.377	195.761	193.670	199.797	198.749	198.330	198.699	199.174	159.310	199.174	159.310	333.756	334.536	333.756	334.536
Hosking's Multivariate			50	367.991	366.017	364.747	391.678	393.563	394.530	406.354	412.436	283.599	412.436	283.599	468.567	468.171	468.567	468.171
Portmanteau Statistics on			5	3.155	8.017	3.271	3.589	2.123	2.114	1.967	10.799	10.798	10.799	10.798	23.129	23.502	23.129	23.502
squared standardized residuals			10	5.505	10.079	5.821	5.690	3.422	3.395	3.093	20.751	20.746	20.751	20.746	39.781	40.109	39.781	40.109
The Hosking's Portmanteau test is the multivariate version of the Box-Pierce Q statistic under the null hypothesis of no serial correlation. *, ** and *** denotes the rejection of the null hypothesis at the 1%, 5% and 10% level of significance.			20	38.728	28.761	42.306	26.739	21.292	21.344	22.509	45.062	45.057	45.062	45.057	70.474	70.761	70.474	70.761
			50	67.809	52.945	72.633	112.481	136.346	137.025	139.518	143.043	128.979	143.043	128.979	175.567	175.567	175.567	175.567
Countries			Sweden				Greece				Turkey				Poland			
Dynamic correlation models (DCC-FIAPARCH (1,1))			DCC (Engle)		DCC (Tse and Tsui)		DCC (Engle)		DCC (Tse and Tsui)		DCC (Engle)		DCC (Tse and Tsui)		DCC (Engle)		DCC (Tse and Tsui)	
Distribution			Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student
Numerical convergence			Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Information Criteria			Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Vector normality test			AIK	7.655	6.776	7.655	6.776	16.643	15.064	16.653	15.025	14.942	15.106	14.942	11.713	11.529	11.713	11.529
Hosking's Multivariate			Chi ² (4)	3008.4	3008.4	3011.0	3013.6	10907.0	10794.0	10968.0	11434.0	705.6	709.8	709.8	693.3	1020.1	693.3	1020.1
Portmanteau Statistics on			5	41.755	41.481	41.669	41.180	126.337	105.698	126.428	102.031	127.922	124.841	127.922	63.961	63.852	63.961	63.852
standardized residuals			10	69.052	68.606	69.017	68.496	208.221	185.072	204.933	186.068	145.336	147.710	145.336	79.417	79.470	79.417	79.470
Multivariate diagnostic tests			20	128.905	128.602	128.925	128.481	307.803	283.329	303.129	281.371	194.792	194.434	195.815	195.780	141.211	140.899	141.211
Hosking's Multivariate			50	251.374	250.921	250.706	249.869	595.438	563.512	589.652	574.956	307.092	306.915	309.303	309.249	229.279	228.690	229.279
Portmanteau Statistics on			5	4.641	4.624	4.631	4.617	143.552	108.661	144.335	104.906	23.652	24.019	23.732	14.496	14.248	14.496	14.248
squared standardized residuals			10	10.698	10.673	10.687	10.654	157.071	120.461	156.861	103.713	38.084	37.646	37.933	37.600	24.282	37.933	24.282
The Hosking's Portmanteau test is the multivariate version of the Box-Pierce Q statistic under the null hypothesis of no serial correlation. *, ** and *** denotes the rejection of the null hypothesis at the 1%, 5% and 10% level of significance.			20	17.434	17.398	17.382	17.308	171.928	133.787	171.287	115.507	86.548	85.375	86.787	48.170	47.643	85.375	47.643
			50	52.454	52.327	52.407	52.256	296.042	241.469	290.054	203.759	167.972	166.812	169.010	167.838	154.229	153.020	167.838
Countries			Finland				Ireland				Norway				Lithuania			
Dynamic correlation models (DCC-HYGARCH (1,1))			DCC (Engle)		DCC (Tse and Tsui)		DCC (Engle)		DCC (Tse and Tsui)		DCC (Engle)		DCC (Tse and Tsui)		DCC (Engle)		DCC (Tse and Tsui)	
Distribution			Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student	Gauss	Student
Numerical convergence			Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Information Criteria			Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Vector normality test			AIK	25.774	24.192	25.772	24.192	12.561	11.547	-	11.513	22.029	20.812	22.027	20.812	14.859	13.542	14.854
Hosking's Multivariate			Chi ² (4)	3866.4	3865.4	3865.4	3865.2	12755.0	13258.0	-	12907.0	4084.5	4626.1	4190.7	6055.9	6097.6	6179.9	6031.3
Portmanteau Statistics on			5	67.495	67.545	67.521	67.533	110.461	112.673	-	108.010	111.048	38.968	19.378	38.882	61.640	61.527	61.586
standardized residuals			10	89.029	89.074	89.074	89.081	145.623	147.495	-	143.181	161.022	80.469	56.278	80.404	98.653	98.647	98.653
Multivariate diagnostic checking			20	153.155	153.200	153.173	153.204	172.657	173.584	-	168.293	215.205	112.314	100.070	112.206	132.576	132.892	132.426
Hosking's Multivariate			50	298.260	298.334	280.239	298.349	287.436	287.895	-	284.058	423.003	281.108	224.093	280.985	244.347	243.969	245.918
Portmanteau Statistics on			5	398.057	398.331	562.141	398.334	0.989	0.851	-	0.899	574.787	597.806	67.623	597.806	25.106	24.934	25.114
squared standardized residuals			10	631.940	632.431	829.486	632.486	1.574	1.504	-	1.674	867.268	886.829	110.580	887.759	167.567	164.611	170.734
The Hosking's Portmanteau test is the multivariate version of the Box-Pierce Q statistic under the null hypothesis of no serial correlation. *, ** and *** denotes the rejection of the null hypothesis at the 1%, 5% and 10% level of significance.			20	1111.300	1111.960	1248.550	1112.030	6.082	5.997	-	6.367	1280.460	1163.640	213.166	1164.660	182.094	178.979	185.472
			50	2360.940	2361.960	2671.270	2362.030	16.259	16.184	-	18.971	2470.900	1923.520	398.211	1925.200	234.936	232.898	239.021

DCC-FIGARCH, DCC-FIAPARCH and DCC-HYGARCH are the most difficult models to estimate with miss-convergences in at least 14 among the 33 countries. At the opposite, the models that great perform as to strong numerical convergence and computing-time delay are the DCC-GARCH, the DCC-IGARCH and the fractional model DCC-FIEGARCH. Among fractionally integrated models, the DCC-FIAPARCH is the most miss-specified model with a non-convergence in 18 countries.

Taking into account different financial markets' properties (long memory behavior, shock persistence and asymmetric leverage effects...) does not necessarily improve the models performances. The complexity of the model's statistical specifications can not be justified in all cases leading to inconsistent and inaccurate estimator parameters. However, the opposite may be true since the more the model is over-parametrized, the more its computation and its convergence are complicated.

The Akaike information criterion (AIK) doesn't allow us to select only one optimal model. AIK results of the studied models are mitigated across each country of the sample. The only conclusion that can be drawn, is that the information criterion is almost always lower for the student marginal distribution. Without knowing the facts, allowing the data to follow a student rather than a Gaussian distribution law make a better fit of dynamic conditional correlation models. This confirms the heavy tails and the slightly skewed data distributions suggested by the Jarque-Bera preliminary test.

The vector normality tests reject the null hypothesis of the linearity of combinations between innovations of all models and for all countries under study. This means that combinations between CDS and bond spreads have too many extreme values (significant excess kurtosis) and a fat-tailed distribution. The assumption of a multivariate student marginal distribution of our time series is once again preferred.

Results of the diagnostic tests on the standardized residuals show that there is an obvious misspecification in the conditional mean equations of all the estimated models (The multivariate Q-statistics is almost always significant at 5% whatever the number of lags is). One explanation is that 1 is not the optimal order number of AR(.) suggesting a more persistent (less quickly) shocks' integration in the credit markets. The autoregressive terms can be allowed to vary from zero to three so we can better control for the serial correlation of CDS and bond spreads times series.

Misspecification are also detected in the conditional multivariate variance of some DCC models. ARCH effects are still present in the squared standardized residuals even after controlling for the heteroscedasticity. The best fitted models, in terms of autocorrelation in the time series, are DCC-GARCH and the DCC-FIEGARCH. The Hoskings' multivariate portmanteau statistics, up to 10th, 20th and 50th order of lags, accept the null hypothesis of no correlation in the sovereign credit assets. However, in the same context, the APARCH doesn't perform good with serial correlations detected in all combinations of innovations for all countries.

The last striking finding is that the Engle's DCC and Tse and Tsui's DCC present very close results and no significant divergence is detected. Focusing on the DCC plots of the Engle and the Tse and Tsui (Fig. 1 and Fig. 2), it is clearly seen that the correlation's evolution dynamic of both estimation techniques is almost the same for all the countries (Except for Japan, Denmark, Norway and China).

Figure 1: Engle and Tse&Tsui's GARCH(1,1)-DCC correlations plots of some chosen countries

Figure 2: Engle and Tse&Tsui's GARCH(1,1)-DCC correlations plots of some chosen countries

6 Conclusion

This paper aimed to assess the performances of 9 Dynamic Conditional Correlation models. Using sovereign CDS and bond data, DCC-GARCH, DCC-IGARCH, DCC-EGARCH, DCC-GJR, DCC-APARCH, DCC-FIGARCH, DCC-FIEGARCH, DCC-FIAPARCH, DCC-HYGARCH are estimated, allowing to take into account different financial markets' properties such as the leverage effect, the asymmetric reaction to good and bad news and long-range persistence. The performance comparison being made upon the information criteria and several multivariate diagnostic tests, a certain number of conclusions can be drawn.

First, although the CDS and bond data exhibit long memory behavior, shock persistence and asymmetric leverage effects, models taking into account all these specifications does not provide better estimation results. The straightforward DCC-GARCH model seems to provide the most relevant estimator parameters in terms of diagnostic tests. Second, the innovations distributions assumption significantly impacts the statistical fit of the model since the information criterion is almost always lower for models with student marginal distribution compared to models with Gaussian distribution. Third, all models present serial correlation in the standardized residuals indicating a misspecification in the conditional mean equation. This is might be due low order of the AR process and to the persistence of shocks in worldwide credit markets. In addition, a constantly time-varying and different hedging positions should be taken across countries that present dissimilar financial characteristics.

Since modeling correlation is of a paramount importance in assessing diversification risk, in dynamic asset pricing theory and in optimization of portfolio allocation, the economic implication of our findings concerns particularly policymakers, financial practitioners and financial markets participants generally. Even though no model clearly outperforms all the others, our results show that the basic DCC-GARCH and the DCC-FIEGARCH model seems to better fit the studied data. However, results are mitigated and differ from one country to another which implies that no multivariate volatility model should be selected in an arbitrary way. The model selection should rather be based on the particular features of the data used and the countries composing the sample studied.

Our research line can be pursued in several ways. First, a further investigation on the performances of the Dynamic Conditional Correlation models can be done by carrying out a comparative study based of the predictive reliabilities rather than on diagnostic tests as in our case. Second, our study can be generalized to other financial markets, namely the primary equity markets, in order to asses whether the nature of the asset impact the performances of the studied models. Third, since there is a dynamic segmentation in financial markets, it can be interesting to check the robustness of our findings using a different sample from other regions.

References

- Gian Piero Aielli. Dynamic conditional correlation: on properties and estimation. *Journal of Business & Economic Statistics*, 31(3):282–299, 2013.
- Louis Bachelier. *Théorie de la spéculation*. Gauthier-Villars, 1900.
- Richard T Baillie, Tim Bollerslev, and Hans Ole Mikkelsen. Fractionally integrated generalized autoregressive conditional heteroskedasticity. *Journal of econometrics*, 74(1):3–30, 1996.
- Alessandro Beber, Michael W Brandt, and Kenneth A Kavajecz. Flight-to-quality or flight-to-liquidity? evidence from the euro-area bond market. *Review of Financial Studies*, 22(3): 925–957, 2009.

- Karan Bhanot and Liang Guo. Negative credit spreads: Liquidity and limits to arbitrage. *The Journal of Fixed Income*, 21(1):32–41, 2011.
- Monica Billio and Massimiliano Caporin. A generalized dynamic conditional correlation model for portfolio risk evaluation. *Mathematics and Computers in Simulation*, 79(8):2566–2578, 2009.
- Monica Billio, Massimiliano Caporin, and Michele Gobbo. Flexible dynamic conditional correlation multivariate garch models for asset allocation. *Applied Financial Economics Letters*, 2(02):123–130, 2006.
- Roberto Blanco, Simon Brennan, and Ian W Marsh. An empirical analysis of the dynamic relation between investment-grade bonds and credit default swaps. *The Journal of Finance*, 60(5):2255–2281, 2005.
- Tim Bollerslev. Generalized autoregressive conditional heteroskedasticity. *Journal of econometrics*, 31(3):307–327, 1986.
- Tim Bollerslev and Hans Ole Mikkelsen. Modeling and pricing long memory in stock market volatility. *Journal of econometrics*, 73(1):151–184, 1996.
- Tim Bollerslev, Robert F Engle, and Jeffrey M Wooldridge. A capital asset pricing model with time-varying covariances. *Journal of political Economy*, 96(1):116–131, 1988.
- Tim Bollerslev, Ray Y Chou, and Kenneth F Kroner. Arch modeling in finance: A review of the theory and empirical evidence. *Journal of econometrics*, 52(1-2):5–59, 1992.
- Kris Boudt, Jon Danielsson, and Sébastien Laurent. Robust forecasting of dynamic conditional correlation garch models. *International Journal of Forecasting*, 29(2):244–257, 2013.
- Xiao Jing Cai, Shuairu Tian, and Shigeyuki Hamori. Dynamic correlation and equicorrelation analysis of global financial turmoil: evidence from emerging east asian stock markets. *Applied Economics*, 48(40):3789–3803, 2016.
- Massimiliano Caporin and Michael McAleer. Ten things you should know about the dynamic conditional correlation representation. *Econometrics*, 1(1):115–126, 2013.
- Virginie Coudert and Mathieu Gex. Contagion inside the credit default swaps market: The case of the gm and ford crisis in 2005. *Journal of International Financial Markets, Institutions and Money*, 20(2):109–134, 2010.
- James Davidson. Moment and memory properties of linear conditional heteroscedasticity models, and a new model. *Journal of Business & Economic Statistics*, 22(1):16–29, 2004.
- Stavros Degiannakis and Evdokia Xekalaki. Autoregressive conditional heteroscedasticity (arch) models: A review. *Quality Technology & Quantitative Management*, 1(2):271–324, 2004.
- Zhuanxin Ding, Clive WJ Granger, and Robert F Engle. A long memory property of stock market returns and a new model. *Journal of empirical finance*, 1(1):83–106, 1993.
- Steven D Dolvin. Negative bond yields. 2012.
- Robert Engle. Dynamic conditional correlation: A simple class of multivariate generalized autoregressive conditional heteroskedasticity models. *Journal of Business & Economic Statistics*, 20(3):339–350, 2002.

- Robert Engle and Bryan Kelly. Dynamic equicorrelation. *Journal of Business & Economic Statistics*, 30(2):212–228, 2012.
- Robert F Engle. Autoregressive conditional heteroscedasticity with estimates of the variance of united kingdom inflation. *Econometrica: Journal of the Econometric Society*, pages 987–1007, 1982.
- Robert F Engle and Tim Bollerslev. Modelling the persistence of conditional variances. *Econometric reviews*, 5(1):1–50, 1986.
- Robert F Engle and Kevin Sheppard. Theoretical and empirical properties of dynamic conditional correlation multivariate garch. Technical report, National Bureau of Economic Research, 2001.
- Robert F Engle, David M Lilien, and Russell P Robins. Estimating time varying risk premia in the term structure: the arch-m model. *Econometrica: Journal of the Econometric Society*, pages 391–407, 1987.
- Dean Fantazzini. Fractionally integrated models for volatility: A review. In *Nonlinear Financial Econometrics: Markov Switching Models, Persistence and Nonlinear Cointegration*, pages 104–123. Springer, 2011.
- Cristina García de la Fuente, Michael P Wiper, Pedro Galeano, et al. Bayesian estimation of a dynamic conditional correlation model with multivariate skew-slash innovations. Technical report, Universidad Carlos III de Madrid. Departamento de Estadística, 2014.
- Simon Gilchrist and Benoit Mojon. Credit risk in the euro area. *The Economic Journal*, 2016.
- Lawrence R Glosten, Ravi Jagannathan, and David E Runkle. On the relation between the expected value and the volatility of the nominal excess return on stocks. *The journal of finance*, 48(5):1779–1801, 1993.
- Christian Hafner and Philip Hans Franses. A generalized dynamic conditional correlation model for many asset returns. Technical report, 2003.
- Christian M Hafner and Olga Reznikova. On the estimation of dynamic conditional correlation models. *Computational Statistics & Data Analysis*, 56(11):3533–3545, 2012.
- Ludger Hentschel. All in the family nesting symmetric and asymmetric garch models. *Journal of Financial Economics*, 39(1):71–104, 1995.
- Matthew L Higgins and Anil K Bera. A class of nonlinear arch models. *International Economic Review*, pages 137–158, 1992.
- Claudia Klüppelberg, Alexander Lindner, and Ross Maller. A continuous-time garch process driven by a lévy process: stationarity and second-order behaviour. *Journal of Applied Probability*, 41(03):601–622, 2004.
- Jim Lee. The comovement between output and prices: Evidence from a dynamic conditional correlation garch model. *Economics Letters*, 91(1):110–116, 2006.
- Francis A Longstaff, Sanjay Mithal, and Eric Neis. Corporate yield spreads: Default risk or liquidity? new evidence from the credit default swap market. *The Journal of Finance*, 60(5):2213–2253, 2005.
- JP Morgan. Reuters (1996). *RiskMetrics—Technical Document*, 4, 1996.

- Daniel B Nelson. Conditional heteroskedasticity in asset returns: A new approach. *Econometrica: Journal of the Econometric Society*, pages 347–370, 1991.
- Lars Norden and Martin Weber. The co-movement of credit default swap, bond and stock markets: An empirical analysis. *European financial management*, 15(3):529–562, 2009.
- Enrique Sentana. Quadratic arch models. *The Review of Economic Studies*, 62(4):639–661, 1995.
- Yiu K Tse and Albert K C Tsui. A multivariate generalized autoregressive conditional heteroscedasticity model with time-varying correlations. *Journal of Business & Economic Statistics*, 20(3):351–362, 2002.
- Yiu Kuen Tse. The conditional heteroscedasticity of the yen-dollar exchange rate. *Journal of Applied Econometrics*, pages 49–55, 1998.
- Christian Walter. Les origines du modèle de marche au hasard en finance. *Le modèle de marche au hasard en finance*, pages xx–xx, 2013.
- Yu Wei, Yudong Wang, and Dengshi Huang. Forecasting crude oil market volatility: Further evidence using garch-class models. *Energy Economics*, 32(6):1477–1484, 2010.
- Jean-Michel Zakoian. Threshold heteroskedastic models. *Journal of Economic Dynamics and control*, 18(5):931–955, 1994.