



ArUco/Gaze Tracking in Real Environments

Vsevolod Peysakhovich, Frédéric Dehais, Andrew Duchowski

► To cite this version:

Vsevolod Peysakhovich, Frédéric Dehais, Andrew Duchowski. ArUco/Gaze Tracking in Real Environments. ET4S, Jan 2018, Zurich, Switzerland. pp.70-71, 10.3929/ethz-b-000222486 . hal-01852094

HAL Id: hal-01852094

<https://hal.science/hal-01852094>

Submitted on 21 Aug 2018

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Open Archive Toulouse Archive Ouverte (OATAO)

OATAO is an open access repository that collects the work of some Toulouse researchers and makes it freely available over the web where possible.

This is an author's version published in: <https://oatao.univ-toulouse.fr/20309>

Official URL : <https://doi.org/10.3929/ethz-b-000222486>

To cite this version :

Peysakhovich, Vsevolod and Dehais, Frédéric and Duchowski, Andrew ArUco/Gaze Tracking in Real Environments. (2018) In: ET4S, 14 January 2018 (Zurich, Switzerland).

Any correspondence concerning this service should be sent to the repository administrator:


tech-oatao@listes-diff.inp-toulouse.fr

ArUco/Gaze Tracking in Real Environments

V. Peysakhovich*, F. Dehais*, and A. T. Duchowski**

* ISAE-SUPAERO, Université de Toulouse, France,
vsevolod.peysakhovich@isae.fr

** Clemson University, SC, USA, duchowski@clemson.edu



Abstract. The emergence of affordable mobile eye-trackers has allowed to study gaze behavior in real-world environments. However, the gaze mapping from recorded video to a static reference image is a complex and open problem. Finding a reference image within the video frames, i.e., image matching, can give satisfying results, but occluded or overlapped objects are almost impossible to locate using this technique. We suggest using ArUco fiducial markers (and their associated software library available in OpenCV) to map gaze to dynamic Areas Of Interest (AOIs) within a reference image. Although such markers have been used previously, technical details of marker detection and mapping have been sparse. The current approach consists of three steps: (1) define an AOI using markers, then (2) resolve any conflict among overlapping AOIs, and (3) map the gaze point to the reference image. A dynamic AOI can be defined using one or more corner markers. When camera rotations are limited and the object is relatively orthogonal to the camera, it is possible to define an AOI using only one corner marker. When the camera rotates, its pose estimation is required to project corner points to the camera image plane. An AOI can also be defined with four corner markers, which has the advantage of robustness with respect to camera rotations, and no a priori required knowledge of the physical dimensions of the object. The two approaches can be combined, e.g., when

using four corner markers and one of the markers is lost (due to occlusion or view angle), the basis vectors can be used to interpolate the position of the lost marker. When two or more AOIs overlap and all the markers are tracked, gaze should be marked on the AOI closer to the camera. The distance to an object can be defined knowing the length of the object, the number of pixels spanned on the image and the pre-computed camera focal parameter. Once the AOIs are defined and marker overlaps are resolved, the gaze point can be mapped to the coordinates of the reference image using homography.