

# Protocol for Systematic Literature Review of Face Recognition in Uncontrolled Environment

Faizan Ullah, Sabir Shah, Dilawar Shah, Abdul Salam, Shujaat Ali

► **To cite this version:**

Faizan Ullah, Sabir Shah, Dilawar Shah, Abdul Salam, Shujaat Ali. Protocol for Systematic Literature Review of Face Recognition in Uncontrolled Environment. EAI Endorsed Transactions on Scalable Information Systems , European Alliance for Innovation, 2018, 5 (16), pp.e11. 10.4108/eai.13-4-2018.154477 . hal-02075677

**HAL Id: hal-02075677**

**<https://hal.archives-ouvertes.fr/hal-02075677>**

Submitted on 25 Mar 2019

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

## Protocol for Systematic Literature Review of Face Recognition in Uncontrolled Environment

Faizan Ullah, Sabir Shah, Dilawar Shah, Abdusalam, Shujaat Ali  
Department of Computer Science, Bacha Khan University, Charsadda, KPK, Pakistan  
[faizanullah@bkuc.edu.pk](mailto:faizanullah@bkuc.edu.pk)

### Abstract

One of the major challenges encountered by current face recognition techniques lies in the difficulties of handling varying poses, i.e., recognition of faces in arbitrary in-depth rotations. The face image differences caused by rotations are often larger than the inter-person differences used in distinguishing identities. Face recognition across pose, on the other hand, has great potentials in many applications dealing with uncooperative subjects, in which the full power of face recognition being a passive biometric technique can be implemented and utilized. Extensive efforts have been put into the research toward pose-invariant face recognition in recent years and many prominent approaches have been proposed. However, several issues in face recognition across pose still remain open, such as lack of understanding about subspaces of pose variant images, problem intractability in 3D face modelling, complex face surface reflection mechanism, etc. This paper provides a critical survey of researches on image-based face recognition across pose. The existing techniques are comprehensively reviewed and discussed. They are classified into different categories according to their methodologies in handling pose variations. Their strategies, advantages/disadvantages and performances are elaborated. By generalizing different tactics in handling pose variations and evaluating their performances, several promising

**Keywords:** Face recognition, illumination, pose, facial expression .

Received on 23 October 2017, accepted on 04 January 2018, published on 13 April 2018

Copyright © 2018 Author *et al.*, licensed to EAI. This is an open access article distributed under the terms of the Creative Commons Attribution licence (<http://creativecommons.org/licenses/by/3.0/>), which permits unlimited use, distribution and reproduction in any medium so long as the original work is properly cited.

doi: 10.4108/eai.13-4-2018.154477

### 1. Introduction

The inspiration behind automatic face recognition is to provide the computer the similar capability as human beings to recognize faces. The general definition to face recognition is to estimate the identity of one or more people from static images or video sequences using a stored database of gallery faces. There are two types of face recognition: closed set and open set. In closed-set recognition, we can definitely find a gallery face matching the input image. In open-set recognition, we might not find any matched gallery image to the input face image. In the past decade's people focused on developing fundamental face recognition algorithms [1] [2] based on controlled environments which have simple backgrounds and limited variation in pose and lighting. To compare the

performance of face recognition algorithms, a number of standard face databases were published, for example FERET [4], XM2VTS [3] and Multi-PIE [5]. Images from controlled databases are illustrated in Figure 1.2a. After years of development many proposed face recognition algorithms have produced very impressive results in these controlled databases. In the past, face recognition algorithms were evaluated on controlled face databases in which images have simple backgrounds and limited variation in pose and lighting. From left to right, example images are from XM2VTS [3], Yale[6], MultiPIE [5] and FERET [4] face databases respectively. b) Recently research has shifted to face recognition in uncontrolled environments in which images have complex backgrounds, partial occlusions and large variations in pose, lighting and race. Example images are from the most famous uncontrolled face database: Labeled Faces in the Wild [7]. Recently, research has shifted toward face recognition in uncontrolled environments to encourage

real-world applications. Images are collected from the internet and have complex backgrounds, partial occlusion and large variations in pose, lighting, image quality, race and expression. The most famous uncontrolled face database is the Labeled Faces in the Wild database with over 600 citations in the face recognition literature [8]. Examples from this database are shown in Figure 1.2b. An ideal face recognition algorithm should perform well in uncontrolled environments to satisfy the requirements of real-world applications. However, this still remains a big challenge for most current face recognition algorithms. We would like to draw your attention to the fact that it is not possible to modify a paper in any way, once it has been published. This applies to both the printed book and the online version of the publication. Every detail, including the order of the names of the authors, should be checked before the paper is sent to the Volume Editors.

### 1.1 Challenges of Uncontrolled Environments

The three main challenges for face recognition in uncontrolled environments are large variation in pose, lighting and partial occlusion. The first challenge is pose variation. A person appears very differently from different viewpoints (see Figure 1.3a). Pose variations make the feature matching between two face images under different pose very difficult. In general, non-matching frontal faces are more similar to each other in terms of pixel values than matching faces of different poses. A second major obstacle is lighting variation (Figure 1.3b). It is hard to recognize the face under varying lighting. Even two images from the same person but under different lighting can appear dramatically different



## 2 Research Questions:

Design of research questions is the most essential part of any systematic review [12]. It is very important to ask the true questions that are significant and can determine and/or scope future research activities [12]. The research questions have been design with the aid of PICOC standards in this systematic literature review as suggested by Petticrew and Roberts [14]. The main objective of

systematic review is not to find any proof about comparison of methods/approach/model, so that why we ignore 'Comparison' in PICOC model.

Population	Face recognition, Facial recognition, Face verification, Face classification, person identification
Intervention	System, algorithms, Method, technique,
Outcome	Fast, accurate
Context	This step will be broad. It will include academia as well as software industry and all types of stakeholders (developers, maintainers, testers, project managers, students, researchers etc.)

Table 1: picoc

In order to gather the proof of the research on the current state of face recognition in uncontrolled environment, the bellow research questions we have considered.

- Q1. What are the open research challenges of face recognition in uncontrolled environment?
- Q2. What evidences is there for face recognition from video surveillance?
- Q3. What are the effective techniques for human face recognition from video in uncontrolled environment?
- Q4. How recognition rate can be improved by analyzing different parameters?

## 3 Search Strategy

### 3.1. Strategy for deriving search

The scheme of search to derive search terms is given below. Some search term derived from search questions by identifying population, intervention, outcome and context table 2

Population	Face recognition
Intervention	Method, technique, system, algorithms
Outcome	Robust, accuracy rate
Context	Security, surveillance, real world

Table 2: Terms from PICOC

Search different keywords in relevant paper, table 3. Note that the studies from which we have taken the key words are not a subset of our primary studies. Rather they are taken from the literature relevant to the disciplines of face recognition in uncontrolled environment

J. Phillips(1998)	Face Recognition ; K-Means; SVM ;Spoof Detection; KSVM
Mehran Kafai(2015)	Face, Probes, Face recognition, Databases, Histograms, Feature extraction, Image recognition
Xiaoying Wang(2016)	Face recognition, low-resolution (LR), pose variations, discriminant analysis
Xu Zhou(2016)	Face, Training, Detectors, Principal component analysis, Face detection, Face recognition, Image resolution
Vijayalakshmi(2015)	Video based face recognition, face recognition, occlusion, pose variation, Discrete Curvelet Transform
Simon Dobrišek (2015)	Image classification, face recognition, feature extraction, Gabor filters

Table 3: Key words from relevant papers

To make the search terms and the synonyms and alternate spellings with the help of a thesaurus. Also mention if a subject librarian and/or content experts in the field are consulted, table 4. Note that the terms in italics have been added from table 3.

Face recognition	Facial recognition, Face verification, <i>Face classification</i> , person identification
Method	System, technique, process, procedure
Real world	Unconstrained environment, video surveillance, real world video

Table 4: Term derived from alternate synonyms

Use Boolean OR to construct search strings from the search terms identified in (i), (ii), and (iii), (see table 5).

Face recognition OR Facial recognition OR Face verification OR Face classification OR Person Identification
Method OR System OR technique OR process OR procedure

Real world OR Unconstrained environment OR video surveillance OR real world video
---

Table 5 Construction of Terms by using Boolean OR

Use Boolean AND to concatenate the search terms and restrict the research, (see table 6).

(Face recognition OR Facial recognition OR Face verification OR Face classification) AND ( Method OR System OR technique OR process OR procedure) AND (Robust OR Fast OR accurate OR wild) AND (Real world OR Unconstrained environment OR video surveillance OR real world video)
--

Table 6: Concatenation of Terms by Using Boolean AND

### 3.2. Search Process and Resources

Searching method for a systematic review must be rigorous and be able to discover as many relevant primary studies as possible [12] [13]. This systematic literature will take to two search phases Secondary search phase and initial/primary to make the search process rigorous.

#### 3.2.1 Primary Search Phase

Primary search phase will be applied on online database, conference proceedings, grey literature (such as MSc/PhD theses and dissertation and technical reports) electric journals, search engines. To make searching process easy and evade the risks of missing out evidence, our search will be consisting of literature published in 2008 to date. 2008 will be the starting edge due to the reason that we apply some random search on face recognition in uncontrolled environment before 2008 and the result we found are zero. This phase provides a details information of electronic search. The detail list is given below.

Online databases	
• Science Direct	• ACM Digital Library
• ProQuest	• SCOPUS
Online Search engines:	
• Google Scholar (scholar.google.com)	• Cite Seer (citeseer.ist.psu.edu)
Journals:	
• Springer	• Machine Vision and Applications
• International Journal of Computer Vision	• International Journal of Multimedia Information Retrieval

### 3.3. Secondary Search Stage

Secondary search phase will be conducted to supplement the primary search stage. The below actions will be achieved in this stage.

1. References of studies will be identified in primary stage will be studied. This procedure will be an iterative unless the relevant paper is included to list of primary articles and the same step will be applied on each articles.
2. Citations of the articles will be studied for the identification of primary studies and the studies citing the identified primary studies will also be reviewed by using backward and forward passes (as also suggested by Webster & Watson [3]). This process is also iterative in nature.
3. Individual researcher on relevant area will be identified and communicated for advice on unpublished work and technical reports.

#### 3.3.1. Search Process Documentation

Documenting the search process provides transparency, helps prevent bias effect, provides details of thoroughness, and enables replication of the search process. The systematic review will follow the documentation procedures provided by Kitchenham [1], (see table 7).

Data Source	Documentation
Online Databases/Digital Libraries	Name of database Search strategy for database Date of search Years covered by search
Search Engine	Name of search engine Search strategy for the search engine Date of search
Journal Hand Searches	Journal name Years covered Any issues not covered
Conference Proceedings	Title of Proceedings Name of Conference (if different) Journal name (if published in a journal) Conference Date
PhD Dissertations and Theses	Title of dissertation/thesis Publication Year Name of University URL (if available)
Unpublished studies	Research groups and researchers contacted (contact information and date contacted) Research web sites searched (URL and Date)
Other sources	Date Searched/contacted URL

Table 7 Documentation of Search Process

### 3.4. Quality Assessment Criteria and Selection Process

Motivation behind this study is to find relevant paper which provide proof about the research question [1]. Quality assessment will be applied to find relevance between selected study and research questions, but the selection criteria will be on the base of strong evidence which provide answer to the research questions. If there is any study which does not fall in above criteria will be excluded.

#### 3.4.1 Rejection/Selection Criteria for Study Selection

The selection and rejection criteria will be enhanced during search process. For a study to include in systematic literature review it will have to satisfy the below three conditions.

- a) The articles having Face Recognition (any face classification/facial recognition and or types Face Recognition) in uncontrolled environment
- b) The articles having discusses approach/techniques for face recognition in uncontrolled environment.
- c) The articles which having experimental results of findings.

It is to be noted that there is no restriction that the articles belong to which groups or individual, either they are student, researcher or experienced practitioners. The selection criteria are purely based on answer to research questions. The articles which have the below characteristics will be excluded from systematic review.

- a) Where the focus is on controlled environment other than uncontrolled environment.
- b) Where the study does not perform an experimental validation of the findings that it presents.

### 3.4.2 Preliminary/Initial Selection Phase

During the preliminary selection Phase abstract and title of the paper will be studied of selected articles if they satisfy the maximum threshold criteria will be included for detail study otherwise the paper will be discarded.

### 3.4.3 Final Selection Phase

During selection stage if it is not clear that the articles meet selection criteria or not, get its hard copy and read the full paper. During this reading if the paper meet relevant to study will be included to final reference library. If there any confusion in the articles will discussed with colleagues and supervisor.

## 4. Quality Analysis Checklists and Measures

For analysis of quality study and checklist for quantitative and qualitative study had been defined. We have defined checklist individually for quantitative and qualitative studies, because the research methodologies are different for both. Separate Checklist are very important as it help to conceive detailed questions. The main purpose of checklist is to measure the quality of research articles as evidence to response a research question, while the purpose of checklist is not criticizing any research work. Example of some questions are found in checklist found by C rombie [7], Fink [8], and Petticrew [9]. Some questions for systematic literature are present in Kitchenham’s checklists [1]. Value to checklist are given in table 9 and table 10 and each of question of qualitative and quantitative will be answered in table 8.

Answer	Score
Yes	1
No	0
Partially	0.5

Table 8 weight for answering questions in quality checklists

The weightage score for quantitative study will be in between 0 to 18, 18 represent very high quality and 0 represent very low quality articles.

## 5 Quantitative Checklists

The quantitative study contains a set of 18 question which will be used to analysis the quantitative studies (see table 9).

Sr. No.	Question	Answer
1	Are the research question(s) clearly stated for the article? [7,8]	Yes/No/Partially
2	Do the articles based on existing body, like does it clearly discuss its research in light of literature?	Yes/No/Partially
3	Is the features/metrics applied in article sufficiently measured and tested[7,8,9]	Yes/No/Partially
4	Is the database used in the article clearly defined? [8]	Yes/No/Partially
5	Are all proposed model/system are defined (methods and tool used)?	Yes/No/Partially
6	Are the data source collection methods sufficiently described? [8]	Yes/No/Partially
7	Are the statistical methods reasonable? [8]	Yes/No/Partially
8	Is the purpose of the data analysis clear? [8]	Yes/No/Partially
9	Is the study contains hybrids techniques ?	Yes/No/Partially
10	Are the negative results presented? [8]	Yes/No/Partially
11	Do the researchers discuss any problems with the validity/reliability of their results? [8]	Yes/No/Partially
12	Is the study repeatable?	Yes/No/Partially
13	Is the research design clearly presented?	Yes/No/Partially
14	Is the research design suitable for carrying out the study? [7, 8, 9]	Yes/No/Partially
15	Are the findings credible? [9]	Yes/No/Partially
16	Are the data flow clearly presented, from initial stage to final stage of recognition?	Yes/No/Partially
17	Are the links between the data, interpretation, and conclusions clear?	Yes/No/Partially
18	Is the reporting clear and coherent?	Yes/No/Partially

Table 9 Checklist for quantitative studies

### 5.3. Qualitative Check Lists

The qualitative checklist consists of 8 questions to be used for the evaluation of qualitative studies, (see table 10). Note that item 2 has been adapted from [9].

Sr. No.	Question	Answer
1	Is the research design suitable for carrying out the study? [7, 8, 9]	Yes/No/Partially
2	Does the Research build upon existing literature . i.e., does it clearly discuss its contribution in the light of previous work?	Yes/No/Partially
3	Does the study report clear, unambiguous findings based on evidence and argument? [6]	Yes/No/Partially
4	Are the findings credible? [9]	Yes/No/Partially
5	Is the research process described thoroughly? [5] Are the roadblocks, false steps described in a helpful way? [5]	Yes/No/Partially
6	Are the links between the data, interpretation, and conclusions clear? [25]	Yes/No/Partially
7	Is the reporting clear and coherent?	Yes/No/Partially
8	Are the assumptions/theoretical perspectives/values that have shaped the form and output of the evaluation clear? [8, 9]	Yes/No/Partially

Table 10 Checklist for qualitative studies

## References

1. M. Turk and A. Pentland. Eigenfaces for recognition. *Journal of Cognitive Neuroscience*, 3:71–86, 1991.
2. P. Belhumeur, J. Hespanha, and D. Kriegman. Eigenfaces vs. Fisherfaces: recognition using class Specific linearprojection. *IEEE Transactions on pattern analysis and machine intelligence*, 19(7):711–720, 1997.
3. K.Messer, J. Matas, J. Kittler, J. Luetin, and G.Maitre. Xm2vtsdb: The extended m2vts database. In *SecondInternational Conference on Audio and Video-based Biometric Person Authentication*, 1999.
4. P. Phillips, H. Wechsler, J. Huang, and P. Rauss. The FERET database and evaluation procedure for face recognition algorithms. *Image and Vision Computing*, 16(5):295–306, 1998.
5. R. Gross, I. Matthews, J. Cohn, T. Kanade, and S. Baker. Multi-pie. *Image and Vision Computing*, 28(5):807–813, 2010.
6. A. S. Georghiades, P. N. Belhumeur, and D. Kriegman. From few to many: Illumination cone models for face recognition under variable lighting and pose. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 23(6):643–660, 2001.
7. G. B. Huang, M. Ramesh, T. Berg, and E. Learned-Miller. Labeled faces in the wild: A database for studying face recognition in unconstrained environments. Technical Report 07-49, University of Massachusetts, Amherst, October 2007.
8. Y. Taigman and L. Wolf. Leveraging billions of faces to overcome performance barriers in unconstrained face recognition. arXiv preprint arXiv:1108.1122, 2011.
9. T. Berg and P. N. Belhumeur. Tom-vs-pete classifiers and identity-preserving alignment for face verification. In *British Machine Vision Conference*, volume 1, page 5, 2012.
10. M. Belkin and P. Niyogi. Laplacian eigenmaps and spectral techniques for embedding and clustering. *Advances in neural information processing systems*, 14:585–591, 2001.
11. D. J. Beymer. Face recognition under varying pose. In *Computer Vision and Pattern Recognition*, pages 756–761, 1994.
12. Braz, M.R.; Vergilio, S.R., Software Effort Estimation Based on Use Cases, 30th Annual International Computer Software and Applications Conference, 2006. COMPSAC '06, Volume1, pp. 221 – 228, 2006..
13. Zelkowitz, M. V., Perspectives in Software Engineering. *ACM Computing Surveys (CSUR)*, vol. 10, issue 2, June 1978, pp 197-216.
14. ISO/IEC FCD 9126-1.2: Information Technology - Software Product Quality. Part 1: QualityModel, draft 1998.