

#### Sentence meaning as argumentative dialogues

Davide Catta, Alda Mari, Christian Retoré

#### ▶ To cite this version:

Davide Catta, Alda Mari, Christian Retoré. Sentence meaning as argumentative dialogues. SEM-DIAL: Semantics and Pragmatics of Dialogue, Nov 2018, Aix-en-Provence, France. , 22nd Workshop on the Semantics and Pragmatics of Dialogue. hal-02150083

#### HAL Id: hal-02150083 https://hal.science/hal-02150083

Submitted on 19 Jun 2019

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

# Sentence meaning as argumentative dialogues

# D. Catta, A. Mari, Ch. Retoré LIRMM Univ Montepllier, CNRS, IJN-CNRS

#### Introduction

In formal semantics the meaning of a sentence A is defined using the truth condition of the sentence and formalized using possible worlds semantics. We twist the classical view by stating that: the meaning of a sentence A asserted by speaker P is defined as the set of all possible justifications of A, which are argumentative dialogues starting with A won by speaker P. The idea of explaining the meaning of sentences in terms of how they can be

### Example

*S*<sub>1</sub>: John kills Mary  $S_2$ : John will go to jail  $S_3$ : John will pay for his crime

**LIRMM** 

Institut | Nicod

**CNRS-EHESS-ENS** 

justified in an argumentative dialogue goes back to [3]. We propose to apply this idea to sentences of natural language.

## Definitions

**Argumentative dialogue for** *S***:** sequences of utterances

 $\mathfrak{D} = U_0, U_1, \dots U_N$  where:

- the  $U_i$  are **utterances** i.e. sentence prefixed by ! (assertion) or ? (question)
- $\mathfrak{D}$  starts with !*S* that is  $U_0$  is !*S*
- D is an **alternate** sequence: even utterances  $U_{2p}$  are said by P odd utterances  $U_{2p+1}$  are said by O
- the sequence respects **answering rules** i.e. what  $U_{i+1}$  might be according to the previous utterances  $U_0, ..., U_i$
- *P* wins the dialogue when the last utterance is by *P* and *O* cannot answer — otherwise *O* wins the dialogue.
- For each  $U_i$  i is the position in the dialogue.

```
0 \mathsf{P} | !S_1 \rightarrow S_2 \rightarrow (S_2 \rightarrow S_3 \rightarrow (S_1 \rightarrow S_3)) |
1 O | !S_1 \rightarrow S_2, ?(S_2 \rightarrow S_3 \rightarrow (S_1 \rightarrow S_3)) | [0,Q] |
2 \mathsf{P} | !S_2 \rightarrow S_3 \rightarrow (S_1 \rightarrow S_2)
                                                                     [1,A]
3 O |S_2 \rightarrow S_3, ?(S_1 \rightarrow S_3)|
                                                                     [2,Q]
4 \mathsf{P} | !S_1 \rightarrow S_3
                                                                     [3,A]
5 O |S_1, ?S_3|
                                                                     [4,Q]
6 P |S_1, ?S_2|
                                                                     [1,Q]
7 O |S_2|
                                                                     [5,A]
8 P |S_2, ?S_3|
                                                                     [3,Q]
9 O |S_3|
                                                                     [8,A]
10 P !S<sub>3</sub>
                                                                     [5,A]
```

## **Forthcoming Research**

Our approach is related to the inferentialist view of meaning [2, 1]. The central tenet of inferentialism is

**Manifestability:** The knowledge of the meaning of a sentence or expression must be in principle completely observable and publicly testable

Disagreement about word-meaning frequently emerge in real life dialogues:

0 John is not a murderer 1 John is a murderer since he killed Mary

#### Rules

There are two kinds of answering rules when constructing a formal dialogue.

#### Logical rules : stipulating how an utterance can be questioned or answered according to its main logical operator.

**Structural rules** : imposing global conditions on the shape of the dialogue

	Conditional rule
X	$!(S_1 \rightarrow S_2)$
Y	$!S_1, ?S_2$
X	<i>S</i> <sub>1</sub>
$\overline{X, Y}$	$X \in \{P, O\}  X \neq Y$

Atomic structural rule: *P* may assert an atomic sentence q only if O has previously asserted q

Structural rule 1: a question may be answered at most once

**Structural rule 2:** if *i* is a position and if at i - 1 there are several questions that are waiting for an answer only the last of them can be answered

### Advantages of this approach

- 2 I grant that he killed Mary, but it was by accident.
- We plan to characterize manifestability, that is to find the conditions that would guarantee the emergence — in formal dialogues — of any possible disagreement about word meaning.
- Computing a dialogue exhibiting a disagreement can be viewed as a machine-learning procedure for axioms.
- In order for this procedure to be effective we are developing our line of research into two parallel directions:
- 1. We are developing rules for argumentative dialogue expressed in decidable fragment of first order logic involving sentence with generalized quantifiers like in [4]
- 2. the practical development of natural language processing tools using such ideas can only be achieved if a very precise topic has been circumscribed. Indeed, a prototype would require sophisticated linguistic resources (lexicons e.g.  $\lambda x^e(snores^{e \to t}x)$ , knowledge representation e.g.  $snores \to sleep$ ). We are currently studying how such resources can be integrated in formal argumentative dialogues.

### References

[1] Michael A. E. Dummett. The Logical Basis of Metaphysics. Harvard University Press,

- 1. The class of models of a sentence S can be badly infinite. On the contrary the set of Argumentative dialogues won by P can be recursively enumerated.
- 2. This kind of semantics is more fine-grained then traditional truth theoretic semantic. In the traditional approach two sentences having the same class of models are identified in terms of meaning e.g.  $[S_1 \land S_2] \equiv [S_2 \land S_1]$  whereas they are distinct in terms of argumentative dialogues.
- 1991.
- [2] Nissim Francez. Proof Theoretical Semantics, volume 57 of Studies in Logic. College Publication, 2015.
- [3] Paul Lorenzen and Kuno Lorenz. *Dialogische Logik*. Kurztitelaufnahme der Deutschen Bibliothek. Wissenschaftliche Buchgesellschaft, 1978.
- [4] Lawrence Moss. Natural logic. In Shalom Lappin and Chris Fox, editors, Handbook of Contemporary Semantic Theory, chapter 18, pages 561–592. John Wiley and Sons, second edition, 2015.