

Hand Posture Recognition Using Convolutional Neural Network

Dennis Núñez Fernández¹, Bogdan Kwolek²

¹ National University of Engineering, Peru

² AGH University of Science and Technology, Poland



Introduction

Hand Posture Recognition Problem

Objective:

- Reliable and fast hand posture recognition (to control Nao robot)

Approaches to the problem:

- Depth cameras (ToF, structured light, stereo-pair)
- RGB cameras
- Hand-crafted features
- Learned-features
- Convolutional Neural Networks

Problems:

- Difficulties in hand detection (in real-time)
- High dimensionality of the hand's kinematic configuration space
- Self-occlusions, variations in hand appearances
- Ill-posedness issues (the problem of inferring 3D coordinates from a single 2D observation is ill-posed)
- Camera geometry, scale difficulties, view-point
- Lack of dataset suitable for deep learning, see also [1]

Our Approach

Real-time hand posture recognition

- Hand detection, wrist position estimation
- CNN-based hand pose recognition
- Biologically inspired computer vision - Gabor filter




Figure 1: Block diagram of our method for hand posture recognition

Overview of the Method

Hand detection and wrist localization:

- Input: color images of size 640x480
- Statistical color model (RGB-H-CbCr) for skin detection
- Feature vector \mathbf{x} of size 38 on binary image
- Regression model: $y = g(\mathbf{x}, \mathbf{w}) + \epsilon$, where ϵ is a random vector, \mathbf{w} are weights of a neural network with one hidden layer

Convolutional neural network:




Figure 2: Architecture of convolutional neural network

Gabor filter:

- Prefiltering images fed to CNN [2]
- Motivation: visual cortical simple cells were first shown by Hubel & Wiesel (Nobel Prize, 1981) to have response properties that resemble Gabor filters

Dataset

Dataset [3]:

- 6000 images of size 38x38
- 10 static postures
- 10 performers (various nationalities)
- Train/test: 5273/727 images (Kinect sensor)
- Test: 400 images (laptop - Dif. cam.)



Figure 3: Hand postures

Experimental Results

	1	2	3	4	5	6	7	8	9	10	Avg.
Kinect	1.2	1.3	7.8	1.4	2.1	1.8	2.6	1.3	1.2	1.4	2.2
Dif. cam.	4.6	3.4	2.9	3.5	1.7	2.7	2.7	3.8	4.6	2.6	3.2

Table 1: Error of wrist location [pix] for classes 1-10

	Accuracy	Precision	Recall	F1 score
Kinect man.	0.950	0.945	0.960	0.949
Dif. cam. man.	0.928	0.931	0.937	0.934
Kinect aut.	0.905	0.906	0.932	0.906
Dif. cam. aut.	0.783	0.788	0.832	0.785

Table 2: Performance measures using CNN on raw gray images

	Accuracy	Precision	Recall	F1 score
Kinect man.	0.992	0.992	0.992	0.992
Dif. cam. man.	0.930	0.930	0.936	0.929
Kinect aut.	0.970	0.967	0.976	0.970
Dif. cam. aut.	0.868	0.868	0.882	0.866

Table 3: Performance measures using CNN with Gabor-based preprocessing

Performance of the system:

	1	2	3	4	5	6	7	8	9	10	Avg.
Kinect	100	94	100	100	90	100	83	100	100	100	97
Dif. cam.	93	95	80	95	93	63	90	88	73	100	87

Table 4: Recognition accuracy [%] on the basis of wrist position estimated automatically

Conclusions

- Promising results
- CNN operating on images prefiltered by Gabor achieves better classification performance
- Low computational costs

References

1. P. Pisharady, M. Saerbeck: Recent methods and databases in vision-based hand gesture recognition. Comput. Vis. Image Underst., 2015.
2. B. Kwolek: Face detection using convolutional neural networks and Gabor filters, 2005.
3. <http://home.agh.edu.pl/~bkw/code/ciarp2017/>