Microbially Mediated Release of As from Mekong Delta Peat Sediments

Maria Asta, Yuheng Wang, Manon Frutschi, Karen Viacava, Luca Loreggian, Pierre Le Pape, Phu Le Vo, Ana María Fernández, Guillaume Morin, Rizlan Bernier-Latmani

► To cite this version:

Maria Asta, Yuheng Wang, Manon Frutschi, Karen Viacava, Luca Loreggian, et al.. Microbially Mediated Release of As from Mekong Delta Peat Sediments. *Environmental Science and Technology*, 2019, 53 (17), pp.10208-10217. 10.1021/acs.est.9b02887 . hal-02343443

HAL Id: hal-02343443

<https://hal.science/hal-02343443>

Submitted on 16 Nov 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Microbially-mediated release of As from Mekong Delta peat sediment

Maria P. Asta^{1*}, Yuheng Wang¹, Manon Frutschi¹, Karen Viacava¹, Luca Loreggian¹,
Pierre Le Pape², Phu Le Vo³, Ana María Fernández⁴, Guillaume Morin²
and Rizlan Bernier-Latmani¹

¹École Polytechnique Fédérale de Lausanne (EPFL), Environmental Microbiology Laboratory (EML),
Station 6, CH-1015 Lausanne, Switzerland

²Centre National de la Recherche Scientifique (CNRS) – Université Pierre et Marie Curie (UPMC Paris
6), Institut de Minéralogie, de Physique des Matériaux et de Cosmochimie (IMPMC, CNRS-UPMC-IRD-
MNHN UMR 7590), Campus Jussieu, 4 place Jussieu, 75005 Paris, France

³Ho Chi Minh City University of Technology - VNU HCM, Faculty of Environment & Natural
Resources, 268 Ly Thuong Kiet st., Dist. 10, Ho Chi Minh City, Vietnam

⁴Centro de Investigaciones Energéticas, Medioambientales y Tecnológicas (CIEMAT), Dpto. Medio
Ambiente, Madrid, Spain

*correspondence to: Maria-Pilar.Asta-Andres@univ-grenoble-alpes.fr; corresponding author present
address: Univ. Grenoble Alpes, Univ. Savoie Mont Blanc, CNRS, IRD, IFSTTAR, ISTerre, 38000
Grenoble, France

ABSTRACT

Peat layers within alluvial sediments are considered effective arsenic (As) sinks under reducing conditions due to the binding of As(III) to thiol groups in natural organic matter (NOM) and the formation of As-bearing sulfide phases. However, their possible role as sources of As for anoxic groundwaters remains unexplored. Here, we perform laboratory experiments to provide evidence for the role of a sediment peat layer in releasing As. Our results show that the peat layer, deposited about 8,000 years ago in a paleomangrove environment in the nascent Mekong Delta, could be a source of As to porewater under reducing conditions. X-ray absorption spectroscopy (XAS) analysis of the peat confirmed that As was bound to thiol groups of NOM and incorporated into pyrite. Nitrate was detected in peat layer porewater, and flow-through and batch experiments evidenced the release of As from NOM and pyrite in the presence of nitrate. Based on poisoning experiments, we propose that the microbially mediated oxidation of arsenic-rich pyrite and organic matter coupled to nitrate reduction releases arsenic from this peat. Although peat layers have been proposed as As sinks in earlier studies, we show here their potential to release depositional- and/or diagenetically-accumulated As.