



# Exploring visual feedback modalities in Augmented Reality to control the walking speed. Feasibility study

Anne-Laure Guinet, Guillaume Bouyer, Samir Otmane, Nejib Khouri, Eric Desailly

## ► To cite this version:

Anne-Laure Guinet, Guillaume Bouyer, Samir Otmane, Nejib Khouri, Eric Desailly. Exploring visual feedback modalities in Augmented Reality to control the walking speed. Feasibility study. *Gait & Posture*, 2020, 81, pp.122-123. 10.1016/j.gaitpost.2020.07.095 . hal-03117022

**HAL Id: hal-03117022**

**<https://hal.science/hal-03117022>**

Submitted on 7 Sep 2022

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial 4.0 International License

# Exploring visual feedback modalities in Augmented Reality to control the walking speed. Feasibility study

A.L. Guinet<sup>a</sup>, G. Bouyer<sup>b</sup>, S. Otmane<sup>b</sup>, N. Khouri<sup>c</sup>, E. Desailly<sup>a</sup>

<sup>a</sup> Fondation Ellen Poidatz, Pôle Recherche et Innovation, SAINT FARGEAU PONTIERRY, France  
<sup>b</sup> IBISC Lab- Paris-Saclay University, Computer science, Evry, France  
<sup>c</sup> Necker Children Hospital, Orthopaedic surgery, Paris, France

## 1. Introduction

Serious games (SG) can improve gait rehabilitation. [1] In an augmented reality environment, the real time visual feedback modalities can be multiple [2]. This study aims to test the feasibility of the protocol to compare the effect of three visual feedback modalities on reaching and exceeding a target walking speed.

## 2. Research Question

Is the study design adapted to test if there is a feedback modality that optimize the control of gait speed?

## 3. Methods

The SG has been developed for Microsoft Hololens Augmented





Mini Game	Focus of attention		Frame of reference		Challenging	
	Knowledge of Performance (relative to the quality of movement)	Knowledge of Result (relative to the aim -reach or not-)	Body-locked (Content attached to the gamer)	World-locked (Content attached to the world)	Yes (Game)	No (No Game)
	Current speed		3 m in front of the gamer			No
	Current speed		3 m in front of the gamer		Yes	
		Succeed/Failure relative to the target speed	3 m in front of the gamer			No
		Succeed/Failure relative to the target speed		Speed of the content is the target speed		No

Fig. 1. Description of tested Mini Game with conceptual framework of feedback modalities for AR display.

Reality (AR) headset. The target speed (mean maximum walking velocity on 20 meters) of fifteen participants was recorded during a calibration trial. Each participant then tested randomly four mini games plus the control on 30 meters (Fig. 1). Displacement of the participant was recorded (100 Hz) with the Hololens. [3] Time spent above the target speed and mean speed were compared between feedback modalities.

#### 4. Results

There was a significant difference between feedback modalities for the difference between mean speed and target speed ( $p < 0.001$ ). The combination of Knowledge of Result, World-locked content, and challenging game seemed to be the best way to exceed the target speed (percent of time spent above target speed of  $78\% \pm 18\%$ ). The distance difference between the calibration trial and the test trials is not enough, all the participants succeed in reaching their target speed with the control condition (without feedback).

#### 5. Discussion

Visual feedback modalities in AR have a real time effect on the controllability of the walking speed. The future study should include a harder task of walking speed. It should be interested to calibrate the target speed using the Muscle-Power-Sprint-Test [4] and to test the feedback modalities on 30 meters.

#### References

- [1] S. Lopes, et al., Games Used With Serious Purposes: A Systematic Review of Interventions in Patients With Cerebral Palsy, *Frontiers in Psychology* 9 (2018).
- [2] A. MacIntosh, E. Lam, V. Vigneron, N. Vignais, E. Biddiss, Biofeedback interventions for individuals with cerebral palsy: a systematic review, *Disability and Rehabilitation* (2018) 1–23.
- [3] A.L. Guinet, G. Bouyer, S. Otmane, E. Desailly, Reliability of the head tracking measured by Microsoft Hololens during different walking conditions, *Comput Methods Biomech Biomed Engin* (2019).
- [4] O. Verschuren, T. Takken, The Muscle Power Sprint Test, *Journal of Physiotherapy* 60 (2014) 239.