Do amateurs and citizen science fill the gaps left by scientists?

Colin Fontaine¹, Benoît Fontaine¹ and Anne Caroline Prévot¹.

Author affiliation:

¹ Centre d'Ecologie et des Sciences de la Conservation, CESCO, UMR7204, MNHN, CNRS, SU.

Corresponding author:

colin.fontaine@mnhn.fr

Abstract:

The diversity of insects is tremendous and so is the effort needed to assess it in order to better understand insect ecology as well as their role for the functioning of ecosystems. While the interest of academics and naturalists for these species has always existed, it is only recently that such interest started to reach society more generally. From insect taxonomy and distribution to the collection of large range and long scale monitoring data, the involvement of non-academics in research outputs is growing. Is this a sign of scientists not being able to meet expectations or of science getting more and more entrenched in society? We argue for the latter, highlighting the opportunities that such involvement of amateurs in insect science represent for insect conservation.

23

24 **Introduction:**

25 The diversity of insects is huge, with more than one million described species (Roskov et al.,
26 2019). Hence, the effort needed to assess (Stork, 1998) and relate this diversity to insects'
27 roles in the functioning of ecosystems (Price, 1997) is tremendous. While the interest of
28 academics and naturalists for these species has always existed, it is only recently that such
29 interest started to reach society more generally (IPBES, 2016). This came with the rising
30 concern of insect decline largely popularized by the fate of pollinators (Buchmann & Nabhan
31 1996; Hall & Martins, 2020). Since then, research effort to characterize this decline and
32 associated causes and consequences is growing (Didham et al., 2020). In what follows, we
33 investigate to what extent amateurs may help professional scientists fill the gaps of
34 knowledge on insects, and how this joint effort may be an opportunity to better entrench
35 science in society.

36

37

38 **Role of non-professionals in the knowledge of insect diversity, distribution and** 39 **taxonomy**

40 Since the end of the XXth century, the development of online taxonomical and bibliographical
41 databases, digital photography, and social media where people can share photos and help
42 each other identifying them has given a new momentum to the input of amateurs to the
43 knowledge of biodiversity, and in particular insects (Marshall 2008). Skilled amateurs provide
44 pictures for identification atlases, sometimes in the framework of targeted searches for rare
45 taxa triggered by professional taxonomists, or are enrolled in citizen science projects to map
46 occurrences of threatened insect species (Campanaro et al., 2017; Zapponi et al., 2017). In
47 this context, the XIXth century amateur who was a bug collector is now often a digital
48 photography collector. Other initiatives are open to anyone interested, skilled or not, and aim
49 at recording insect occurrence data, often without a protocol or sampling plan. They gather a
50 huge quantity of data on insect distribution, either targeting specific insect groups (moths or
51 ladybirds for instance [https://butterfly-conservation.org/our-work/recording-and-](https://butterfly-conservation.org/our-work/recording-and-monitoring/national-moth-recording-scheme)
52 [monitoring/national-moth-recording-scheme](https://butterfly-conservation.org/our-work/recording-and-monitoring/national-moth-recording-scheme)
53 <https://www.coleoptera.org.uk/coccinellidae/home>), or any organism, including insects (e.g.
54 <https://www.inaturalist.org/>; <https://www.ispotnature.org/>).

55 However, the contribution of amateurs to the knowledge on insects, and in particular
56 taxonomical knowledge, is not restricted to projects driven by professional biologists. Non-

professionals, i.e. people who do not hold a position in which they are remunerated for performing taxonomy, are known to take a significant part in the building of taxonomical knowledge: for instance, between 1998 and 2007, they described 62% of new species from Europe, 70% of which being insects, and authored 54% of European species synonymizations (Fontaine et al., 2012). Amateur contributions extends far beyond charismatic groups such as butterflies or seashells: between 1998 and 2007, they described 53% of new European Diptera, 57% of Coleoptera, and 84% of Orthoptera. Similar figures showing the importance of amateur contributions to insect taxonomy are found in other parts of the world, for instance French Guyana, where non-professionals provided 65% of new insect records between 2008 and 2013, and collected 74% of new species holotypes (Brûlé & Touroult, 2014). The importance of their contribution is such that the synergy between amateurs and professionals in insect systematics has been qualified as « a backbone of the primary research on biodiversity » (Audisio 2017), and that the decline in their numbers will have an impact upon information generated on insects, and hence on their conservation (Hopkins & Freckelton, 2006). For this reason, a better integration of amateurs in academic teams, with formalized collaborations, training for the use and interpretation of technological tools such as DNA sequencing and help in securing grants has been advocated to solve the Taxonomic Impediment (Fontaine et al., 2012; Coleman, 2015)

Amateurs also make significant contribution to the scientific knowledge of insects by donating books and article collections to museum libraries. This was recently analyzed for the contribution of a local Canadian entomologist, whose entomological book and article collection is now hosted by the Macdonald Campus Library from McGill University, and includes many titles not found in any other Canadian university library (Waters & MacKenzie 2018). Similarly, amateurs have produced insect collections, sometimes of high scientific value, which may be lost forever unless there is a coordinated effort to register those private collections and find the funding to acquire them and secure their preservation (Fischer et al., 2021).

Amateurs, scientists and long-term insect surveys

Except managed honeybees, for which numerous national agricultural administrations collected data for decades, and agricultural or silvicultural pests for which some monitoring programs started early on (e.g. Watt & Hicks 2000, Bell et al. 2015), time series of insects are scarce. However, such data are highly needed in the current context of a potential insect Armageddon (Leather, 2017, Wagner et al. 2021). Despite recent studies relying on relatively short time series from academic origins (Sanchez-Bayo & Wyckhuyse 2019, van Klink et al. 2020, Crossley et al. 2020, Høye et al. 2021, Schowalter et al. 2021), most of our knowledge

on insect temporal trends comes from the analysis of insect records from collections (e.g. Beismejier et al 2006, Ollerton et al. 2014, Powney et al. 2019, Soroye et al. 2020, Duchenne et al. 2020). Such data and in particular historical collections or records, allowing turning the clock back enough to minimize the shifting baseline issue (Pauly 1995), have been collected and curated largely thanks to numerous non-professional but passionate entomologists (Brunelle 1997). Although natural history museums were also involved in collecting and are in charge of preserving such precious specimens, the contribution of amateurs and associated entomological societies must be acknowledged. For example, the UK Bees, Wasps and Ants Recording Society (BWARS), with ca. 500 members, is thought to have one of the most detailed available databases on these taxa for a single country, with records going back a century (Beismejier et al. 2006, Ollerton et al. 2014, Powney et al. 2019). Although associated from the start to academics, it largely relies on non-professionals for data collection and curation. The same is true for the UK hoverfly recording scheme whose data were also recently analysed (Beismejier et al. 2006, Powney et al. 2019).

However, though invaluable, such insect occurrence data, also called opportunistic data, are most commonly collected with unknown protocol and observation pressure, which make statistical analyses a difficult task (van Dooren, 2016; Didham et al., 2020). For this reason, large range and long-term monitoring schemes following standardized protocols have been launched, in order to produce abundance data while minimizing sampling biases. These schemes, managed by academic institutions and/or entomological societies, rely heavily on the participation of volunteers to reach data collection with large spatiotemporal coverage. The earliest schemes relied on skilled naturalists, such as the UK Butterfly Monitoring Schemes, launched in 1976, which now compiles species temporal series of species abundance for over more than 4000 locations in the United Kingdom with roughly as many participants (<https://www.ukbms.org/>). Another striking example is the Krefeld Entomological Society in Germany, with ca. 50 members, which provided the data for the iconic Hallmann et al. study (2017), showing a 75 percent decline in flying insect biomass since 1989 (Bruch et al. 2013). Here again, many of the members are hobbyists as the same time as being world experts on their favorite insects. At the onset of the XXIst century, new schemes have been opened to the general public (Silvertown, 2009), with dedicated protocols suited for participants with no prior knowledge of insects. For instance, the French Garden Butterfly Count, launched in 2006, has reached more than 10,000 participants (Fontaine et al., 2016). Since then, numerous participatory monitoring schemes are flourishing, targeting other groups attractive to the general public, such as dragonflies, moths or pollinators (e.g. <https://www.vlinderstichting.nl/wat-wij-doen/meetnetten/meetnet-libellen>;

ecology.org.uk/gms2019; <https://www.spipoll.org/>), or documenting flower-insect interactions (Deguines et al., 2012).

In addition to providing the material for numerous scientific articles and books on various aspects of insect ecology, protocolled monitoring data are also used to produce indicators as official statistics to inform governmental agencies on biodiversity trends and help them set and assess the outcome of conservation policies (Brereton et al. 2011). Such citizen science, associating academics, entomological societies and volunteers to monitor biodiversity and provide accurate indicators to stakeholders, if not free, is recognized as being cost effective and less vulnerable to funding variances (Couvét et al. 2008, Levrel et al. 2010, Mackechnie et al. 2011).

Amateurs involved in insect citizen science help entrench science in society

Enlarging the communities of amateur insect researchers has significant and important consequences on insects' conservation (Oberhauser & Prysby, 2008), but also on the relationships between science and the society.

First, insect citizen-science projects make insects more real and relevant for the society. It has already been shown that some amateurs increase their entomological knowledge and modify their gardening practices to be environmentally-friendly (Cosquer et al. 2012, Deguines et al. 2018, 2020). Although current press coverage of insect decline remains weak (Althaus et al. 2021), involving amateurs and publicizing the results of these large spatial and temporal scientific surveys of insects can make insects more visible in public space, as exemplified by the hundreds of news stories, thousands of tweets and dozens of policy documents related to the Hallmann et al. study (2017) on insect decline in Germany (<https://www.altmetric.com/details/27610705>).

Secondly, insect citizen-science projects provide opportunities for volunteers to be in close contact with insects in their habitats, to experience nature (Clayton et al. 2017): when observing insects in their garden to collect scientific data, volunteers are physically involved in data collection, standing up on tiptoes or squatting down, feeling too cold or too hot. They use all their senses, vision of course, but also hearing, touching, smelling, even tasting. They are also emotionally involved in their experiences: curious or anxious, disgusted, enjoying themselves, happy and proud, they can feel all these emotional states during their citizen-science experiences. Finally, they often pay attention to all interactions between the natural living beings they focus on and spontaneously adopt context-dependent situated perspectives (see Bang 2015), in which they also relate to the objects of their inquiry. Collecting insects' citizen-science data enlarges volunteers' perceptions of nature.

161 Third and consequently, amateurs involved in insect citizen science monitoring programs
162 learn different ways to do science (Trumbull et al., 2000): they converge with scientists in
163 taxonomic identification and ecological scientific knowledge on biodiversity functioning, but
164 they complete this knowledge with embodied knowledge, by being physically involved in their
165 discovery of insects. Such embodied knowledge has been progressively disqualified in
166 western science, which legitimates distancing and decontextualizing ways to describe nature,
167 considered to be the only way to reach objectivity (Medin and Bang 2014). Yet, embodied
168 and practical knowledge is of prominent importance to re-link theory and practice (Macintyre
169 Latta & Buck 2008), and amateurs challenge scientists in their scientific norms and world
170 visions.

171 Finally, in joining citizen-science programs, amateurs enter a community of participants with
172 which they exchange during meetings or via dedicated social networks. The presence of
173 scientists in these communities can be an important motivation for volunteers to legitimate
174 their participation (Cosquer et al. 2012). But these enlarged communities with scientists and
175 non-scientists who share interests in insect knowledge and conservation represent also new
176 arenas that force scientists to quit a socially comfortable sphere, to present and share their
177 knowledge with other social spheres, and to be challenged by people who do not have the
178 same worldviews.

180 **Perspective**

181 Rather than filling a gap left by scientists, we argue that amateurs contribute with scientists to
182 increase knowledge on insects, with citizen science projects currently favoring the
183 complementarity between their contributions and helping to entrench science and insect
184 conservation issues in society (IPBES, 2019). If the embodied knowledge of amateurs,
185 relating scientific knowledge to emotions and feelings, is recognized as key for them to care
186 about insects, one has to recognize that such embodied, emotional and close relationships
187 with natural living elements is also key to the motivation and creativity of academics: « After
188 spending 32 of my 41 years in the field, I'm still agog at life's splendour. The beauty I see as I
189 search for dragonflies on expeditions in Gabon or watch birds around Stellenbosch on my
190 way to work can be so absurd it makes me laugh, so diverse it makes me gasp for air, so
191 intense that I binge-watch as if there is a cliff-hanger in every impression. » (Dijkstra, 2016).
192 Citizen-science, in making scientists and non-scientists close together, may help modern
193 science to enlarge their world visions, toward more relational epistemologies (Bang 2015).

194 Such a vision might be challenged by the recent and fast developments of identification
195 systems based artificial intelligence (AI) that make automatic species identification from

196 pictures or sounds increasingly accurate, rapid and reliable (Høye et al. 2021). These AI
197 systems are already used in programs collecting opportunistic occurrence data (e.g. the
198 obsidentify app aiming at identifying all species from pictures including insects
199 <https://observations.be/>). Such technology also leads to the development of sensors for
200 biodiversity monitoring, including insects (Ärje et al. 2020), offering potentially better
201 sampling than amateurs can provide. Amateurs can contribute to such AI-based identification
202 development by constituting huge training databases of annotated pictures, but it is not clear
203 whether automatic identification help amateurs to learn how to identify species. Likewise
204 sensors question the need for amateur involvement in biodiversity observations, and thereby
205 the opportunity to experience nature. While being a fascinating opportunity, AI is
206 transforming the current collaboration between amateurs and scientists, and some thinking is
207 needed to use such technology in a way the truly benefits both scientists and amateurs in
208 their quest to know and conserve insects.

209

210

211 **Acknowledgements**

212 We thank Meredith Root-Bernstein for comments on the manuscript

213 **References**

214 Althaus, S. L., Berenbaum, M. R., Jordan, J., & Shalmon, D. A. (2021). No buzz for bees: Media
215 coverage of pollinator decline. *Proceedings of the National Academy of Sciences*, 118(2).

216 Ärje, J., Melvad, C., Jeppesen, M. R., Madsen, S. A., Raitoharju, J., Rasmussen, M. S., ... & Høye, T. T.
217 (2020). Automatic image-based identification and biomass estimation of invertebrates. *Methods in*
218 *Ecology and Evolution*, 11(8), 922-931.

219 Audisio, P. (2017). Insect taxonomy, biodiversity research and the new taxonomic impediments.
220 *Fragmenta entomologica*, 121-124

221 Bang, M. (2015). Culture, learning, and development and the natural world: The influences of
222 situative perspectives. *Educational Psychologist*, 50(3), 220-233.

223 (*) This paper underlines the diversity in the relations we all develop with the natural world, through
224 direct experiences and learning. Scientific vision is one of them, and the author invites scientists and
225 teachers to anchor their teaching in the existence of other relationships that (co-)exist in their
226 audience.

227 Bela G, Peltola T, Young JC, et al (2016) Learning and the transformative potential of citizen science.
228 *Conservation Biology* 30:590–599

229 Bell, J. R., Alderson, L., Izera, D., Kruger, T., Parker, S., Pickup, J., ... & Harrington, R. (2015). Long-term
230 phenological trends, species accumulation rates, aphid traits and climate: five decades of change in
231 migrating aphids. *Journal of Animal Ecology*, 84(1), 21-34.

232 Biesmeijer, J. C., Roberts, S. P., Reemer, M., Ohlemüller, R., Edwards, M., Peeters, T., ... & Settele, J.
233 (2006). Parallel declines in pollinators and insect-pollinated plants in Britain and the Netherlands.
234 *Science*, 313(5785), 351-354.

235 Brereton, T., Roy, D. B., Middlebrook, I., Botham, M., & Warren, M. (2011). The development of
236 butterfly indicators in the United Kingdom and assessments in 2010. *Journal of Insect Conservation*,
237 15(1-2), 139-151.

238 Bruch, O. (2013). Ermittlung der Biomassen flugaktiver Insekten im Naturschutzgebiet Orbroicher
239 Bruch mit Malaise Fallen in den Jahren 1989 und 2013. *Mitteilungen aus dem Entomologischen*
240 *Verein Krefeld*, 1, 1-5.

241 Brûlé, S., & Touroult, J. (2014). Insects of French Guiana: a baseline for diversity and taxonomic
242 effort. *ZooKeys*, (434), 111.

243 Brunelle, P. M. (1997). The role of the amateur in insect conservation. *Northeastern Naturalist*, 159-
244 164.

245 Buchmann, S. L., & Nabhan, G. P. (1996). *The forgotten pollinators*. Island Press.

246 Campanaro A., Hardersen S., Redolfi De Zan L., Antonini G., Bardiani M., Maura M., Maurizi E.,
247 Mosconi F., Zauli A., Bologna M.A., Roversi P.F., Sabbatini Peverieri G., Mason F. 2017. Analyses
248 of occurrence data of protected insect species collected by citizens in Italy. *Nature Conservation*,
249 20: 265–297.

250 Clayton, S., Colléony, A., Conversy, P., Maclouf, E., Martin, L., Torres, A. C., ... & Prévot, A. C. (2017).
251 Transformation of experience: Toward a new relationship with nature. *Conservation letters*, 10(5),
252 645-651.

253 (**) This paper conceptualizes the complexity and diversity of experiences of nature, which go
254 beyond normative contacts with nature. Yet, every encounter with natural elements is perceived
255 differently, according to the individual, social and natural contexts of the encounter, and will have
256 consequences on the same three components of the social-ecological system.

257 Coleman, C. O. (2015). Taxonomy in times of the taxonomic impediment—examples from the
258 community of experts on amphipod crustaceans. *Journal of Crustacean Biology*, 35(6), 729-740.

259 Cosquer, A., Raymond, R., & Prevot-Julliard, A. C. (2012). Observations of everyday biodiversity: a
260 new perspective for conservation? *Ecology and Society*, 17(4).

261 Couvet, D., Jiguet, F., Julliard, R., Levrel, H., & Teyssedre, A. (2008). Enhancing citizen contributions to
262 biodiversity science and public policy. *Interdisciplinary science reviews*, 33(1), 95-103.

263 Crossley, M. S., Meier, A. R., Baldwin, E. M., Berry, L. L., Crenshaw, L. C., Hartman, G. L., ... & Snyder,
264 W. E. (2020). No net insect abundance and diversity declines across US Long Term Ecological
265 Research sites. *Nature Ecology & Evolution*, 4(10), 1368-1376.

266 Deguines, N., Julliard, R., De Flores, M., & Fontaine, C. (2012). The whereabouts of flower visitors:
267 contrasting land-use preferences revealed by a country-wide survey based on citizen science. *PLoS*
268 *one*, 7(9), e45822.

269 Deguines, N., de Flores, M., Lois, G., Julliard, R., & Fontaine, C. (2018). Fostering close encounters of
270 the entomological kind. *Frontiers in Ecology and the Environment*, 16(4), 202-203.

271 (*) In this study, the authors quantify to what extent being involved in citizen science monitoring
272 scheme targeting pollinators makes participants to learn identifying pollinators and how this process
273 is benefiting from social interactions among participants.

274 Deguines, N., Princé, K., Prévot, A. C., & Fontaine, B. (2020). Assessing the emergence of pro-
275 biodiversity practices in citizen scientists of a backyard butterfly survey. *Science of the Total*
276 *Environment*, 136842.

277 (*) Studying changes in gardening practices of participants of a butterfly monitoring scheme, this
278 study exemplifies how citizen science can be a lever to behavioral changes toward more biodiversity
279 friendly practices.

280 Didham, R. K., Basset, Y., Collins, C. M., Leather, S. R., Littlewood, N. A., Menz, M. H., ... & Stewart, A.
281 J. (2020). Interpreting insect declines: seven challenges and a way forward. *Insect Conservation and*
282 *Diversity*, 13(2), 103-114.

283 (**) This revue critically assesses the current evidence of insect decline, highlighting crucial points
284 that scientists need to account for when analyzing and interpreting temporal series of insects'
285 occurrence or abundance.

286 Dijkstra, K. D. B. (2016). Natural history: Restore our sense of species. *Nature*, 533(7602), 172-174.

287 Duchenne, F., Thébault, E., Michez, D., Elias, M., Drake, M., Persson, M., ... & Fontaine, C. (2020).
288 Author Correction: Phenological shifts alter the seasonal structure of pollinator assemblages in
289 Europe. *Nature ecology & evolution*, 4(2), 279.

290 (*) This study present to most extensive analysis of the impact of climate warning on pollinator
291 phenologies. In addition to quantifying the extensive heterogeneity of pollinator species responses,
292 they show how such heterogeneity tends to decrease pollinator availability within species
293 assemblages.

294 Fischer, E.E., Cobb, N.S., Kawahara, A.Y., Zaspel, J.M., Cognato, A.I. (2021). Decline of Amateur
295 Lepidoptera Collectors Threatens the Future of Specimen-Based Research. *BioScience*, biaa152,
296 <https://doi.org/10.1093/biosci/biaa152>

297 Fontaine, B., van Achterberg, K., Alonso-Zarazaga, M. A., Araujo, R., Asche, M., Aspöck, H., ... &
298 Balsamo, M. (2012). New species in the Old World: Europe as a frontier in biodiversity exploration, a
299 test bed for 21st century taxonomy. *PLoS One*, 7(5), e36881.

300 (*) This paper quantifies the extensive contribution of non-professionals to taxonomy in Europe.
301 Doing so, it highlights ways to better capitalize on the full potential of such collaboration between
302 scientists and non-professional experts.

303 Fontaine, B., Bergerot, B., Le Viol, I., & Julliard, R. (2016). Impact of urbanization and gardening
304 practices on common butterfly communities in France. *Ecology and evolution*, 6(22), 8174-8180.

305 Hall, D. M., & Martins, D. J. (2020). Human dimensions of insect pollinator conservation. *Current*
306 *Opinion in Insect Science*.

307 (*) Beyond evidencing insect decline and associated causes and consequences, this opinion paper
308 highlights that for insect conservation to occur, there is a need to integrate social and ecological
309 understandings to reconfigure human behaviors across societies' sectors.

310 Hallmann, C. A., Sorg, M., Jongejans, E., Siepel, H., Hofland, N., Schwan, H., ... & Goulson, D. (2017).
311 More than 75 percent decline over 27 years in total flying insect biomass in protected areas. *PloS*
312 *one*, 12(10), e0185809.

313 (**) This iconic paper present evidence of strong decline in flying insect biomass in Germany. It is
314 clearly outstanding by the outreach generated while focusing on insect biomass, a rarely studied
315 ecological indicator with low public awareness but highly relevant.

316 Hopkins, G. W., & Freckleton, R. P. (2002). Declines in the numbers of amateur and professional
317 taxonomists: implications for conservation. *Animal Conservation*, 5(3), 245-249.

318 IPBES (2016). The assessment report of the Intergovernmental Science-Policy Platform on
319 Biodiversity and Ecosystem Services on pollinators, pollination and food production. S.G. Potts, V. L.
320 Imperatriz-Fonseca, and H. T. Ngo (eds). Secretariat of the Intergovernmental Science-Policy Platform
321 on Biodiversity and Ecosystem Services, Bonn, Germany. 552 pages.

322 (**) This report presents the most complete and up to date assessment of pollinators' fate made by
323 the world leading scientists on the topic, identifying the causes of pollinator decline and the
324 consequences for both ecosystems and human societies.

325 IPBES (2019). Global assessment report on biodiversity and ecosystem services of the
326 Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services. Brondizio, E. S.,
327 Settele, J., & Díaz, S.. Secretariat of the Intergovernmental Science-Policy Platform on Biodiversity
328 and Ecosystem Services, Bonn, Germany.

329 (**) This assessment provides an amazing message to the world, coming from a group of
330 internationally recognized experts designed by the UN: they acknowledge and detail the biodiversity

331 crisis, but they add for the first time in the history, that we collectively must achieve transformative
 332 changes in our economic, political, technological and social models to achieve sustainable objectives.

333 Høye, T. T., Ärje, J., Bjerger, K., Hansen, O. L., Iosifidis, A., Leese, F., ... & Raitoharju, J. (2021). Deep
 334 learning and computer vision will transform entomology. *Proceedings of the National Academy of*
 335 *Sciences*, 118(2).

336 Høye, T. T., Loboda, S., Koltz, A. M., Gillespie, M. A., Bowden, J. J., & Schmidt, N. M. (2021). Nonlinear
 337 trends in abundance and diversity and complex responses to climate change in Arctic arthropods.
 338 *Proceedings of the National Academy of Sciences*, 118(2).

339 Kaiser, F. G., & Fuhrer, U. (2003). Ecological behavior's dependency on different forms of knowledge.
 340 *Applied psychology*, 52(4), 598-613.

341 (*) This paper details four types of knowledge to attend ecological behaviors. One of them is the
 342 scientific one (called “declarative”), but three other types as important as well. This paper is
 343 important for environmental scientists and educators, to recognize that the transmission of scientific
 344 knowledge is not enough for transformation and involvement.

345 Leather, S. R. (2017). “Ecological Armageddon”-more evidence for the drastic decline in insect
 346 numbers. *Annals of Applied Biology*, 172(1), 1-3.

347 Levrel, H., Fontaine, B., Henry, P. Y., Jiguet, F., Julliard, R., Kerbiriou, C., & Couvet, D. (2010).
 348 Balancing state and volunteer investment in biodiversity monitoring for the implementation of CBD
 349 indicators: A French example. *Ecological economics*, 69(7), 1580-1586.

350 Mackechnie, C., Maskell, L., Norton, L., & Roy, D. (2011). The role of ‘Big Society’ in monitoring the
 351 state of the natural environment. *Journal of Environmental monitoring*, 13(10), 2687-2691.

352 Macintyre Latta, M., & Buck, G. (2008). Enfleshing embodiment: ‘Falling into trust’ with the body's role
 353 in teaching and learning. *Educational Philosophy and Theory*, 40(2), 315-329.

354 Marshall, S. A. (2008). Field photography and the democratization of arthropod taxonomy. *American*
 355 *Entomologist*, 54(4), 207-210.

356 Medin, D. L., & Bang, M. (2014). The cultural side of science communication. *Proceedings of the*
 357 *National Academy of Sciences*, 111(Supplement 4), 13621-13626.

358 Oberhauser, K., & Prysby, M. D. (2008). Citizen science: creating a research army for conservation.
 359 *American Entomologist*, 54(2), 103-104.

360 Ollerton, J., Erenler, H., Edwards, M., & Crockett, R. (2014). Extinctions of aculeate pollinators in
361 Britain and the role of large-scale agricultural changes. *Science*, 346(6215), 1360-1362.

362 Pauly, D. (1995). Anecdotes and the shifting baseline syndrome of fisheries. *Trends in ecology &*
363 *evolution*, 10(10), 430.

364 Powney, G. D., Carvell, C., Edwards, M., Morris, R. K., Roy, H. E., Woodcock, B. A., & Isaac, N. J.
365 (2019). Widespread losses of pollinating insects in Britain. *Nature communications*, 10(1), 1-6.

366 Price, P. W. (1997). *Insect ecology*. John Wiley & Sons.

367 (*) This study presents the analysis of occurrence data from bees and syrphids from the past forty
368 years in UK showing a strong decline. They use sophisticated statistical methods dedicated to
369 account for variations in probability detections across species and time, an issue of particular
370 importance when inferring trends from opportunistic data.

371 Roskov, Y., Ower, G., Orrell, T., Nicolson, D., Bailly, N., Kirk, P. M., Bourgoin, T., DeWalt, R. E., Decock,
372 W., Nieukerken, E. van & Penev, L., eds. (2019). Species 2000 & ITIS Catalogue of Life, 2019
373 Annual Checklist. www.catalogueoflife.org/annual-checklist/2019. Species 2000: Naturalis,
374 Leiden.

375 Sánchez-Bayo, F., & Wyckhuys, K. A. (2019). Worldwide decline of the entomofauna: A review of its
376 drivers. *Biological conservation*, 232, 8-27.

377 Schowalter, T. D., Pandey, M., Presley, S. J., Willig, M. R., & Zimmerman, J. K. (2021). Arthropods are
378 not declining but are responsive to disturbance in the Luquillo Experimental Forest, Puerto Rico.
379 *Proceedings of the National Academy of Sciences*, 118(2).

380 Silvertown, J. (2009). A new dawn for citizen science. *Trends in ecology & evolution*, 24(9), 467-471.

381 (**) This paper exemplify how citizen science, although an old practice, is currently strongly
382 developing in environmental sciences. It highlights that, while originally devoted to skilled naturalists,
383 this development goes with the involvement of lay people and identify the challenges and
384 opportunities that this offers.

385 Soroye, P., Newbold, T., & Kerr, J. (2020). Climate change contributes to widespread declines among
386 bumble bees across continents. *Science*, 367(6478), 685-688.

387 (**) Analyzing occurrence data of bumblebee species in North America and Europe, this study brings
388 evidence that climate change, and in particular the frequency of hotter temperature, increases local
389 extinctions and decreases the chances of colonization success. This is among the first evidence

390 showing a strong impact of climate change on pollinator persistence, independent of land use
391 changes.

392 Stork, N. E. (1988). Insect diversity: facts, fiction and speculation. *Biological journal of the Linnean*
393 *Society*, 35(4), 321-337.

394 Trumbull, D. J., Bonney, R., Bascom, D., & Cabral, A. (2000). Thinking scientifically during participation
395 in a citizen-science project. *Science education*, 84(2), 265-275.

396 van Dooren, T. J. (2016). Pollinator species richness: Are the declines slowing down?. *Nature*
397 *Conservation*, 15, 11.

398 van Klink, R., Bowler, D. E., Gongalsky, K. B., Swengel, A. B., Gentile, A., & Chase, J. M. (2020). Meta-
399 analysis reveals declines in terrestrial but increases in freshwater insect abundances. *Science*,
400 368(6489), 417-420.

401 Wagner, D. L., Grames, E. M., Forister, M. L., Berenbaum, M. R., & Stopak, D. (2021). Insect decline in
402 the Anthropocene: Death by a thousand cuts. *Proceedings of the National Academy of Sciences*,
403 118(2).

404 Waters, N., & MacKenzie, E. (2018). Uncovering the McGill Library Lyman Collection: the lasting
405 legacy of an amateur entomologist. *Library & Information History*, 34(3), 148-159.

406 Watt, A. D., & Hicks, B. J. (2000). A reappraisal of the population dynamics of the pine beauty moth,
407 *Panolis flammea*, on lodgepole pine, *Pinus contorta*, in Scotland. *Population ecology*, 42(3), 225-230.

408 Zapponi L., Cini A., Bardiani M., Hardersen S., Maura M., Maurizi E., Redolfi De Zan L., Audisio P.,
409 Bologna M.A., Carpaneto G.M., Roversi P.F., Sabbatini Peverieri G., Mason F., Campanaro A.
410 2017. Citizen science data as an efficient tool for mapping protected saproxylic beetles.
411 *Biological Conservation*, 208: 139–145