

## Putting (One's) Heart into Music

Elaine Chew, Michele Orini, Pier Lambiase

► **To cite this version:**

Elaine Chew, Michele Orini, Pier Lambiase. Putting (One's) Heart into Music. *European Heart Journal*, Oxford University Press (OUP): Policy B, 2021, 42 (28), pp.2721-2724. 10.1093/eurheartj/ehab108 . hal-03277447

**HAL Id: hal-03277447**

**<https://hal.archives-ouvertes.fr/hal-03277447>**

Submitted on 3 Jul 2021

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

# Putting (One's) Heart into Music

Elaine Chew  PhD, FTCL<sup>1\*</sup>, Michele Orini  PhD<sup>2</sup>, and Pier Lambiase  PhD  
FRCP FHRS<sup>3</sup>

<sup>1</sup>Centre National de la Recherche Scientifique (CNRS)–UMR9912 Sciences et Technologies de la Musique et du Son (STMS) Laboratoire, Institut de Recherche et Coordination Acoustique/Musique (IRCAM), Music Representations Team, Paris, France, Department of Engineering, Faculty of Natural & Mathematical Sciences, King's College London, London, UK; <sup>2</sup>University College London and Barts Heart Centre, London, UK; and <sup>3</sup>University College London and Barts Heart Centre, Co-Director of Cardiovascular Research Barts NHS Trust, Inherited Arrhythmia Clinical Lead, UCL MRC DTP Theme Lead, BHRS Committee Research Lead, Institute of Cardiovascular Science, UCL, Department of Cardiology, Barts Heart Centre, London, UK

*On links and similarities between the rhythms of arrhythmia and music, evidence showing prevalence of simple swing ratios in arrhythmia ECGs, and implications for music in medical education and for music informatics in cardiovascular science.*

16 December 2020 marked the 250th anniversary of Beethoven's birth, with celebrations extending to September 2021. Apart from being one of the foremost composers of classical music, Beethoven also suffered from a litany of diseases, which some speculate included cardiac arrhythmias. This has led to the informed conjecture that Beethoven set his own ventricular early beats into the dotted rhythms of his 'Les Adieux' Sonata,<sup>1,2</sup> i.e. that his heart rhythm disorders may have been responsible for the distinctive rhythmic motifs in his music. Furthermore, the interoception required to turn arrhythmic heartbeats to music may have been enhanced by his deafness. *Figure 1* shows a possible inspiration for another signature Beethoven motif, one in the opening of his Fifth Symphony. The striking correspondence between the electrocardiographic (ECG) trace and the notated rhythm could be a mere coincidence or an indication of a deeper connection between music and the heart.

Noting the similarity between rhythms of arrhythmia and those found in music, Chew had independently started making music based on transcriptions of arrhythmia ECG traces. These are collage pieces made by merging music excerpts that match contiguous segments of ECG. The result is music that mirrors the arrhythmia sequences.<sup>3,4</sup> [Supplementary material online, Figure S1](#) shows a transition from normal beats to ventricular tachycardia (VT) in the ECG from the catheterization laboratory and in the matching music collaged from Holst's *The Planets*, 'Mars'. The full ECG excerpt, lasting about 3 min, showed the sequence before, during, and after VT, and formed the basis for the first of the *Arrhythmia Suite* pieces.<sup>5</sup> Such longer pieces were made through a semi-automatic process from ECG signal data.

The fact that arrhythmia music can be made from a collage of existing music suggests that arrhythmias are highly musical, or perhaps that music emulates physiological rhythms including, curiously, cardiac arrhythmic activity. Even when the heart's own natural pacemaker fails and a patient is fitted with an artificial pacemaker, the link between

music and the heart persists, as the heart then starts beating like a band playing to a click track.

*Why do heartbeats, even abnormal ones, map so well to music?* In music with a beat, the rhythms and other musical structures unfold over an underlying grid of regular pulses which can flex with time, but are basically periodic, like a natural pacemaker. Consecutive intervals between rhythm event onsets normally form simple ratios, at least they are notated that way but the reality (performance) is slightly more complex, with respect to the underlying grid. This means that the rational numbers that express their proportional relationships are made of relatively simple numbers. An example of the importance of proportional durations lies in the quantifying of the swing ratio in jazz, where events that may be notated as even and of equal duration are actually performed off-kilter in duration ratios between 1:1 (straight) to 3:1 (hard swing).<sup>5</sup> This swing ratio (the ratio of consecutive RR intervals) is shown for different arrhythmias in *Figure 2* (single Holter recordings of ventricular ectopics and paroxysmal atrial fibrillation) and [Supplementary material online, Figure S2](#) (collections of recordings of the 1024 beats just before VT and ventricular fibrillation, respectively).


As expected, ratios around 1:1 are most prevalent. Interestingly, there are several narrow peaks showing a preponderance of simple ratios like 1:2, 1:2.5 (i.e. 2:5), 1:1.5 (i.e. 2:3), which are reminiscent musically of a light (3:2 ratio) and medium swing (2:1 ratio). Equally intriguing are the notable gaps surrounding selected peaks, most striking around 2. Distinct peak ratios are marked by vertical red lines (thickness indicating prominence of the peaks) in the histograms. These peak ratios correspond to the radial lines, although their presence is not as obvious, in the Poincaré plots. Example renderings of the duration ratios as music notation are also shown. These peaks mean that certain patterns in arrhythmia lend themselves particularly well to music representation. Why the physiology or geometry of the heart should produce such behaviours around basic ratios is a subject for further investigation.

*What does it mean for arrhythmia to map naturally to music?* The fact that arrhythmias can be mapped to music suggests that it is possible to describe features of an arrhythmia using musical parlance. The musical


\* Corresponding author. Email: [elaine.chew@ircam.fr](mailto:elaine.chew@ircam.fr)



**Figure 1** Opening of Beethoven’s Fifth Symphony (CCARH 2008) and 12-lead Holter ECG segments showing short runs of ventricular tachycardia matching the fate motif, normal beats marking time (ECG courtesy Lambiase).



**Figure 2** Log-scale histograms of RR ratios, Poincaré plots of RR intervals, and music notation for peak ratios marked (vertical lines in histograms which correspond to lines radiating from origin in Poincaré plots) for ventricular ectopics (top) and of paroxysmal atrial fibrillation (bottom) from single Holter each.



**Video 1** Little Etudes for piano based on aberrations of cardiac electrophysiology—a performance by Elaine Chew of a series of short piano pieces based on cardiac electrical anomalies each described by Pier Lambiase,<sup>10</sup> made initially by Chew, Lambiase, Bedoya for the Ircam AlxMusic Garden at Ars Electronica 2020. The video is available at <https://bit.ly/LittleEtudes-video>

field has developed over centuries a rich and sophisticated vocabulary for describing time and frequency patterns and variations. Arrhythmias are presently classified physiologically by source, rate, and regularity. To a musician, this is tantamount to describing a piece of music (poorly) as having a fast, irregular beat and in the treble register. Musical nomenclature could offer new ways to describe arrhythmia behaviours. For example, the rhythms of arrhythmia are more than simply irregular; one may be a swing, another a tango. The parallels go well beyond rhythmic patterns. In the frequency domain, the fundamental frequency in musical pitch is like the dominant frequency in atrial fibrillation, and musical vibratos are like fibrillatory waves—they even occupy similar frequency ranges.<sup>8</sup> In music, large-scale (long term) time structures and their evolution are also important and rigorously studied.

Implications for this connection between music and the heart range from medical education to scientific research and communication. For example, the nephrologist Michael Field has meticulously transcribed heart murmurs using music notation for the teaching of cardiac auscultation and the diagnosis of heart valve disorders to medical students.<sup>9</sup> For a lay audience, the authors have created a video illustrating aberrations of cardiac electrophysiology using a set of Little Etudes for piano<sup>10</sup>—see [Video 1](#). Over the past two decades, the explosion of digital music information has given rise to the burgeoning field of music information research, which is concerned with encapsulating music knowledge in computational form. These advances facilitate knowledge transfer between, and interoperability of computer algorithms for, music analysis and computational cardiology, with potential applications to disease stratification and to clinical practices and therapeutics.

## Supplementary material

Supplementary material is available at *European Heart Journal* online.

## Data availability

The PhysioNet Spontaneous Ventricular Tachyarrhythmia Database used in Supplementary material online, Figure S2 is publicly available at <https://physionet.org/content/mvtdb/1.0>. Other data provided by permission in this article cannot be shared publicly for ethical and privacy reasons. The data will be shared on reasonable request to the corresponding author with permission of the owner(s).

## Acknowledgements

This result is part of the COSMOS project ([cosmos.cnrs.fr](http://cosmos.cnrs.fr)) that has received funding from the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation programme (Grant agreement No. 788960). Cameryn Boyd and Cameron Elise Womack corrected the automatically derived PAF ECG beat annotations while working as associate students from Spelman College in autumn 2018. Ashwin Krishna, Daniel Soberanes, and Matthew Ybarra extracted and transcribed the VT ECG rhythms while working as Radcliffe Research Partners at Harvard University in summer 2017.

**Conflict of interest:** none declared.

## References

- Barnes DJ, von Herbay A, Schuhmacher F, Ditton HJ, Maiwald M, Lüderitz B, Kubba AK, Hofbauer LC, Heufelder AE, Joy M. In responses to Beethoven's final illness. *Lancet* 1996;**347**:766–767.
- Goldberger ZD, Whiting SM, Howell JD. The heartfelt music of Ludwig van Beethoven. *Perspect Biol Med* 2014;**57**:285–294.
- Chew E. Notating disfluencies and temporal deviations in music and arrhythmia. *Music Sci* 2018;doi:10.1177/2059204318795159.
- Chew E. On making music with heartbeats. In: ER Miranda ed. *Handbook of Artificial Intelligence for Music: Foundations, Advanced Approaches, and Developments for Creativity*. Switzerland: Springer; 2021. <https://hal.archives-ouvertes.fr/hal-03081561> (19 February 2021).
- Chew E, Krishna A, Soberanes D, Ybarra M, Orini M, Lambiase PD. Arrhythmia Suite: I. 161122 VT before during after ECG (after Holst's "Mars" from *The Planets*); 2017–2018. <https://bit.ly/ArrhythmiaSuite> (28 January 2021).
- Videos showing light (3:2 ratio), medium (2:1 ratio), and hard swing (3:1 ratio). [https://en.wikipedia.org/wiki/Swing\\_\(jazz\\_performance\\_style\)](https://en.wikipedia.org/wiki/Swing_(jazz_performance_style)) (19 January 2021).
- Goldberger A, Amaral L, Glass L, Hausdorff J, Ivanov PC, Mark R, Mietus JE, Moody GB, Peng CK, Stanley HE. PhysioBank, PhysioToolkit, and PhysioNet: components of a new research resource for complex physiologic signals. *Circulation* 2000;**101**:e215–e220.
- Mishra S, Mohan S, Rajab KZ, Dhillon G, Lambiase PD, Hunter R, Chew E. Atrial fibrillation stratification via super-resolution analysis of fibrillatory waves. 2019 Computing in Cardiology (CinC), Singapore, 2019.
- Field M. Music of the heart. *Lancet* 2010;**376**:2074.
- Chew E, Lambiase P, Bedoya D. Little Etudes for piano based on aberrations of cardiac electrophysiology. Ircam AlxMusic Garden, Ars Electronica, 11 September 2020 <https://youtu.be/42TRIL9MeOA> <https://bit.ly/LittleEtudes-video> (30 January 2021).