



# New evidence of bone tool use by Early Pleistocene hominins from Cooper's D, Bloubaan Valley, South Africa

Raphaël Hanon, Francesco d'Errico, Lucinda Backwell, Sandrine Prat,  
Stéphane Péan, Marylène Patou-Mathis

## ► To cite this version:

Raphaël Hanon, Francesco d'Errico, Lucinda Backwell, Sandrine Prat, Stéphane Péan, et al.. New evidence of bone tool use by Early Pleistocene hominins from Cooper's D, Bloubaan Valley, South Africa. *Journal of Archaeological Science: Reports*, 2021, 39, pp.103129. 10.1016/j.jasrep.2021.103129 . hal-03385580

**HAL Id: hal-03385580**

**<https://hal.science/hal-03385580>**

Submitted on 19 Oct 2021

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

1 New evidence of bone tool use by Early Pleistocene hominins from Cooper's D, Bloubaan  
2 Valley, South Africa

3 Raphaël Hanon<sup>1,2</sup>, Francesco d'Errico<sup>3,4</sup>, Lucinda Backwell<sup>1,5</sup>, Sandrine Prat<sup>6</sup>, Marylène  
4 Patou-Mathis<sup>2</sup>, Stéphane Péan<sup>2</sup>, Christine Steininger<sup>1,7</sup>

5 <sup>1</sup>Evolutionary Studies Institute, University of the Witwatersrand, Johannesburg, South Africa

6 <sup>2</sup>UMR 7194 (HNHP), MNHN/CNRS/UPVD, Alliance Sorbonne Université, Institut de  
7 Paléontologie Humaine, 1 rue René Panhard, 75013 Paris, France

8 <sup>3</sup>Univ. Bordeaux, UMR 5199 CNRS, De la Préhistoire à l'Actuel : Culture, Environnement, et  
9 Anthropologie (PACEA), Bâtiment B18, Allée Geoffroy St Hilaire, 33615 Pessac, France.

10 <sup>4</sup>SSF Centre for Early Sapiens Behaviour (SapienCe), University of Bergen, Øysteinsgate 3,  
11 Postboks 7805, 5020, Bergen, Norway.

12 <sup>5</sup>Instituto Superior de Estudios Sociales (ISES-CONICET), San Lorenzo 429, San Miguel de  
13 Tucumán, CP4000, Tucumán, Argentina

14 <sup>6</sup>UMR 7194 (HNHP), MNHN/CNRS/UPVD, Alliance Sorbonne Université, 17 place du  
15 Trocadéro, 75116 Paris, France

16 <sup>7</sup>DST-NRF Centre of Excellence in Palaeosciences, Private Bag 3, WITS 2050,  
17 Johannesburg, South Africa

18 Corresponding Author:

19 Raphaël Hanon

20 Email address: [raphael.hanon@edu.mnhn.fr](mailto:raphael.hanon@edu.mnhn.fr)

## 21   **Abstract**

22   Bone tool-use by Early Pleistocene hominins is at the center of debates in human evolution. It  
23   is especially the case in South Africa, where 102 bone tools have been described from four  
24   Early Stone Age (ESA) archaeological sites, which have yielded Oldowan and possibly  
25   Acheulean artefacts, as well as *Paranthropus robustus* and early *Homo* remains. Here we  
26   describe a bone tool from Cooper's D. The deposit, dated between 1.4 and 1.0 Ma, has  
27   yielded seven *P. robustus* remains and 50 stone artefacts. Our results highlight similarities in  
28   morphology and use-wear patterns between the Cooper's D bone tool and those previously  
29   identified at nearby Sterkfontein, Swartkrans, Kromdraai and Drimolen. Our findings increase  
30   the number of Early Stone Age bone tools and provide further evidence of their association  
31   with *P. robustus*. They suggest *P. robustus* had the cognitive capacities to develop this  
32   cultural adaptation and the manipulative abilities to implement it.

## 1. Introduction

Although formal bone tools, i.e. tools entirely or almost entirely shaped with techniques specifically conceived for bone material such as scraping, grinding and grooving, are well known in the Eurasian Upper Palaeolithic and the African Later Stone Age, it is only in the last twenty years that we have begun to have information on the origin of this cultural innovation (Backwell and d’Errico, 2001; d’Errico et al., 2012, 2020). Early instances are found at Middle Stone Age sites from southern, northern, and central Africa (Brooks et al., 1995, 2006; Yellen et al., 1995; Henshilwood et al., 2001; Backwell et al., 2008, 2018; d’Errico et al., 2012, 2020; El Hajraoui and Debénath, 2012; Backwell and d’Errico, 2015). More debated issues concern the first use of bone modified with techniques generally applied to stone such as knapping (Backwell and d’Errico, 2004; Zutovski and Barkai, 2016; Doyon et al., 2020; Pante et al., 2020; Porraz et al., 2020), and the use of minimally modified bone fragments. Ever since the discovery of the species *Australopithecus africanus*, referred to then as *A. prometheus*, Dart (1949, 1957, 1959a, b, 1960, 1961a, b, 1962) proposed that this hominin was able to use bone as a tool. He referred to the bone collection from Makapansgat as the “osteodontokeratic culture”. Dart’s ‘bone tool’ hypothesis was challenged by the work of Brain (1967a, 1967b, 1976, 1981), Mills (1973), Mills & Mills (1977), Skinner (1976) and Klein (1975), who emphasized the role of natural agents, particularly hyaena, in the production of pseudo-tools. While maintaining his opinion on the highly questionable nature of the Makapansgat “bone tools”, it was the same Brain who published the discovery of bone tools from the hominin site of Swartkrans (Brain & Shipman 1993). Since then, evidence for the existence of an early bone tool technology at Early Stone Age (ESA) sites in South Africa has grown (Brain, 1967; Brain et al., 1988; Brain and Shipman, 1993; Backwell, 2000; Backwell and d’Errico, 2001, 2001, 2003, 2005, 2008; d’Errico et al., 2001; d’Errico

and Backwell, 2003, 2009; Stammers et al., 2018). A growing body of data indicate that these tools mostly consist of weathered limb bone shaft fragments of medium to large size animals with a worn and polished area at the tip (Brain and Shipman, 1993; Backwell and d’Errico, 2001, 2008). According to d’Errico et al. (2001) and Backwell and d’Errico, (2001), Swartkrans bone tools are characterized by a single rounded end with a smoothed/polished area ranging from 5 to 50 mm from the tip. At microscopic scale, 5-40  $\mu\text{m}$  wide sub-parallel, overlapping striations oriented along the main axis of the tool cover the smoothed area. Broader striations are visible, transverse to the main axis of the bone, with a width ranging from 100 to 400  $\mu\text{m}$ . These bones mainly derived from medial portions of long bone shafts from medium (size-class II-III) to large-size (size-class III-IV) class mammals (Brain and Shipman, 1993; Backwell and d’Errico, 2003). They have been interpreted as digging sticks used to forage for termites and plant roots, and possibly to process fruit (d’Errico and Backwell, 2009). To date, four South African sites have yielded definitive evidence of early hominin bone tool technology, namely Sterkfontein, Swartkrans, Drimolen and Kromdraai, all situated in the Cradle of Humankind UNESCO World Heritage Site, located northwest of Johannesburg (Figure 1).

Here, we provide a description of the first bone tool from the *P. robustus*-bearing deposit of Cooper’s D. This site is dated between 1.4 and 1.0 Ma (see below), a timespan that fills the chronological gap between Swartkrans Members 2 and 3. This paper also provides descriptions of associated pseudo-tools from Cooper’s D, some of which feature a similar rounded tip morphology, but lacking diagnostic traces of utilisation, and a discussion of South African ESA bone tools.

### **1.1. Bone tools from Early Stone Age deposits in South Africa**

Robinson (1959) was a pioneer as he was the first to identify a bone tool from the Cradle of Humankind, from Sterkfontein Member 5 West, Acheulean Infill. In his original paper in 1959, this author proposed that *Telanthropus* (attributed today to *Homo*) was the most probable stone and bone toolmaker. The deposit has been dated by paleomagnetism to between 1.3 and 1.1 Ma, and has yielded *Homo* remains associated with Acheulean stone tool technology (Kuman and Clarke, 2000; Herries and Shaw, 2011). Subsequent studies provided descriptions of additional bone tools from the site of Swartkrans Members 1 to 3 (Brain et al., 1988; Brain, 1993; Brain & Shipman 1993; Backwell and d’Errico, 2001, 2003; d’Errico and Backwell, 2003), and then from Drimolen (Backwell and d’Errico 2008), Krombraai B (Stammers et al., 2018) and possibly the Sterkfontein Name Chamber (Val and Stratford, 2015). Based on these studies, 102 bone tools have been identified at four South African early hominin sites.

The bone tool-bearing deposits cover a time span of almost one and a half million years (2.4–0.96 Ma). Drimolen Main Quarry (MNQ) has been recently dated *c.* 2.04 – 1.95 Ma (Herries et al., 2020). In the MNQ, the bone tools are associated with both *Homo* and *Paranthropus robustus* remains, as well as Oldowan stone artefacts (Keyser et al., 2000; Moggi-Cecchi et al., 2010; Stammers et al., 2018). A similar situation occurs for Swartkrans Member 1 (Brain, 1993; d’Errico and Backwell, 2003; Caruana, 2017), which is dated between 2.4 and 1.8 Ma (Pickering et al., 2019). In Member 2 of Swartkrans, dated *c.* 1.4 Ma, an Acheulean stone tool industry is found associated with bone tools and both *Homo* and *P. robustus* remains (Brain, 1993; d’Errico and Backwell, 2003; Kuman, 2007; Balter et al., 2008). The largest collection of bone tools was found in Swartkrans Member 3, which is dated *c.* 0.96 Ma, associated with an Acheulean Industry and only *P. robustus* remains (Brain, 1993; d’Errico and Backwell, 2003; Kuman, 2007; Gibbon et al., 2014). Two bone tools have been described from the

Kromdraai B site, which has yielded only two stone tools and *P. robustus* remains (Kuman, 2007; Braga et al., 2017; Stammers et al., 2018). The age of this deposit is unresolved, but it is thought to be >2.2 Ma (Bruxelles et al., 2017). Finally, one bone tool is reported from the newly excavated area of the Sterkfontein Name Chamber (Val and Stratford, 2015), but we still lack photographic evidence supporting its identification, and the age of the deposit is unclear; a mixture of Members 4 (2.95-1.95 Ma; Pickering and Kramers, 2010) and 5 East Oldowan (2.18±0.21 Ma; Granger et al., 2015).

## **1.2. Cooper's D site**

Cooper's Cave is located in the UNESCO Sterkfontein, Swartkrans, Kromdraai and Environs World Heritage Site in South Africa, at 1.5 km northeast of Sterkfontein, 1 km southwest of Kromdraai, and 45 km northwest of Johannesburg (Figure 1) (Berger et al., 2003; de Ruiter et al., 2009). These cave deposits occur on dolomite of the Monte Cristo Formation (Malmani Subgroup, Transvaal Supergroup) and yield abundant fossil assemblages in both calcified and decalcified breccias (Berger et al., 2003; Steininger et al., 2008; de Ruiter et al., 2009).

Excavations at Cooper's between 2001 and 2009, were conducted in decalcified sediments, which has preserved an abundant fossil assemblage of large and small vertebrates (n >50,000), stone tools (n = 49), and seven hominin remains, six of them attributed to *Paranthropus robustus* (Berger et al., 2003; Steininger et al., 2008; de Ruiter et al., 2009; Sutton et al., 2017). The first radiometric uranium-lead (U-Pb) dates estimated the age of the basal speleothem to be 1.526±0.088 Ma (de Ruiter et al., 2009). A flowstone layer situated in the middle of the deposit was dated to c. 1.4 Ma. A more recent study based on the resampling of the basal speleothem for U-Pb dating gives an age of the basal speleothem to be 1.375±0.113 Ma (Pickering et al., 2019). A minimum age of 1.0 Ma for the deposit is

proposed by Hanon (2019), based on biochronological data from the large mammal assemblage. Thus, we assume that the Cooper's D material from decalcified sediments accumulated between *c.* 1.4 and 1.0 Ma.

Two previous taphonomic studies were conducted on large mammal sub-assemblages at Cooper's D (de Ruiter et al., 2009; Val et al., 2014). The first one focused on a sub-sample of the large mammal assemblage, and suggested that a hyaenid – particularly the brown hyaena (*Parahyaena brunnea*) – was the main accumulating agent of the faunal deposit (de Ruiter et al., 2009). The second study relied on the large-bodied primate assemblage to suggest that both leopards and hyaenas were the most probable accumulating agents (Val et al., 2014). These two studies did not report any bone surface modifications consistent with damage produced by hominins through carcass exploitation or the use of bone tools.

The first extensive taphonomic study of the Cooper's D large mammal assemblage, conducted by one of us (Hanon, 2019), led to the identification of butchery marks and potential bone tools that are the subject of the present study.

## **2. Materials and methods**

Between 2017 and 2018, we undertook a taphonomic study of the entire large mammal faunal assemblage, composed of 21,193 specimens housed at the Evolutionary Studies Institute, University of Witwatersrand, Johannesburg. For our anatomical and taxonomic identifications, we used the modern osteological collection housed in the same institution. We also compared Cooper's material to the modern collections and fossil assemblages from Sterkfontein, Swartkrans and Kromdraai, housed at the Ditsong National Museum of Natural History, Tswane (formerly Pretoria). Potential bone tools identified during the taphonomic study of the Cooper's D assemblage were macro- and microscopically compared with



previously identified bone tools from Swartkrans housed at the Ditsong National Museum of Natural History, and those published from Sterkfontein, Drimolen and Kromdraai.

All specimens from the large Cooper's D faunal collection were observed using an Olympus SZ51 binocular microscope (10-40x magnification). We recorded the following bone modifications: fracture pattern, weathering stage, cortical preservation state, abrasion and polish, manganese coating, decalcification, concretion, compaction, carnivore and rodent tooth marks, trampling and butchery marks, microbial damage and insect modification. These identifications were made based on criteria developed by several authors (e.g. Behrensmeyer, 1978; Binford, 1978; Brain, 1980, 1981; Maguire et al., 1980; Potts and Shipman, 1981; Shipman and Rose, 1983, 1983; Behrensmeyer et al., 1986; Hill, 1987; Blumenschine, 1988; Blumenschine and Selvaggio, 1988; Olsen and Shipman, 1988; Fiorillo, 1989; Cruz-Uribe, 1991; Villa and Mahieu, 1991; Lyman, 1994; Blumenschine et al., 1996; Patou-Mathis, 1997; Kaiser, 2000; Pickering, 2002; Domínguez-Rodrigo et al., 2009, 2010; Kuhn et al., 2010; Backwell et al., 2012; Fourvel, 2012; Bountalis and Kuhn, 2014; Huchet, 2014; Parkinson, 2016). The results of this comprehensive taphonomic analysis will be published elsewhere (Hanon et al., in prep.). This led us to identify 12 possible bone tools featuring morphological characters matching, to some extent, those published by Backwell and d'Errico (2001, 2004) and Pante et al. (2020). These pieces were photographed with a Dino-Lite AD7013MTL digital microscope (20-100x magnification) and an Olympus SZX 16 multifocal microscope coupled to a digital camera (7-115x magnification).

Selected areas of these specimens were moulded with a silicone dental elastomer (Coltène President light body) and analysed with the Tescan Vega 2 LSU scanning electron microscope (SEM) housed at the *Muséum national d'Histoire naturelle* electron microscopy and microanalysis technical platform, Paris. The resin replicas were not metal coated, and all the

images were taken using 15.00 kV, 25 Pa and a view field ranging from 15 to 1 mm with a LVSTD detector. Transparent replicas were made with the MA2+ resin (PRESI, France). These casts were examined in reflected and transmitted light using a motorized Leica Z6 APOA microscope equipped with a DFC420 digital camera and the Leica Application Suite (LAS) software, including the multifocal module (4-40x magnification). This microscope used digital images acquired at variable heights and combined them to obtain a single composite image with an extensive depth of field. As a reference we used descriptions and images of early hominin bone tools from South Africa provided by the literature, and experimental counterparts used in tasks such as digging in different sedimentary environments, digging for termites, plant roots, and fruit processing (Backwell and d'Errico, 2001, 2004, 2008; d'Errico and Backwell, 2003, 2009).

### **3. Results**

Examination of the 21,193 large mammal bone specimens resulted in the selection of 12 potential bone tools (Table 1). Two bones were identified as fragments of bovid metapodials. The rest of the specimens are unidentifiable to taxonomic level and skeletal element. Most of the bones belong to size class I and II mammals ( $n = 9/12$ , Table 2). This small assemblage is composed of well-preserved specimens with no sign of abrasion ( $n=8/12$ ), as well as very abraded bone fragments ( $n=4/12$ , Table 3). No modification by biological agents was identified. Morphometric data on each specimen are provided in Table 1.

The two limb shaft fragments CD.9977 and CD.3046C (Figure 2) have bevelled edges that appear to be the result of fresh bone fracture. These specimens are characterized by the presence of contiguous micro flake scars along their sides. The sharpness of the edges, however, indicates the flake scars may result from post-depositional processes such as

197 trampling or sediment compression. Six other specimens (CD.343, CD.3528, CD.7900,  
198 CD.3529, CD.1649, CD.15631) mimic the general morphology of bone tools found at early  
199 Pleistocene hominin sites (Figure 3). However, at microscopic scale, we were not able to  
200 identify the diagnostic use-wear pattern associated with the fossil tools, and the smoothing  
201 present on them generally extends to the entire bone surface, which is consistent with the  
202 action of a natural agent such as water abrasion.

203 CD.3538 (Figure 3d) is a limb bone shaft fragment with a morphology similar to that of early  
204 Pleistocene hominin bone tools. However, no typical use-wear pattern is visible at a  
205 microscopic scale, and the preservation of the periosteal surface is more consistent with that  
206 resulting from a digestion process. For these reasons we identified this specimen as modified  
207 by a carnivore.

208 CD.6978A (Figure 4a) is a fragment of a small bovid metapodial (size class II). One end is  
209 bevelled, while the other shows a transverse fracture on dry bone. A crack parallel to the main  
210 axis of the bone structure is visible on its periosteal surface. We attribute this crack to a  
211 potential post-depositional process rather than to weathering, since no other evidence of  
212 exposure is observable on the bone. The specimen has a manganese coating. The general  
213 morphology is very similar to that of bone tools identified at Swartkrans, Drimolen and  
214 Kromdraai, but we did not observe the use-wear pattern found on the bone tools from these  
215 sites (Figure 4b).

216 CD.1293 (Figure 4c) is an indeterminate long bone shaft fragment attributed to a size class II  
217 mammal. The piece is bevelled with a slightly smoothed end. Dry breakage is observed at the  
218 opposite end as well as stage 1 weathering. However, the absence of microstriations and

polish restricted to the area of the tip does not permit us to identify this specimen as a bone tool (Figure 4d).

Only one specimen can be confidently identified as a bone tool. CD.7895 (Figures 5-7) is a fragment of an indeterminate long bone characterized by a rounded end. The other end has a dry bone fracture. The general morphology of the fragment may correspond to a bovid metapodial. The piece belongs to an animal of size class 2. The use-wear pattern is visible from the tip for 28.9 mm along the edge, medullary and periosteal surfaces of the bone (Figures 5-7). The microstriae are clearly visible on both multifocal and SEM photographs (Figures 5-7). They are mostly longitudinal or oblique to the main axis of the long bone and appear, as on well-preserved specimens from Swartkrans and Drimolen, to result from abrasion by individual particles, each following a slightly different trajectory and marking successively the bone surface. Microstriation widths are highly variable, ranging from 25 to 300  $\mu\text{m}$ . However, very few striations with a width  $>45 \mu\text{m}$  can be observed. Most of them are curved and subparallel to the main axis of the bone. Longitudinal thin cracks indicate the bone was at a weathering stage 1 when it was used as a tool.

#### **4. Discussion**

During our taphonomic investigation of the large mammal collection from Cooper's D, we were able to identify 12 specimens as bone tools or pseudo-tools. However, after close microscopic examination, only one specimen can be securely identified as a bone tool. The remaining 11 pieces are interpreted as pseudo-tools produced by non-human post-depositional processes, or tools so heavily affected by natural processes that their identification as implements is impossible.

241 The CD.7895 bone tool from Cooper's D bears features (i.e. rounded and strongly polished  
242 end associated with longitudinal or oblique microstriae between 25 to 300  $\mu\text{m}$  wide) identical  
243 to those identified on bone tools from the Sterkfontein, Swartkrans, Drimolen and Kromdraai  
244 sites (Backwell and d'Errico, 2008; d'Errico and Backwell, 2009; Stammers et al., 2018). At  
245 Cooper's D, the faunal material is dominated by small to medium size class mammals  
246 (Hanon, 2019) and the only bone tool specimen is attributed to a size-class II mammal. At  
247 Sterkfontein and Swartkrans, mammal size class II-III and III-IV dominate the bone tool  
248 assemblage, while at Drimolen, the size class II-III is dominant and the mammals over or  
249 under this size class are underrepresented. The bone tool from Cooper's D has been made on a  
250 bovid metapodial, which is consistent with the trend observed at Swartkrans and Drimolen,  
251 where the majority of the bone tools were obtained from long bone shaft fragments (Backwell  
252 and d'Errico, 2003, 2008). Unlike these assemblages, we found no bone tools made from  
253 horncores, mandibles or ribs. This is not surprising, however, if one considers that they occur  
254 at the two sites in very low proportions.

255 The wear-pattern observed on the tip of the CD.7895 specimen from Cooper's D is very  
256 similar to that recorded on bone tools from Sterkfontein, Swartkrans and Drimolen (Backwell  
257 and d'Errico, 2008). Originally, these bone tools were interpreted as digging implements to  
258 dig up tubers (Brain and Shipman, 1993). Subsequent quantitative study and comparison  
259 between archaeological and experimental specimens lead some authors to suggest that these  
260 bone tools were used for termite foraging (Backwell and d'Errico, 2001, 2008; d'Errico et al.,  
261 2001). Subsequently, more detailed analysis of the bone surface texture indicated that even  
262 though termite foraging is the most likely task for the Drimolen bone tools, other foraging  
263 activities such as fruit processing and extraction of tubers could also be possible (d'Errico and  
264 Backwell, 2009). It is difficult, at this stage, to assess the function of the bone tool from

Cooper's D, but given the orientation and fine width of the striations we propose termite foraging as most likely.

Bone tools from Swartkrans Member 1 ( $n = 32$ ), which is dated between  $2.249 \pm 0.077 - 1.706 \pm 0.069$  Ma, is associated with the Oldowan stone tool industry, *P. robustus* and *H. cf. erectus* (Backwell and d'Errico, 2001, 2003; d'Errico and Backwell, 2003; Caruana, 2017; Pickering et al., 2019). According to Herries et al. (2020) the depositional age of Swartkrans Member 1 remains uncertain, and based on ESR dates and faunal evidence could have occurred somewhere between 2.4 and 1.8 Ma, most likely 1.8 Ma. Based on this assertion, Drimolen MNQ, recently dated between 2.04 – 1.95 Ma, could represent the oldest occurrence in southern Africa of bone tools ( $n = 14$ ), stone tools, *Homo* and *Paranthropus* (Herries et al., 2020). The bone tools apparently disappear around 0.96 Ma, with the last occurrence in Swartkrans Member 3 ( $n = 41$ ; Brain, 1993; Backwell and d'Errico, 2003). This implies that bone tools are known in South Africa from at least 2.4 to 0.96 Ma. During this time, five sites have yielded definitive evidence of bone tool technology (Table 4). The Cooper's D assemblage fills the chronological gap between Swartkrans Members 2 and 3. At Cooper's D, *P. robustus* is the only hominin identified (Steininger et al., 2008; de Ruiter et al., 2009). According to Sutton et al. (2017), there are 49 stone artefacts from Cooper's D, but this small assemblage does not permit allocating them to a specific industry. Although two bone tools are reported from the Kromdraai B deposit (Stammers et al., 2018), there is an absence of clear radiometric dates. A second bone tool has been reported from Sterkfontein, from the Name Chamber (Val and Stratford, 2015), and while a detailed study of this specimen is lacking, it confirms a bone tool technology at this site.

We agree with Stammers et al. (2018) that an overall study of these sites shows no clear pattern of associations with bone tools, not with hominins or stone tool industry. Bone tools

are associated with Oldowan as well as Acheulian stone tool industries in deposits containing *P. robustus* and early *Homo* remains (Table 4). Some authors have suggested a link between the presence of *P. robustus* and the early bone tools (Brain, 1993; Backwell and d’Errico, 2003, 2008). Indeed, the largest collection of ESA bone tools has been discovered in Swartkrans Member 3, which is rich in *Paranthropus* remains (Brain, 1993). Drimolen MNQ has also yielded a large number of *P. robustus* remains associated with a collection of bone tools (Backwell and d’Errico, 2008). Finally, South African bone tools disappear after 0.96 Ma in Swartkrans Member 3, as is the case for both *P. robustus* and early *Homo*. We can assume that the most parsimonious hypothesis is that *Paranthropus* may have been the user of the bone tools, but the presence of *Homo* complicates the picture (Backwell and d’Errico, 2008; Stammers et al., 2018; Herries et al., 2020).

## 5. Conclusion

In this study we identify and describe the first bone tool from the Cooper’s D faunal assemblage. The general morphology and use-wear pattern observed at the tip of the Cooper’s D bone tool are very similar to that observed on bone tools from Sterkfontein, Swartkrans and Drimolen. It has been shown that these tools were probably used to forage for termites and plant roots and to process fruits. Based on the longitudinal orientation of the fine striations at the tip of the specimen we tentatively propose that it was used in termite foraging, but wish to investigate further this issue in the future. The fact that *P. robustus* is the only hominin identified at Cooper’s D supports the hypothesis that *P. robustus* probably used the bone tool (Brain, 1993; Backwell and d’Errico, 2001, 2003).

## Acknowledgments

311 We would like to thank Sylvain Pont who helped us visualizing specimens with the SEM at  
 312 the MNHN, and Eric Pubert for producing resin casts. We thank Bernhard Zipfel from the  
 313 University of the Witwatersrand, and Stephany Potze, Mirriam Tawane, Heidi Fourie and  
 314 Lazarus Kgasi from the Ditsong Museum, Tswane (Pretoria), for access to collections. CMS  
 315 acknowledges the funding contribution of the Centre of Excellence in Palaeosciences (CoE-  
 316 Palaeo) and the Palaeontological Scientific Trust (PAST). RH acknowledges the ATM  
 317 MNHN project “Paranthropus Diet. *Régime alimentaire et comportement de subsistance des*  
 318 *Paranthropes sud-africains*”, directed by S. Prat, the UMR 7194/MNHN, the Agence  
 319 Nationale de la Recherche (ANR, France): project HOMTECH, ANR-17-CE27-0005,  
 320 directed by S. Prat, for funding and logistical support. FdE acknowledges support from the  
 321 Research Council of Norway through its Centre's of Excellence funding scheme (SFF Centre  
 322 for Early Sapiens Behaviour - SapienCE- project number 262618), the Talents programme of  
 323 the University of Bordeaux *Initiative d'Excellence*, and the LaScArBx (ANR-10-LABX-52).  
 324 LB is grateful for a DSI-NRF Centre of Excellence in Palaeosciences grant (CEOOP2020-1).

## 325 **References**

- 326 Backwell, L.R., d’Errico, F., 2001. Evidence of termite foraging by Swartkrans early  
 327 hominids. *Proceedings of the National Academy of Sciences*. 98, 1358–  
 328 1363. Backwell, L., Bradfield, J., Carlson, K.J., Jashashvili, T., Wadley, L., d’Errico,  
 329 F., 2018. The antiquity of bow-and-arrow technology: evidence from Middle Stone  
 330 Age layers at Sibudu Cave. *Antiquity*. 92, 289–303.
- 331 Backwell, L., d’Errico, F., 2005. The origin of bone tool technology and the identification of  
 332 early hominid cultural traditions. In: d’Errico, F., Backwell, L. (Eds.), *From Tools to*



- 333 Symbols: From Early Hominids to Modern Humans. Wits University Press,  
334 Johannesburg, pp. 238–275.
- 335 Backwell, L., d’Errico, F., 2008. Early hominid bone tools from Drimolen, South Africa.  
336 Journal of Archaeological Science. 35, 2880–2894.
- 337 Backwell, L., d’Errico, F., 2015. Osseous Projectile Weaponry from Early to Late Middle  
338 Stone Age Africa. In: Langley, M.C. (Ed.), Osseous Projectile Weaponry, Vertebrate  
339 Paleobiology and Paleoanthropology. Springer Netherlands, Dordrecht, pp. 15–29.
- 340 Backwell, L., d’Errico, F., Wadley, L., 2008. Middle Stone Age bone tools from the  
341 Howiesons Poort layers, Sibudu Cave, South Africa. Journal of Archaeological  
342 Science. 35, 1566–1580.
- 343 Backwell, L.R., 2000. A critical assessment of southern African ‘early hominid bone tools.’  
344 University of the Witwatersrand, Johannesburg.
- 345 Backwell, L.R., d’Errico, F., 2001. Evidence of termite foraging by Swartkrans early  
346 hominids. Proceedings of the National Academy of Sciences. 98, 1358–1363.
- 347 Backwell, L.R., d’Errico, F., 2003. Additional evidence on the early hominid bone tools from  
348 Swartkrans with reference to spatial distribution of lithic and organic artefacts. South  
349 African Journal of Science. 99, 259–267.
- 350 Backwell, L.R., d’Errico, F., 2004. The first use of bone tools: a reappraisal of the evidence  
351 from Olduvai Gorge, Tanzania. 64.

352 Backwell, L.R., Parkinson, A.H., Roberts, E.M., d'Errico, F., Huchet, J.-B., 2012. Criteria for  
 353 identifying bone modification by termites in the fossil record. *Palaeogeography,*  
 354 *Palaeoclimatology, Palaeoecology.* 337–338, 72–87.

355 Balter, V., Blichert-Toft, J., Braga, J., Telouk, P., Thackeray, F., Albarède, F., 2008. U–Pb  
 356 dating of fossil enamel from the Swartkrans Pleistocene hominid site, South Africa.  
 357 *Earth and Planetary Science Letters.* 267, 236–246.

358 Behrensmeyer, A.K., 1978. Taphonomic and Ecologic Information from Bone Weathering.  
 359 *Paleobiology.* 4, 150–162.

360 Behrensmeyer, A.K., Gordon, K.D., Yanagi, G.T., 1986. Trampling as a cause of bone  
 361 surface damage and pseudo-cutmarks. *Nature.* 319, 768–771.

362 Berger, L.R., de Ruiter, D.J., Steininger, C.M., Hancox, J., 2003. Preliminary results of  
 363 excavations at the newly investigated Coopers D deposit, Gauteng, South Africa.  
 364 *South African Journal of Science.* 99, 276–278.

365 Binford, L.R., 1978. *Nunamiut Ethnoarchaeology*, Academic Press. ed. New York.

366 Blumenschine, R.J., 1988. An experimental model of the timing of hominid and carnivore  
 367 influence on archaeological bone assemblages. *Journal of Archaeological Science.* 15,  
 368 483–502.

369 Blumenschine, R.J., Marean, C.W., Capaldo, S.D., 1996. Blind Tests of Inter-analyst  
 370 Correspondence and Accuracy in the Identification of Cut Marks, Percussion Marks,  
 371 and Carnivore Tooth Marks on Bone Surfaces. *Journal of Archaeological Science.* 23,  
 372 493–507.

373 Blumenschine, R.J., Selvaggio, M.M., 1988. Percussion marks on bone surfaces as a new  
 374 diagnostic of hominid behaviour. *Nature*. 333, 763–765.

375 Bountalis, A.C., Kuhn, B.F., 2014. Cave Usage by Multiple Taphonomic Agents: Issues  
 376 towards Interpreting the Fossil Bearing Cave Deposits in South Africa. *American*  
 377 *Journal of Zoological Research*. 2, 55–61.

378 Braga, J., Thackeray, J.F., Bruxelles, L., Dumoncel, J., Fourvel, J.-B., 2017. Stretching the  
 379 time span of hominin evolution at Kromdraai (Gauteng, South Africa): Recent  
 380 discoveries. *Comptes Rendus Palevol*. 16, 58–70.

381 Brain, C.K., 1967. Bone weathering and the problem of bone pseudo-tools. *South African*  
 382 *Journal of Science*. 63, 97–99.

383 Brain, C.K., 1980. Some criteria for the recognition of bone-collecting agencies in African  
 384 caves. In: *Fossils in the Making: Vertebrate Taphonomy and Paleoecology*.  
 385 Behrensmeyer, A. K. and Hill, A. P., Chicago, pp. 107–130.

386 Brain, C.K., 1981. *The Hunters or the Hunted? An Introduction to African Cave Taphonomy*.  
 387 University of Chicago Press, Chicago.

388 Brain, C.K., 1993. *Swartkrans. A Cave's Chronicle of Early Man*. Transvaal Museum,  
 389 Pretoria.

390 Brain, C.K., Churcher, C.S., Clark, J.D., Grine, F.E., Shipman, P., Susman, R.L., Turner, A.,  
 391 Watson', V., 1988. New evidence of early hominids, their culture and environment  
 392 from the Swartkrans cave, South Africa. *South African Journal of Science*. 84, 828–  
 393 835.

394 Brain, C.K., Shipman, P., 1993. The Swartkrans bone tools. In: Brain, C.K. (Ed.), Swartkrans:  
 395 A Cave's Chronicle of Early Man. Transvaal Museum Monograph, Pretoria, pp. 195–  
 396 215.

397 Brooks, A., Helgren, D., Cramer, J., Franklin, A., Hornyak, W., Keating, J., Klein, R., Rink,  
 398 W., Schwarcz, H., Smith, J., et al., 1995. Dating and context of three middle stone  
 399 age sites with bone points in the Upper Semliki Valley, Zaire. *Science*. 268, 548–553.

400 Brooks, A.S., Nevell, L., Yellen, J.E., Hartman, G., 2006. Projectile technologies of the MSA:  
 401 implications for modern human origins. In: Hovers, E., Kuhn, S.L. (Eds.), *Transitions*  
 402 *before the Transition: Evolution and Stability in the Middle Palaeolithic and Middle*  
 403 *Stone Age*. Springer, New York, pp. 233–255.

404 Bruxelles, L., Maire, R., Couzens, R., Thackeray, J.F., Braga, J., 2017. A revised stratigraphy  
 405 of Kromdraai. In: *Kromdraai, a Birthplace of *Paranthropus* in the Cradle of*  
 406 *Humankind*. Sun Media Metro, Johannesburg, pp. 31–48.

407 Caruana, M.V., 2017. Lithic Production Strategies in the Oldowan Assemblages from  
 408 Sterkfontein Member 5 and Swartkrans Member 1, Gauteng Province, South Africa.  
 409 *Journal of African Archaeology*. 15, 1–19.

410 Cruz-Urbe, K., 1991. Distinguishing Hyena from Hominid Bone Accumulations. *Journal of*  
 411 *Field Archaeology*. 18, 467.

412 d'Errico, F., Backwell, L., 2009. Assessing the function of early hominin bone tools. *Journal*  
 413 *of Archaeological Science*. 36, 1764–1773.

414 d’Errico, F., Backwell, L.R., 2003. Possible evidence of bone tool shaping by Swartkrans  
 415 early hominids. *Journal of Archaeological Science*. 30, 1559–1576.

416 d’Errico, F., Backwell, L.R., Berger, L.R., 2001. Bone tool use in termite foraging by early  
 417 hominids and its impact on our understanding of early hominid behaviour. *South*  
 418 *African Journal of Science*. 97, 71–75.

419 d’Errico, F., Backwell, L.R., Wadley, L., 2012. Identifying regional variability in Middle  
 420 Stone Age bone technology: The case of Sibudu Cave. *Journal of Archaeological*  
 421 *Science*. 39, 2479–2495.

422 d’Errico, F., Pitarch Martí, A., Shipton, C., Le Vraux, E., Ndiema, E., Goldstein, S., Petraglia,  
 423 M.D., Boivin, N., 2020. Trajectories of cultural innovation from the Middle to Later  
 424 Stone Age in Eastern Africa: Personal ornaments, bone artifacts, and other from  
 425 Panga ya Saidi, Kenya. *Journal of Human Evolution*. 141, 102737.

426 Dart, R.A., 1957. The osteodontokeratic culture of *Australopithecus prometheus*. *Transvaal*  
 427 *Museum Memoirs*. 1–105.

428 de Ruiter, D.J., Pickering, R., Steininger, C.M., Kramers, J.D., Hancox, P.J., Churchill, S.E.,  
 429 Berger, L.R., Backwell, L., 2009. New *Australopithecus robustus* fossils and  
 430 associated U-Pb dates from Cooper’s Cave (Gauteng, South Africa). *Journal of*  
 431 *Human Evolution*. 56, 497–513.

432 Domínguez-Rodrigo, M., de Juana, S., Galán, A.B., Rodríguez, M., 2009. A new protocol to  
 433 differentiate trampling marks from butchery cut marks. *Journal of Archaeological*  
 434 *Science*. 36, 2643–2654.

435 Domínguez-Rodrigo, M., Pickering, T.R., Bunn, H.T., 2010. Configurational approach to  
 436 identifying the earliest hominin butchers. *Proceedings of the National Academy of*  
 437 *Sciences*. 107, 20929–20934.

438 Doyon, L., Zhanyang, L., Hua, W., Geis, L., d’Errico, F., 2020. A 115,000-year-old expedient  
 439 bone technology at Lingjing, Henan, China (preprint). *SocArXiv*.

440 El Hajraoui, A.M., Debénath, A., 2012. El Mnasra - Chapitre XXIV. L’industrie osseuse. In:  
 441 El Hajraoui, A.M., Nespoulet, R., Debénath, A., Dibble, H. (Eds.), *Préhistoire de La*  
 442 *Région de Rabat-Témara. Villes et Sites d’archéologie Marocaine, Royaume Du*  
 443 *Maroc. Ministère de la Culture et Institut National des Sciences de l’Archéologie et du*  
 444 *Patrimoine, Rabat*, pp. 179–188.

445 Fiorillo, A.R., 1989. An experimental study of trampling. In: Bonnichsen, R., and Sorg, M.  
 446 H., (Eds.), *Bone Modification. University of Maine*, pp. 61–98.

447 Fourvel, J.-B., 2012. Hyénidés modernes et fossiles d’Europe et d’Afrique : taphonomie  
 448 comparée de leurs assemblages osseux. *Université de Toulouse Le Mirail, Toulouse*.

449 Gibbon, R.J., Pickering, T.R., Sutton, M.B., Heaton, J.L., Kuman, K., Clarke, R.J., Brain,  
 450 C.K., Granger, D.E., 2014. Cosmogenic nuclide burial dating of hominin-bearing  
 451 Pleistocene cave deposits at Swartkrans, South Africa. *Quaternary Geochronology*. 24,  
 452 10–15.

453 Granger, D.E., Gibbon, R.J., Kuman, K., Clarke, R.J., Bruxelles, L., Caffee, M.W., 2015.  
 454 New cosmogenic burial ages for Sterkfontein Member 2 *Australopithecus* and  
 455 Member 5 Oldowan. *Nature*. 522, 85–88.

456 Hanon, R., 2019. Comportements de subsistance des hominines du Pléistocène inférieur  
 457 d’Afrique du Sud : analyse archéozoologique du site de Cooper’s D (Bloubaan  
 458 Valley). Muséum National d’Histoire Naturelle, Paris.

459 Henshilwood, C.S., D’errico, F., Marean, C.W., Milo, R.G., Yates, R., 2001. An early bone  
 460 tool industry from the Middle Stone Age at Blombos Cave, South Africa: implications  
 461 for the origins of modern human behaviour, symbolism and language. *Journal of*  
 462 *Human Evolution*. 41, 631–678.

463 Herries, A.I.R., Curnoe, D., Adams, J.W., 2009. A multi-disciplinary seriation of early Homo  
 464 and Paranthropus bearing palaeocaves in southern Africa. *Quaternary International*.  
 465 202, 14–28.

466 Herries, A.I.R., Hopley, P.J., Adams, J.W., Curnoe, D., Maslin, M.A., 2010. Letter to the  
 467 editor: Geochronology and palaeoenvironments of Southern African hominin-bearing  
 468 localities-A reply to Wrangham et al., 2009. “Shallow-water habitats as sources of  
 469 fallback foods for hominins.” *American Journal of Physical Anthropology*. 143, 640–  
 470 646.

471 Herries, A.I.R., Martin, J.M., Leece, A.B., Adams, J.W., Boschian, G., Joannes-Boyau, R.,  
 472 Edwards, T.R., Mallett, T., Massey, J., Murszewski, A., Neubauer, S., Pickering, R.,  
 473 Strait, D.S., Armstrong, B.J., Baker, S., Caruana, M.V., Denham, T., Hellstrom, J.,  
 474 Moggi-Cecchi, J., Mokobane, S., Penzo-Kajewski, P., Rovinsky, D.S., Schwartz, G.T.,  
 475 Stammers, R.C., Wilson, C., Woodhead, J., Menter, C., 2020. Contemporaneity of  
 476 *Australopithecus* , *Paranthropus* , and early *Homo erectus* in South Africa. *Science*.  
 477 368, eaaw7293.

- 478 Herries, A.I.R., Shaw, J., 2011. Palaeomagnetic analysis of the Sterkfontein palaeocave  
479 deposits: Implications for the age of the hominin fossils and stone tool industries.  
480 *Journal of Human Evolution*. 60, 523–539.
- 481 Hill, A., 1987. Damage to some fossil bones from Laetoli. In: Leakey, M. D., and Harris, J.  
482 M., (Eds.), *Laetoli. A Pliocene Site in Northern Tanzania*. Oxford, pp. 543–544.
- 483 Huchet, J.-B., 2014. Approche ichnologique et taphonomique des altérations ostéolytiques  
484 dues aux insectes en contexte archéologique. In: Denys, C., and Patou-Mathis, M.,  
485 (Eds.), *Manuel de Taphonomie*, Collection “Archéologiques.” Errance, Muséum  
486 National d’Histoire Naturelle and CNRS, Paris, pp. 185–207.
- 487 Kaiser, T.M., 2000. Proposed Fossil Insect Modification to Fossil Mammalian Bone from  
488 Plio-Pleistocene Hominid-Bearing Deposits of Laetoli (Northern Tanzania). *Annals of*  
489 *the Entomological Society of America*. 93, 693–700.
- 490 Keyser, A.W., Menter, C.G., Moggi-Cecchi, J., Pickering, T.R., Berger, L.R., 2000.  
491 *Drimolen: a new hominid-bearing site in Gauteng, South Africa*. *South African*  
492 *Journal of Science*. 96, 193–197.
- 493 Kuhn, B.F., Berger, L.R., Skinner, J.D., 2010. Examining criteria for identifying and  
494 differentiating fossil faunal assemblages accumulated by hyenas and hominins using  
495 extant hyenid accumulations. *International Journal of Osteoarchaeology*. 15–35.
- 496 Kuman, K., 2007. The earlier Stone Age in South Africa: site context and the influence of  
497 cave studies. In: Pickering, T. R., Schick, K., and Toth, N., (Eds.), *Breathing Life Into*  
498 *Fossils: Taphonomic Studies in Honor of C. K. (Bob) Brain*. Gosport, pp. 181–198.



- 499 Kuman, K., Clarke, R.J., 2000. Stratigraphy, artefact industries and hominid associations for  
500 Sterkfontein, Member 5. *Journal of Human Evolution*. 38, 827–847.
- 501 Lyman, R.L., 1994. *Vertebrate Taphonomy*, Cambridge University Press. ed, Cambridge  
502 manuals in archaeology. Cambridge.
- 503 Maguire, J.M., Pemberton, D., Collett, M.H., 1980. The Makapansgat limeworks gray  
504 breccia: hominids, hyaenas, hystricids or hill wash. *Palaeontologia africana*. 23, 75–  
505 98.
- 506 Moggi-Cecchi, J., Menter, C., Boccone, S., Keyser, A., 2010. Early hominin dental remains  
507 from the Plio-Pleistocene site of Drimolen, South Africa. *Journal of Human Evolution*.  
508 58, 374–405.
- 509 Olsen, S.L., Shipman, P., 1988. Surface modification on bone: Trampling versus butchery.  
510 *Journal of Archaeological Science*. 15, 535–553.
- 511 Pante, M., Torre, I. de la, d’Errico, F., Njau, J., Blumenschine, R., 2020. Bone tools from  
512 Beds II–IV, Olduvai Gorge, Tanzania, and implications for the origins and evolution  
513 of bone technology. *Journal of Human Evolution*. 148, 102885.
- 514 Parkinson, A.H., 2016. Traces of Insect Activity at Cooper’s D Fossil Site (Cradle of  
515 Humankind, South Africa). *Ichnos*. 23, 322–339.
- 516 Patou-Mathis, M., 1997. Les marques de boucherie au Paléolithique. *Revue Médical*  
517 *Vétérinaire*. 148, 959–968.
- 518 Pickering, R., Herries, A.I.R., Woodhead, J.D., Hellstrom, J.C., Green, H.E., Paul, B.,  
519 Ritzman, T., Strait, D.S., Schoville, B.J., Hancox, P.J., 2019. U–Pb-dated flowstones

520 restrict South African early hominin record to dry climate phases. *Nature*. 565, 226–  
521 229.

522 Pickering, R., Kramers, J.D., 2010. Re-appraisal of the stratigraphy and determination of new  
523 U-Pb dates for the Sterkfontein hominin site, South Africa. *Journal of Human*  
524 *Evolution*. 59, 70–86.

525 Pickering, T.R., 2002. Reconsideration of criteria for differentiating faunal assemblages  
526 accumulated by hyenas and hominids. *International Journal of Osteoarchaeology*. 12,  
527 127–141.

528 Porraz, G., E., P.J., Schmidt, P., Gérald, B., Jean-Philippe, B., Laure, D., Marina, I., Miller,  
529 C.E., Schmid, V.C., Chantal, T., Aurore, V., Christine, V., Pierre-Jean, T., 2020.  
530 Experimentation preceding innovation in a MIS5 Pre-Still Bay layer from Diepkloof  
531 Rock Shelter (South Africa): emerging technologies and symbols (preprint).  
532 *EcoEvoRxiv*.

533 Potts, R., Shipman, P., 1981. Cutmarks made by stone tools on bones from Olduvai Gorge,  
534 Tanzania. *Nature*. 291, 577–580.

535 Robinson, J.T., 1959. A Bone Implement from Sterkfontein. *Nature*. 184, 583–585.

536 Shipman, P., Rose, J., 1983. Early hominid hunting, butchering, and carcass-processing  
537 behaviors: Approaches to the fossil record. *Journal of Anthropological Archaeology*.  
538 2, 57–98.

539 Stammers, R.C., Caruana, M.V., Herries, A.I.R., 2018. The first bone tools from Kromdraai  
540 and stone tools from Drimolen, and the place of bone tools in the South African  
541 Earlier Stone Age. *Quaternary International*. 495, 87–101.

542 Steininger, C., Berger, L.R., Kuhn, B.F., 2008. A partial skull of *Paranthropus robustus* from  
543 Cooper's Cave, South Africa. *South African Journal of Science*. 104, 143–146.

544 Sutton, M.B., Kuman, K., Steininger, C., 2017. Early Pleistocene stone artefacts from  
545 Cooper's cave, South Africa. *South African Archaeological Bulletin*. 72, 156–161.

546 Val, A., Stratford, D.J., 2015. The macrovertebrate fossil assemblage from the Name  
547 Chamber, Sterkfontein: taxonomy, taphonomy and implications for site formation  
548 processes. *Palaeontologia Africana*. 50, 49–58.


549 Val, A., Taru, P., Steininger, C., 2014. New taphonomic analysis of large-bodied primate  
550 assemblage from Cooper's D, Bloubaank Valley, South Africa. *South African*  
551 *Archaeological Bulletin*. 69, 49–58.

552 Villa, P., Mahieu, E., 1991. Breakage patterns of human long bones. *Journal of Human*  
553 *Evolution*. 21, 27–48.

554 Yellen, J., Brooks, A., Cornelissen, E., Mehlman, M., Stewart, K., 1995. A middle stone age  
555 worked bone industry from Katanda, Upper Semliki Valley, Zaire. *Science*. 268, 553–  
556 556.

557 Zutovski, K., Barkai, R., 2016. The use of elephant bones for making Acheulian handaxes: A  
558 fresh look at old bones. *Quaternary International*. 406, 227–238.

559




560

561 **Figure 1:** Locality of Cooper's Cave and other Early Stone Age-bearing bone tool sites in South  
562 Africa with a geological plan of the Cooper's D site (modified after de Ruiter et al., 2009).


563

564




565

566 **Figure 2:** Photographs of specimens CD.9977 (a) and CD.3046C (b) displaying denticulated  
567 micro flake scars along their edges (arrows). Scales = 2 cm.



**Figure 3:** Rounded bone fragments from Cooper's D interpreted as pseudo-tools; CD.1649 (a), CD.7900 (b), CD.15631 (c), CD.3538 (d), CD.3529 (e), CD.3528 (f), CD.343 (g). Scale = 2 cm.



**Figure 4:** Photographs of bone fragments from Cooper's D interpreted as pseudo-tools, CD.6978A (a) and CD.1293 (c) and photographs of their rounded tips taken in transmitted light on resin replicas CD.6978A (b) and CD.1293 (d). Scales = 2 cm (a, c) and 1 mm (b, d).






578

579 **Figure 5:** Photographs of the bone tool from Cooper's D (CD.7895) showing the cortical (left)  
580 and medullary (right) surfaces. Scale = 2cm.

581







582

583 Figure 6: Periosteal surface of the bone tool tip from Cooper's D (CD.7895) showing  
584 characteristic longitudinal subparallel, intersecting striations. Photographs taken in transmitted  
585 light on resin replicas. Scales = 1 mm.

586



**Figure 7:** Medullary surface (a) of the bone tool from Cooper's D (CD.7895) and close-up views of the tip (b-c) and right side of the object. Notice the myriad number of individual intersecting lines flattening the bone surface and only sparing concave areas of trabecular bone. Scales = 1 mm.



**Figure 8:** Scanning electron micrographs of the Cooper's D bone tool tip (CD.7895) (top and bottom left) and close-up views (right) showing microstriations produced by the use of the tool. Scales = 1 mm (a-c) and 200 μm (d).