Electrical Properties and Phase Stability of Mg-Fe-O System

S.-H. Kang, S.-H. Chang and H.-I. Yoo

Solid State Ionics Research Lab., School of Materials Science and Engineering, Seoul National University, Seoul 151-742, Korea

Abstract. Phase stability regions in Mg-Fe-O system were investigated against temperature, cationic composition, and oxygen partial pressure using electrical conductivity and thermoelectric power measurements. Using these results, phase diagrams of the first kind (i.e., P_{O_2} vs. T) for fixed compositions and the second kind (i.e., composition vs. P_{O_2}) at fixed temperatures were constructed extensively.

1. INTRODUCTION

The electrical conductivity and thermoelectric power of Mg-Fe-O system were examined as functions of oxygen partial pressure(P_{O_2}), temperature(T), and cationic composition($x \equiv N_{Mg}/[N_{Mg}+N_{Fe}]$), and the phase stability regions were determined from the correlation between the electrical properties and phase stability[1]. Using these results, phase diagrams of the first kind (i.e., P_{O_2} vs. T) for fixed compositions and the second kind (i.e., composition vs. P_{O_2}) at fixed temperatures were constructed extensively.

2. EXPERIMENTAL

Dense polycrystalline ferrite specimens were prepared via a conventional ceramic powder processing route. Electrical conductivity was measured by a d.c. 4-probe method and thermoelectric power by a heat pulse technique.

3. RESULTS

On the basis of the electrical property-phase stability correlations in spinel ferrite, phase diagrams of the first kind (P_{O_2} vs. temperature) and the second kind(P_{O_2} vs. cationic composition) were constructed extensively. All of the diagrams are shown in Figs. 1 and 2.

References

- [1] H. I. Yoo and H. L. Tuller, J. Mater. Res. 3 (1988) 552.
- [2] A. G. Zalazinskii et al., Russ. J. Phys. Chem. 49 (1975) 914.
- [3] H. F. Rizzo et al., J. Electrochem. Soc. 116 (1969) 266.
- [4] P. E. C. Bryant and W. W. Smeltzer, J. Electrochem. Soc. 116 (1969) 1409.
- [5] R. A. Giddings and R. S. Gordon, J. Am. Ceram. Soc. 56 (1973) 111.
- [6] A. E. Paladino, J. Am. Ceram. Soc. 43 (1960) 183.
- [7] D. H. Speidel, J. Am. Ceram. Soc. 50 (1967) 243.

(a)

(b)

(c)

Fig. 1. Phase stability diagrams of the first kind for Mg-Fe-O system at fixed cationic composition (a) $x=0.169$, (b) $x=0.247$, and (c) $x=0.295$ as a function of oxygen partial pressure and temperature. Open circles are from literature[2]. H, hematite; MF, magnesio-ferrite; MW, magnesio-wüstite.

(a)

(b)

(c)

Fig. 2. Phase stability diagrams of the second kind for Mg-Fe-O system at fixed temperature (a)1100°C, (b)1200°C, and (c)1300°C as a function of oxygen partial pressure(P_{O_2}) and cationic composition(x). Open circles are from literatures[3-7]. H, hematite; MF, magnesio-ferrite; MW, magnesio-wüstite.