


Sample Information

Sample Name : SLE 049 32h  
Vial # : 7  
Injection Volume : 1.00  
Data File : C:\GCMSsolution\Data\Project1\AM2N3\Sébastien Lemouzy\SLE 049 32h-t.qgd  
Method File : C:\GCMSsolution\Data\Project1\AM2N3\Sébastien Lemouzy\50-280 (split 30) interr  
Tuning File : C:\GCMSsolution\System\Tune1\2021.01.04.qgt

Chromatogram SLE 049 32h C:\GCMSsolution\Data\Project1\AM2N3\Sébastien Lemouzy\SLE 049 32h-t.qgd



Peak Report							Name
Peak#	R.Time	I.Time	F.Time	Area	Area%	Height	
1	4.445	4.413	4.477	2100544	49.90	2264251	
2	7.277	7.253	7.303	946393	22.48	1247007	
3	7.805	7.777	7.843	1162727	27.62	1276158	
				4209664	100.00	4787416	

#### Spectrum

#### Method

[Comment]

===== Analytical Line 1 =====

[AOC-20i+s]

# of Rinses with Presolvent :6  
# of Rinses with Solvent(post) :6  
# of Rinses with Sample :2  
Plunger Speed(Suction) :High  
Viscosity Comp. Time :0.2 sec  
Plunger Speed(Injection) :High  
Syringe Insertion Speed :High  
Injection Mode :Normal  
Pumping Times :5  
Inj. Port Dwell Time :0.0 sec  
Terminal Air Gap :No  
Plunger Washing Speed :High  
Washing Volume :8uL  
Syringe Suction Position :0.0 mm  
Syringe Injection Position :0.0 mm  
Solvent Selection :All A,B,C

[GC-2010]

Column Oven Temp. :50.0 °C  
Injection Temp. :250.00 °C  
Injection Mode :Split  
Flow Control Mode :Linear Velocity  
Pressure :108.3 kPa  
Total Flow :25.9 mL/min

Column Flow	:0.74 mL/min	
Linear Velocity	:38.2 cm/sec	
Purge Flow	:3.0 mL/min	
Split Ratio	:30.0	
High Pressure Injection	:OFF	
Carrier Gas Saver	:ON	
Carrier Gas Saver Split Ratio	:10.0	
Carrier Gas Saver Time	:1.00 min	
Splitter Hold	:OFF	
Oven Temp. Program		
Rate	Temperature(°C)	Hold Time(min)
-	50.0	2.00
22.00	280.0	2.00

< Ready Check Heat Unit >  
     Column Oven : Yes  
     SPL1 : Yes  
     MS : Yes  
 < Ready Check Detector(FTD) >  
 < Ready Check Baseline Drift >  
 < Ready Check Injection Flow >  
     SPL1 Carrier : Yes  
     SPL1 Purge : Yes  
 < Ready Check APC Flow >  
 < Ready Check Detector APC Flow >  
 External Wait :No  
 Equilibrium Time :1.0 min

[GC Program]

[GCMS-QP2010 SE]  
 IonSourceTemp :200.00 °C  
 Interface Temp. :280.00 °C  
 Solvent Cut Time :1.50 min  
 Detector Gain Mode :Relative  
 Detector Gain :0.89 kV +0.00 kV  
 Threshold :0

[MS Table]

--Group 1 - Event 1--  
 Start Time :4.00min  
 End Time :5.00min  
 ACQ Mode :Scan  
 Event Time :0.20sec  
 Scan Speed :5000  
 Start m/z :30.00  
 End m/z :800.00  
 --Group 2 - Event 1--  
 Start Time :5.30min  
 End Time :14.45min  
 ACQ Mode :Scan  
 Event Time :0.20sec  
 Scan Speed :5000  
 Start m/z :30.00  
 End m/z :800.00

Sample Inlet Unit :GC

[MS Program]

Use MS Program :OFF

Library

No peaks found